ASUS ProArt OLED PA32UCDM computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD QD-OLED Silver

Brand : ASUS Product family: ProArt OLED Product code: 90LM03HE-

B01K70

Product name: ProArt OLED

PA32UCDM

ProArt Display OLED PA32UCDM Professional Monitor – 32-inch (31.5 inch viewable), 4K UHD (3840 x 2160), QD-OLED, Ultra-slim, 240Hz, 0.1ms, Auto Calibration, HDR-10, HLG, Dolby Vision, 99% DCI-P3, Δ E < 1, Thunderbolt 4 PD 96W, Calman Ready, ColourSpace Integration, Ergonomic Stand, Green Sustainability

ASUS ProArt OLED PA32UCDM computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD QD-OLED Silver:

Professional OLED Monitor for Every Creators

ProArt Display OLED PA32UCDM is a professional monitor designed for professional content creators. This 31.5-inch 4K HDR display boasts a cutting-edge 1000-nits QD-OLED panel with 99% DCI-P3 gamut, ensuring highly-accurate colors and exceptionally-detailed visuals. Its up to 240Hz refresh rate enables creators to develop fast-rendering games and perform artwork quality checks on a single display. Additionally, support for multiple HDR format makes PA32UCDM the perfect monitor for working on fast-moving HDR content.





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Display brightness (peak)	80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD 16:9 QD-OLED OLED X 1000 cd/m²	USB Power Delivery up to HDMI * HDMI ports quantity HDMI version Thunderbolt 4 ports quantity Headphone out * HDCP HDCP version	96 W 1 2.1 2 ×
Display brightness (typical) Response time *	250 cd/m ² 0.1 ms	Ergonomics	2.3
Response time measurement type Anti-glare screen Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Viewable size, horizontal Viewable size, vertical	GTG (Gray to Gray) Flat 1500000:1 1500000:1 240 Hz 178° 178° 1.073 billion colours 0.182 x 0.182 mm 140 ppi 69.9 cm 39.5 cm	VESA mounting * Panel mounting interface Wall mountable Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Pivot Pivot angle Tilt adjustment Tilt angle range Picture-in-Picture	100 x 100 mm Kensington 13 cm -90 - 90° -5 - 20°
Digital horizontal frequency	15 - 583 kHz	Power	
Digital vertical frequency Display diagonal (metric)	48 - 240 Hz 80 cm	Energy efficiency class (SDR) * Energy efficiency class (HDR) *	F G
High Dynamic Range (HDR) supported	✓	Energy consumption (SDR) per 1000 hours *	29 kWh

Display		Power	
High Dynamic Range (HDR) technology Colour gamut standard	DisplayHDR 400 True Black, Dolby Vision, High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG) DCI-P3, sRGB	Energy consumption (HDR) per 1000 hours * Power consumption (typical) *	38 kWh 32 W
sRGB coverage (typical) DCI-P3 coverage	100% 99%	Power consumption (off) Power consumption (PowerSave) AC input voltage	0.3 W 0.5 W 100 - 240 V
Performance		AC input frequency	50/60 Hz
VESA Adaptive Sync support	✓	Energy efficiency scale	A to G
Flicker-free technology	✓	Weight & dimensions	
Low Blue Light technology	✓	Width (with stand)	717.3 mm
Multimedia		Depth (with stand)	228 mm
Number of speakers RMS rated power Built-in speaker(s) * Built-in camera *	2 6 W •/	Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand)	602.5 mm 9 kg 717.3 mm 42.4 mm 422.3 mm
Design		Weight (without stand)	6.5 kg
Market positioning * Product colour * Feet colour	Professional Silver Silver	Packaging data Package width Package depth	820 mm 282 mm
Ports & interfaces		Package height	577 mm
Built-in USB hub * USB hub version	✓ 3.2 Gen 2 (3.1 Gen 2)	Package weight Package type	16.6 kg Box
IISB Type-A downstream norts	,	Sustainability	
quantity USB Type-C downstream ports	1	Sustainability certificates	ENERGY STAR, Forest Stewardship Council (FSC) Mix
quantity	1	Other features	
USB Power Delivery (USB PD)	•	Brand specific technologies	ASUS OLED Care



4711387564714

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.