PHILIPS

Philips S Line 243S1/00 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Brand : Philips Product family: S Line Product code: 243S1/00

Product name: 243S1/00

Business Monitor 243S1 LCD monitor with USB-C docking

Philips S Line 243S1/00 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black:

The Philips USB-C monitor replaces cable clutter. View FHD image and recharge a laptop, all at the same time with a single USB-C cable. Features like Daisy chain for multi-display setup, Eye comfort with TUV certified to reduce eye fatigue


Philips S Line 243S1/00. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920×1080 pixels, HD type: Full HD, Display technology: LCD, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type	60.5 cm (23.8") 1920 x 1080 pixels Full HD 16:9 LCD IPS W-LED	Pivot angle Swivelling Swivel angle range Tilt angle range On Screen Display (OSD)	-90 - 90° ✓ -180 - 180° -5 - 25° ✓ Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French,
Touchscreen * Display brightness (typical) Response time *	X 300 cd/m² 4 ms	On Screen Display (OSD) languages	Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian Swedish, Turkish, Ukrainian
Display surface Anti-glare screen Screen shape *	Matt ✓ Flat	Number of OSD languages Plug and Play LED indicators	21 ✓ Operation, Stand-by
Aspect ratio Contrast ratio (typical) * Contrast ratio (dynamic) Dynamic contrast ratio marketing name Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Horizontal scan range Viewable size, horizontal Viewable size, vertical	16:9 1000:1 50000000:1 SmartContrast 75 Hz 178° 16.7 million colours 0.2745 x 0.2745 mm 93 ppi 30 - 85 kHz 48 - 75 Hz 52.7 cm 29.6 cm	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) Power consumption (PowerSave) AC input voltage AC input frequency Power supply type Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code	D Not available 14 kWh 14 W 0.3 W 0.3 W 12.9 W 100 - 240 V 50 - 60 Hz Internal A to G

Display		Operational conditions	
DDC/CI	✓	Operating temperature (T-T)	0 - 40 °C
Haze rate	25%	Storage temperature (T-T)	-20 - 60 °C
Surface hardness	3H	Operating relative humidity (H-H)	20 - 80%
Colour gamut standard	sRGB	Operating altitude	0 - 3658 m
sRGB coverage (typical)	107%	Non-operating altitude	3658 - 12192 m
NTSC coverage (typical)	91%	Weight & dimensions	
Display sRGB	1	Width (with stand)	540 mm
Performance		Depth (with stand)	205 mm
NVIDIA G-SYNC *	×	Height (with stand)	482 mm
AMD FreeSync *	×	Weight (with stand)	5.28 kg
Fast charging	1	Width (without stand)	540 mm
Fast charging technology	Power Delivery	Depth (without stand)	51 mm
Component video sync	Separate sync	Height (without stand)	323 mm
Flicker-free technology	✓	Weight (without stand)	3.42 kg
Low Blue Light technology	· •	Packaging data	
5 5,	•	Package width	625 mm
Multimedia		Package depth	180 mm
Number of speakers	2	Package height	435 mm
RMS rated power	4 W	Package weight	8.46 kg
Built-in speaker(s) *	✓	Packaging content	
Built-in camera *	×	Stand included	1
Design		Cables included	HDMI, DisplayPort, USB Type-C, AC
Market positioning *	Office	Manual	✓
Product colour *	Black	Bundled software	SmartControl
Front bezel colour	Black		5.11.41.150.11.1101
Feet colour	Black	Sustainability	
Ports & interfaces		Sustainability compliance	1
		Sustainability certificates	ENERGY STAR, TCO
Built-in USB hub *	✓	Doesn't contain	PVC/BFR, Mercury
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Other features	
USB upstream port type	USB Type-C 1	Compatible operating systems	Mac OS X Windows 10 / 8.1 / 8 / 7
Number of upstream ports USB Type-A downstream ports	1	USB Power Delivery revision	3.0
quantity	4	Exterior finish type	Textured
USB Type-C DisplayPort Alternate	,	Picture enhancement	SmartImage
Mode	•	Recyclable packaging material	100%
USB Power Delivery (USB PD)	✓	Regulatory Approvals	CB; FCC Class B; ICES-003; CE Mark; TUV/GS; TUV Ergo; CU-EAC; EAEU
USB Power Delivery up to	65 W	Regulatory Approvals	RoHS; TUV Eye Comfort certified
HDMI *	✓	Heavy metals free	Hg (mercury)
HDMI ports quantity	1	EasyRead mode	✓
HDMI version	1.4	LowBlue mode	✓
DisplayPorts quantity	1	Energy efficiency class (old)	D
DisplayPort version	1.2	Compliance certificates	RoHS
Audio output	•	Mean time between failures (MTBF)	70000 h
HDCP	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
HDCP version		147 1 1 4 4 1	
	1.4	Wake-on-LAN	✓
DisplayPort output	1.4 •	Wake-on-LAN	CB, FCC Class B, ICES-003, CE Mark,
DisplayPort output Network		Wake-on-LAN Certification	CB, FCC Class B, ICES-003, CE Mark, TUV/GS, TUV Ergo, SEMKO, CU-EAC,
Network	•		CB, FCC Class B, ICES-003, CE Mark,
Network Ethernet LAN		Certification	CB, FCC Class B, ICES-003, CE Mark, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU ROHS, TUV Eye Comfort
Network Ethernet LAN Ergonomics	*	Certification Recycling data	CB, FCC Class B, ICES-003, CE Mark, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, TUV Eye Comfort certified
Network Ethernet LAN Ergonomics VESA mounting *	·	Certification Recycling data Post-consumer recycled plastic	CB, FCC Class B, ICES-003, CE Mark, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU ROHS, TUV Eye Comfort
Network Ethernet LAN Ergonomics VESA mounting * Panel mounting interface	✓ ✓ 100 x 100 mm	Certification Recycling data Post-consumer recycled plastic Logistics data	CB, FCC Class B, ICES-003, CE Mark, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, TUV Eye Comfort certified
Network Ethernet LAN Ergonomics VESA mounting * Panel mounting interface Cable lock slot *	✓ 100 x 100 mm	Certification Recycling data Post-consumer recycled plastic	CB, FCC Class B, ICES-003, CE Mark, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, TUV Eye Comfort certified
Network Ethernet LAN Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type	✓ 100 x 100 mm ✓ Kensington	Certification Recycling data Post-consumer recycled plastic Logistics data	CB, FCC Class B, ICES-003, CE Mark, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, TUV Eye Comfort certified
Network Ethernet LAN Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment *	100 x 100 mm Kensington	Certification Recycling data Post-consumer recycled plastic Logistics data	CB, FCC Class B, ICES-003, CE Mark, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, TUV Eye Comfort certified
Network Ethernet LAN Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type	✓ 100 x 100 mm ✓ Kensington	Certification Recycling data Post-consumer recycled plastic Logistics data	CB, FCC Class B, ICES-003, CE Mark, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, TUV Eye Comfort certified





8712581784744

0609585254886



609585254886

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.