ЛОС

AOC V5 Q27V5CW/BK computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black

Brand : AOC

Product family: V5

Product code: Q27V5CW/BK

Product name : Q27V5CW/BK

Screen size (inch) 27, Panel resolution 2560x1440, Refresh rate 75 Hz, Response time MPRT 1 ms, Panel type IPS, USB-C connectivity USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 2.0 x 1, Display Port DisplayPort 1.4 x 1, D-SUB (VGA) 0x, DVI 0x, Sync technology (VRR) Freesync

AOC V5 Q27V5CW/BK computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black:

${\bf 27}"$ IPS QHD model for extreme comfort and great viewing experience, with USB-C and Windows Hello integrated webcam

The AOC Q27V5CW is a 27" IPS panel with QHD resolution and ergonomic stand for not compromising on comfortable user experience and on outstanding picture quality. Boost your productivity with complete connectivity, including USB-C with Power Delivery up to 65W, 4 USB ports & HDMI, while also offering the extra security of a Windows Hello integrated webcam.





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen *	* 2560 x 1440 pixels Quad HD 0* 16:9	Headphone out * Headphone outputs Headphone connectivity HDCP HDCP version AC (power) in Mobile High-Definition Link (MHL)	✓ 1 3.5 mm ✓ 2.2 ✓
Display brightness (typical) Response time * Anti-glare screen Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Display diagonal (metric) Surface hardness	 X 300 cd/m² 1 ms ✓ Flat 1000:1 20000000:1 75 Hz 178° 178° 16.7 million colours 0.2331 x 0.2331 mm 109 ppi 68.6 cm 6H 	Ergonomics VESA mounting * Panel mounting interface Wall mountable Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Swivelling Tilt adjustment Tilt angle range LED indicators	 100 x 100 mm Kensington 13 cm 3.5 - 21.5°
sRGB coverage (typical) NTSC coverage (typical) Adobe RGB coverage DCI-P3 coverage	123% 107% 105% 98%	Power Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 100	F G
Performance AMD FreeSync *	<i>v</i>	hours * Energy consumption (HDR) per 1000 hours *	26 kWh 39 kWh

Performance		Power	
AMD FreeSync type	FreeSync	Power consumption (typical) *	40 W
Fast charging	1	Power consumption (standby) *	0.5 W
Flicker-free technology	1	Power consumption (off)	0.3 W
Low Blue Light technology	J	AC input voltage	100 - 240 V
Multimedia		AC input frequency	50 - 60 Hz
Number of speakers	2	Power supply type Energy efficiency scale	Internal A to G
RMS rated power	10 W	European Product Registry for	
Built-in speaker(s) *	✓ ×	Energy Labelling (EPREL) code	1209390
Built-in microphone	×	Weight & dimensions	
Built-in camera *	∧ ✓	Width (with stand)	613 mm
	•	Depth (with stand)	200 mm
Design		Height (with stand)	516.6 mm
Market positioning *	Home	Weight (with stand)	6.64 kg
Product colour *	Black	Width (without stand)	613 mm
Frameless design	J	Depth (without stand)	44.6 mm
Front bezel colour	Black	Height (without stand)	363.4 mm
Detachable stand	1	Packaging data	
Feet colour	Black	Package width	840 mm
Ports & interfaces		Package depth	141 mm
Built-in USB hub *	1	Package height	456 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package weight	9.18 kg
USB upstream port type	USB Type-C	USB cable length	1.8 m
Number of upstream ports	1	Packaging content	
Number of USB Type-C upstream	1	Stand included	1
ports quantity		Cables included	AC
USB Type-A downstream ports quantity	4	HDMI cable length	1.5 m
USB Type-C DisplayPort Alternate	1	Power cable length	1.5 m
Mode	v	Other features	
USB Power Delivery (USB PD)	J		Math
USB Power Delivery up to	65 W	Exterior finish type Mean time between failures (MTBF)	Matt 50000 h
DVI port	×		×
HDMI *	1	Light effects Certification	
HDMI ports quantity	1	Certification	True
HDMI version	2.0		
DisplayPorts quantity	1		
DisplayPort version	1.4		



4038986180269

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.