

Philips Signage Solutions 32BDL4511D/00 Signage Display Digital A-board 81.3 cm (32") ADS 400 cd/m² Full HD Black 24/7

Brand : Philips      Product family: Signage Solutions      Product code: 32BDL4511D/00

Product name : 32BDL4511D/00

Philips Signage Solutions 32BDL4511D/00. Product design: Digital A-board. Display diagonal: 81.3 cm (32"), Display technology: ADS, Display resolution: 1920 x 1080 pixels, Display brightness: 400 cd/m², HD type: Full HD. Operating hours (hours/days): 24/7. Product colour: Black

Display		Design	
Panel type	ADS	Orientation	Horizontal/Vertical
Display diagonal *	81.3 cm (32")	Product colour *	Black
Display technology *	ADS	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100,200 x 200 mm
Display brightness *	400 cd/m²	Performance	
HD type *	Full HD	Purpose *	Commercial
Response time	8 ms	Operating hours (hours/days)	24/7
Contrast ratio (typical)	1200:1	Power	
Contrast ratio (dynamic)	500000:1	Power consumption (typical) *	36 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Energy efficiency class (SDR)	G
Display number of colours	16.7 million colours	Energy consumption (SDR) per 1000 hours	36 kWh
Pixel pitch	0.36375 x 0.36375 mm	AC input voltage	100/240 V
Panel life	50000 h	AC input frequency	50 - 60 Hz
Native refresh rate	60 Hz	Energy efficiency scale	A to G
Haze rate	25%	Computer system	
Ports & interfaces		Video formats supported	H.263, H.264, H.265, MPEG
HDMI ports quantity *	3	Audio formats supported	AAC, HE-AAC
HDMI version	2.0	Image formats supported	BMP, JPG, PNG
HDMI input ports quantity	2	Weight & dimensions	
HDMI output ports quantity	1	Display width	726.5 mm
DVI port *	✓	Display depth	65.1 mm
DVI-I ports quantity	1	Display height	425.4 mm
DisplayPorts quantity *	2	Display weight	5.7 kg
DisplayPorts in	1	Packaging content	
DisplayPorts out	1	Remote control included	✓
USB port *	✓	Batteries included	✓
USB ports quantity	2	Cables included	AC, DisplayPort, IR sensor, RS-232
USB version	2.0	Operational conditions	
Ethernet LAN *	✓	Operating temperature (T-T)	0 - 40 °C
Ethernet LAN (RJ-45) ports	1	Operating relative humidity (H-H)	20 - 80%
RS-232C	✓	Storage temperature (T-T)	-20 - 60 °C
Remote (IR) input	1	Storage relative humidity (H-H)	5 - 95%
Remote (IR) output	1	Certificates	
Audio		Certification	CE FCC Class A CCC Restriction of Hazardous Substances (ROHS) CB BSMI EMF VCCI PSB ETL CECP EAC
Built-in speaker(s) *	✓		
Number of built-in speakers	2		
RMS rated power	20 W		
Design			
Product design *	Digital A-board		
Placement supported *	Indoor		



8712581778637

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-DEC-2024. Prints or copies of Information are only valid on the printed Publication date