


Product datasheet

Specifications



APC NetShelter SX Server Rack Gen 2, 42U, 1991H x 800W x 1070D mm, with Sides, Black

AR3180B2

Overview

Lead Time Usually in Stock

Main

Product Or Component Type	Rack enclosure
Number Of Rack Unit	42U
Provided Equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels

Physical

Height	199.1 cm
Width	80 cm
Depth	107 cm
Net Weight	161.28 kg
Colour	Black
Mounting Preference	No preference
Mounting Mode	Not rack-mountable
Maximum Mounting Depth	91.49 cm
Minimum Mounting Depth	28.6 cm
Rack Width	19"
Marking	14 gauge EIA mounting rail
Permanent Permissible Load	1020.58 kg dynamic 1814.37 kg static

Conformance

Standards	UL 2416 EIA-310E
-----------	---------------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	212.8 cm

Package 1 Width	94.8 cm
-----------------	---------

Package 1 Length	115.8 cm
------------------	----------

Package 1 Weight	200 kg
------------------	--------

Logistical informations

Country Of Origin	CN
-------------------	----

Contractual warranty

Warranty	5 year repair or replace
----------	--------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations