

Epson EB-770Fi data projector Ultra short throw projector 4100 ANSI lumens 3LCD 1080p (1920x1080) White

Brand : Epson

Product code: V11HA78080

Product name : EB-770Fi

EB-770Fi

Epson EB-770Fi data projector Ultra short throw projector 4100 ANSI lumens 3LCD 1080p (1920x1080) White:

Agile USTi laser display

Project your vision, with a Full HD interactive large screen display up to 100" that will enhance engagement, learning and productivity.

Whatever the size of class or meeting room, unrestricted and interactive learning sessions are possible with this bright, compact and affordable touch-display solution.

The EB-770Fi's bright image, scalable up to 100", is clearly visible from every angle and at a distance, and content can easily be shared or streamed directly from multiple devices for the ultimate collaborative experience.



Projector		Network	
Screen size compatibility *	1524 - 2540 mm (60 - 100")	Ethernet LAN data rates	10,100 Mbit/s
Projector brightness *	4100 ANSI lumens	Wi-Fi *	✓
Projection technology *	3LCD	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Projector native resolution *	1080p (1920x1080)		
Contrast ratio (typical) *	2500000:1		
Native aspect ratio *	16:9		
Number of colours	1.07 billion colours		
Vertical scan range	192 - 240 Hz		
Keystone correction, horizontal	-3 - 3°		
Keystone correction, vertical	-3 - 3°		
Heat dissipation	895 BTU/h		
Light source		Storage	
Light source type *	Laser	Card reader integrated *	✗
Service life of light source *	20000 h		
Service life of light source (economic mode)	30000 h		
Lens system		Features	
Focus *	Manual	Interactive *	✓
Fixed focal length	3.7 mm	Interactive input supported	Interactive pen/Touch
F-number (relative aperture)	1.6	Noise level (economic mode)	27 dB
Zoom capability	✓	Noise level *	37 dB
Zoom ratio	1.35:1		
Throw ratio	0.25 - 0.35:1		
Video		Multimedia	
Analog signal format system *	Not supported	Built-in speaker(s) *	✓
Full HD *	✓	RMS rated power	16 W
3D *	✗		
Ports & interfaces		Design	
USB 2.0 ports quantity	4	Market positioning *	Presentation
USB 2.0 Type-A ports quantity	2	Product type *	Ultra short throw projector
USB 2.0 Type-B ports quantity	2	Product colour *	White
Microphone in	✓	Placement	Ceiling, Desktop, Wall
Serial interface type *	RS-232C	Cable lock slot	✓
		Cable lock slot type	Kensington
		Power	
		Power source *	AC
		Power consumption (typical) *	197 W
		Power consumption (standby) *	0.5 W
		Power consumption (PowerSave)	199 W
		AC input frequency	50/60 Hz
		AC adapter output voltage	100 - 240 V
		Operational conditions	
		Storage temperature (T-T)	-10 - 60 °C
		Operating relative humidity (H-H)	20 - 80%
		Storage relative humidity (H-H)	10 - 90%

Ports & interfaces		Weight & dimensions	
VGA (D-Sub) ports quantity *	2	Width	356 mm
HDMI ports quantity *	3	Depth	395 mm
DVI port *	✗	Height	133 mm
Network		Weight *	6 kg
Packaging content			
Ethernet LAN *	✓	Remote control included *	✓
Ethernet LAN (RJ-45) ports	1	Batteries included	✓
		Cables included	AC, USB



8715946715230

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-DEC-2024. Prints or copies of Information are only valid on the printed Publication date