## Epson EB-PQ2216W data projector 16000 ANSI lumens 3LCD 2160p (3840x2160) White

Brand : Epson Product code: V11HB04980

Product name: EB-PQ2216W

- Patented 4K and imaging technology Outstanding 4K image quality delivers superb immersivity
- Ultra-compact and lightweight Small, powerful 16,000lm 4K projector
- Cross-platform lens compatibility Lets you build the optimal projection solution for every requirement
- Fit-and-forget reliability Filter-free design and IP5X dust resistance1
- Reduced environmental impact Energy-efficient with reduced requirements for packaging and transport  $16000\ \text{Im}\ 4\text{K}$  projector

Epson EB-PQ2216W. Projector brightness: 16000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 2160p (3840x2160). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Throw ratio: 0.34 - 7.16:1. Video colour modes: Cinema, Dynamic, Natural, Presentation. Serial interface type: RS-232C, Service port type: USB Type-B





Projector		Storage	
Smart projector *	16:9, 21:9	Card reader integrated *	×
		Features	
Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Keystone correction, horizontal Keystone correction, vertical Matrix size White light output Colour light output Heat dissipation	16000 ANSI lumens 3LCD 2160p (3840x2160) 5000000:1 16:9 1.07 billion colours -30 - 30° -45 - 45° 2.64 cm (1.04") 16000 ANSI lumens 16000 ANSI lumens	Interactive * Noise level (economic mode) On Screen Display (OSD) Noise level * High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology International Protection (IP) code Password protection	X 36 dB  44 dB  4High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG) IPX5
Light source	3776 610/11	Market positioning * Product colour *	Presentation White
Light source type * Service life of light source * Service life of light source (economic mode)	Laser 20000 h 30000 h	Placement  Cable lock slot  Cable lock slot type	Ceiling, Desktop, Floor, Flying frame, Wall  Kensington
Lens system		Display	•
Zoom capability Throw ratio	<b>√</b> 0.34 - 7.16:1	Built-in display * Colour depth	<b>×</b> 10 bit
Video		Power	
Analog signal format system * Full HD * 3D * Video colour modes	Not supported  ✓  X  Cinema, Dynamic, Natural, Presentation	Power source *  Power consumption (typical) *  Power consumption (standby) *  Power consumption (economy mode)	AC 1114 W 0.5 W 784 W
Ports & interfaces		AC input voltage	100 - 240 V
HDBaseT port	✓	AC input frequency	50/60 Hz
Service port type  USB 2.0 ports quantity * 2  USB 2.0 Type-A ports quantity 2  USB 2.0 Type-B ports quantity 1  Serial interface type * RS-232C  HDMI ports quantity * 3  DVI port * * *  AC (power) in	2 1 RS-232C	Operational conditions  Storage temperature (T-T)  Operating relative humidity (H-H)  Storage relative humidity (H-H)  Weight & dimensions	-10 - 60 °C 20 - 80% 10 - 90%
	×	Width Depth	586 mm 492 mm

Network		Weight & dimensions	
Smart TV *	×	Height	218 mm
Ethernet LAN * Ethernet LAN data rates	<b>√</b> 10,100 Mbit/s	Weight *	29.2 kg
		Packaging content	
		Remote control included *	✓
		Batteries included	

