## GIGABYTE B650E AORUS ELITE X AX ICE Motherboard - Supports AMD Ryzen 8000 CPUs, 12+2+2 phases VRM, up to 8000MHz DDR5 (OC), 1xPCle 5.0 M2 + 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

**Brand :** GIGABYTE **Product code:** B650E AORUS ELITE X AX ICE

**Product name :** B650E AORUS ELITE X AX ICE Motherboard - Supports AMD Ryzen 8000 CPUs, 12+2+2 phases VRM, up to 8000MHz DDR5 (OC), 1xPCIe 5.0 M2 + 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

AMD Socket AM5, AMD B650, 4 x DDR5, 2.5GbE, ATX, PCI-Express

GIGABYTE B650E AORUS ELITE X AX ICE Motherboard - Supports AMD Ryzen 8000 CPUs, 12+2+2 phases VRM, up to 8000MHz DDR5 (OC), 1xPCIe 5.0 M2 + 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series * Maximum number of SMP	AMD Socket AM5 AMD Ryzen™ 7	HDMI version DisplayPorts quantity DisplayPort version WiFi-AP antenna jack	2.1 1 1.4 2
processors Supported processor sockets	Socket AM5	Network	
Maximum internal memory supported by processor	192 GB	Ethernet LAN Ethernet interface type	✓ 2.5 Gigabit Ethernet
Memory		Wi-Fi *	<b>✓</b>
Supported memory types * Number of memory slots * Memory slots type	DDR5-SDRAM 4 DIMM	Top Wi-Fi standard Wi-Fi standards	Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Memory channels	Dual-channel	WLAN controller model	AMD RZ616
ECC	✓	Bluetooth	✓
Non-ECC	✓	Bluetooth version	5.3
Supported memory clock speeds	8000, 7800, 7600, 7200, 7000, 6800, 6666, 6600, 6400, 6200, 6000, 5600, 5200, 4800, 4400 MHz	Features	
		Motherboard chipset *	AMD B650
Supported memory clock speed (max)	8000 MHz	Audio output channels * Product colour	7.1 channels White
Maximum internal memory *	192 GB	PC health monitoring	Fan, Temperature, Voltage
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 48GB	Component for *	PC
Unbuffered memory	<b>√</b>	Motherboard form factor *	ATX
Storage controllers	•	Motherboard chipset family *	AMD
Supported storage drive types	HDD & SSD	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Supported storage drive interfaces *		Expansion slots	
Number of HDDs supported	3	PCI Express x16 slots	3
Number of storage drives supported		Number of M.2 (M) slots	3
RAID support	<b>✓</b>	BIOS	
RAID levels	0, 1, 5, 10	BIOS type *	UEFI AMI
Graphics		BIOS memory size	256 Mbit
Maximum resolution	4096 x 2160 pixels	ACPI version	5.0

Graphics		BIOS	
HDCP	1	Clear CMOS jumper	<b>√</b>
Internal I/O		Clear CMOS button	✓
USB 2.0 connectors *	2	Desktop Management Interface (DMI) version	2.7
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	System Management BIOS (SMBIOS) version	2.7
USB 3.2 Gen 2x2 connectors	1	Logistics data	
Number of SATA III connectors *	4	Country of origin	China
Front panel audio connector	4	Products per shipping (inner) case	1 pc(s)
Front panel connector	<b>V</b>		1 pc(3)
ATX Power connector (24-pin)	<b>*</b>	Battery	
CPU fan connector  Number of chassis fan connectors	4	Battery weight	3 g
Thunderbolt headers	2	Lithium weight per battery	0.07 g
12V power connector	∠ ✓	Number of battery cells	1
RGB LED pin header	<b>V</b>	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Rear panel I/O ports		Battery type	CR2032
USB 2.0 ports quantity *	4	Packaging data	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	5	Package width	335 mm
ports quantity *	3	Package depth	270 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	2	Package height	80 mm
ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C		Package weight	2.19 kg
ports quantity *	1	Weight & dimensions	
Ethernet LAN (RJ-45) ports *	1	Width	305 mm
HDMI ports quantity *	1	Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Drivers included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331860554

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.