TP-Link VIGI NVR2016H network video recorder Black

Brand : TP-Link

Product family: VIGI

Product code: VIGI NVR2016H

Product name : VIGI NVR2016H

VIGI 16 Channel Network Video Recorder
TP-Link VIGI NVR2016H. Video input channels: 16 channels, Maximum resolution: 3840 x 2160 pixels, Number of simultaneously playbacked channels: 16 channels. Maximum storage capacity: 10 TB, HDD interface: SATA. Ethernet LAN data rates: 10,100 Mbit/s, Supported network protocols: UPnP (Plug and Play), NTP (Network Timing). Product colour: Black, Certification: CE, EAC, UKCA, RCM, Triman, BSMI, VCCI, FCC, IC, HDMI. Power consumption (max): 24.16 W, Output current: 3.3 A, Output voltage: 12 V

Performance

Video input channels *	16 channels
Number of simultaneously playbacked channels	16 channels
Video recording modes	720p, 1080p
Maximum resolution *	3840 x 2160 pixels
Supported resolutions	HDMI Output Resolution: 1 Channel, Resolution: 1280x720/60Hz, 1280x1024/60Hz, 1440x900/60Hz, 1680x1050/60Hz, 1920x1080/60Hz, 3840x2160/30Hz VGA Output Resolution: 1 Channel, Resolution: 1280x720/60Hz, 1280x1024/60Hz, 1440x900/60Hz, 1680x1050/60Hz, 1920x1080/60Hz
Video motion detection	✔
Audio formats supported	G.711 A-law, G.711 µ-law, G.726
Video formats supported	H.264, H.264+, H.265, H.265+
Playback modes	Digital zoom, Fast play, Forward, Full screen, Pause, Play, Stop
Playback controls	✔
Maximum frame rate	30 fps
Input bandwidth	80 Mbit/s
Output bandwidth	60 Mbit/s
Recording modes	Manual, Schedule

Wireless LAN features

Wi-Fi *	✖

Hard drive

HDD capacity *	0 GB
Number of HDDs supported	2
Maximum storage capacity *	10 TB

Ports & interfaces

VGA (D-Sub) output ports	1
USB 2.0 ports quantity	2
eSATA ports quantity	1
Internal SATA ports quantity	2
eSATA	✔
Line-in	✔
Audio output	1
DC-in jack	✔
Supported network protocols	UPnP (Plug and Play), NTP (Network Timing)

Features

Reset button	✔
Product colour	Black
Certification	CE, EAC, UKCA, RCM, Triman, BSMI, VCCI, FCC, IC, HDMI

Power

Power consumption (max)	24.16 W
Output current	3.3 A
Output voltage	12 V

Operational conditions

Operating temperature (T-T)	-10 - 55 °C
Operating relative humidity (H-H)	10 - 90%
Storage temperature (T-T)	-40 - 70 °C
Storage relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	330 mm
Depth	285 mm

Hard drive

HDD interface *	SATA

Ports & interfaces

Ethernet LAN (RJ-45) ports *	1
Ethernet LAN data rates	10,100 Mbit/s
HDMI ports quantity	1

Weight & dimensions

Height	45 mm
Weight	1.9 kg
Package weight	3.2 kg

4897098683880