

## **Brother Tankbenefit Compact 3-in-1 Ink Tank Printer DCP-T780DW**

Brand : Brother Product code: DCP-T780DW

**Product name :** Tankbenefit Compact 3-in-1 Ink Tank

Printer DCP-T780DW

- Print up to 16 images per minute (ISO/IEC 24734)
- Automatic 2-Sided print
- 4.5cm (1.8") Colour display
- 5GHz WiFi and USB
- 150 Sheet paper input tray, manual feed slot
- Comes with 15,000 (2 x 7,500) black, 5,000 colour page yield ink bottles

DCP-T780DW tankbenefit 3-in-1 wireless inkjet printer. Print longer, low colour printing costs and easy fill ink tanks.

Brother Tankbenefit Compact 3-in-1 Ink Tank Printer DCP-T780DW. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 1200 x 6000 DPI, Print speed (colour, normal quality, A4/US Letter): 7 ppm. Copying: Colour copying, Maximum copy resolution: 1200 x 2400 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Black





Printing		Paper handling	
Duplex printing mode	Auto	Maximum ISO A-series paper size *	A4
Print technology * Printing *	Inkjet Colour printing	Paper tray media types *	Envelopes, Recycled paper, Glossy paper, Photo paper, Plain paper
Duplex printing *  Maximum resolution *  Print speed (black, normal quality, A4/US Letter) *	1200 x 6000 DPI 16 ppm	ISO A-series sizes (A0A9) * Non-ISO print media sizes Envelopes sizes Paper tray media weight	A4, A5, A6 Legal, Folio, Letter, Index card Com-10, Monarch, C5 64 - 300 g/m <sup>2</sup>
Print speed (colour, normal quality, A4/US Letter)	7 ppm	Ports & interfaces	
Print speed (ISO/IEC 24734) mono Print speed (ISO/IEC 24734) colour	16 ipm 7 ipm	USB port USB 2.0 ports quantity	1
Time to first page (black, normal)	6.2 s	Network	
Time to first page (colour, normal)	6.5 s	Wi-Fi *	1
N-in-1 print function	<b>✓</b>	Ethernet LAN *	×
N-up printing Watermark printing	16 ✓	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Secure printing	✓	Wi-Fi Direct	✓
Booklet printing function Poster printing function Borderless printing	* * *	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP, WPA3-SAE ARP, RARP, BOOTP, DHCP, APIPA
Copying			(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS,
Copying * Maximum copy resolution * Time to first copy (black, normal) Time to first copy (colour, normal) Maximum number of copies Copier resize N-in-1 copy function	Colour copying 1200 x 2400 DPI 13 s 25 s 99 copies 25 - 400%	Supported network protocols (IPv4)	LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print/Scan), SNTP Client, HTTP Server

Copying		Network	
	2, 4	Network	NDD DA mDNS II MND Bospondor
N-in-1 copy function (N=) ID-card copy function  Scanning  Conning *		Supported network protocols (IPv6)	NDP, RA, mDNS,LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPV1/v2c, TFTP server, Web Services (Print/Scan), SNTP Client,
Scanning * Optical scanning resolution * Optical scanning resolution (ADF) Scanner type * Scan technology Scan to Image formats supported	Colour scanning 1200 x 2400 DPI 600 x 600 DPI ADF scanner CIS E-mail, File, Image JPEG, TIFF PDF 30 bit	Mobile printing technologies	ICMPv6, HTTP Server Apple AirPrint, Brother Mobile Connect, Mopria Print Service
		Performance	
		Internal memory *	128 MB
		Sound pressure level (printing)	55 dB
Document formats supported		Design	
Input colour depth		Product colour *	Black
Output colour depth	24 bit	Market positioning *	Home & office
Input greyscale depth	10 bit	Built-in display *	
Output greyscale depth	8 bit	Display diagonal	4.57 cm (1.8")
Scan drivers	TWAIN, WIA	Colour display	<b>✓</b>
Fax		Power	
Faxing *	X	Power consumption (copying)	16 W
Features		Power consumption (ready) Power consumption (sleep)	2.5 W 0.6 W
Maximum duty cycle *	1000 pages per month	AC input voltage	100 - 240 V
Duplex functions * Number of print cartridges *	Print 4	AC input frequency	50/60 Hz
Printing colours *	Black, Cyan, Magenta, Yellow	System requirements	
Input & output capacity	,.,.,.,.,.,.,.,,.,.,,.,.,,.,,.,,.,,.	Windows operating systems	Windows 11
	1	supported	
Total number of input trays *	1		1
Total number of input trays * Total input capacity *	1 150 sheets	Mac operating systems supported	✓ ChromeOS
Total input capacity * Total output capacity *	150 sheets 50 sheets	Mac operating systems supported Other operating systems supported	
Total input capacity * Total output capacity * Auto document feeder (ADF)	150 sheets	Mac operating systems supported Other operating systems supported Operational conditions	ChromeOS
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input	150 sheets 50 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H)	ChromeOS 20 - 80%
Total input capacity * Total output capacity * Auto document feeder (ADF)	150 sheets 50 sheets ✓	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T)	ChromeOS
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H)	ChromeOS 20 - 80% 0 - 40 °C
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T)	ChromeOS 20 - 80% 0 - 40 °C 10 - 35 °C
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H)	ChromeOS 20 - 80% 0 - 40 °C 10 - 35 °C
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) Weight & dimensions	ChromeOS  20 - 80% 0 - 40 °C 10 - 35 °C 20 - 80%
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width Depth Height	ChromeOS  20 - 80% 0 - 40 °C 10 - 35 °C 20 - 80%  390 mm 343 mm 183 mm
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width Depth	ChromeOS  20 - 80% 0 - 40 °C 10 - 35 °C 20 - 80%  390 mm 343 mm
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width Depth Height Weight Packaging data	ChromeOS  20 - 80% 0 - 40 °C 10 - 35 °C 20 - 80%  390 mm 343 mm 183 mm 7.9 kg
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width Depth Height Weight Packaging data Package width	ChromeOS  20 - 80% 0 - 40 °C 10 - 35 °C 20 - 80%  390 mm 343 mm 183 mm 7.9 kg
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width Depth Height Weight Packaging data Package width Package depth	ChromeOS  20 - 80% 0 - 40 °C 10 - 35 °C 20 - 80%  390 mm 343 mm 183 mm 7.9 kg
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width Depth Height Weight Packaging data Package width Package depth Package height	ChromeOS  20 - 80% 0 - 40 °C 10 - 35 °C 20 - 80%  390 mm 343 mm 183 mm 7.9 kg  463 mm 260 mm 496 mm
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width Depth Height Weight Packaging data Package width Package depth Package height Package weight	ChromeOS  20 - 80% 0 - 40 °C 10 - 35 °C 20 - 80%  390 mm 343 mm 183 mm 7.9 kg
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content	ChromeOS  20 - 80% 0 - 40 °C 10 - 35 °C 20 - 80%  390 mm 343 mm 183 mm 7.9 kg  463 mm 260 mm 496 mm 9.5 kg
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included	ChromeOS  20 - 80% 0 - 40 °C 10 - 35 °C 20 - 80%  390 mm 343 mm 183 mm 7.9 kg  463 mm 260 mm 496 mm 9.5 kg
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width Depth Height Weight Packaging data Package width Package depth Package depth Package weight Packaging content Cartridge(s) included Included cartridge capacity (black)	ChromeOS  20 - 80% 0 - 40 °C 10 - 35 °C 20 - 80%  390 mm 343 mm 183 mm 7.9 kg  463 mm 260 mm 496 mm 9.5 kg
Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity	150 sheets 50 sheets  ✓ 20 sheets	Mac operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included	ChromeOS  20 - 80% 0 - 40 °C 10 - 35 °C 20 - 80%  390 mm 343 mm 183 mm 7.9 kg  463 mm 260 mm 496 mm 9.5 kg



4977766841788

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.