Samsung SR350 computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LED Black

Brand : Samsung

Product code: LS24R350FZUXXU

Product name : SR350

- Screen: 1920x1080 Resolution, IPS Panel
- Technology: 5MS Response Time, 75Hz Refresh Rate, FreeSync
- Connections: HDMI, D-SUB
- Great For: Productivity and Gaming

24" SR350 Full HD Monitor, 1920 x 1080 px, 16:9, IPS, 250 cd/m², 5ms, 75 Hz, 178°/178°, AMD FreeSync, VGA, HDMI, 21 kWh, F

Samsung SR350. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black

Display

Display diagonal *	61 cm (24")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✘
Display brightness (typical)	250 cd/m²
Response time *	5 ms
Screen shape *	Flat
Contrast ratio (typical) *	1000:1
Dynamic contrast ratio marketing name	Mega Contrast
Maximum refresh rate *	75 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Display diagonal (metric)	60.4 cm
NTSC coverage (typical)	72%

Performance

AMD FreeSync *	✔
AMD FreeSync type	FreeSync
Flicker-free technology	✔
Game mode	✔

Multimedia

Built-in speaker(s) *	✘

Design

Market positioning *	Home
Product colour *	Black
Colour name	DARK BLUE GRAY

Ports & interfaces

VGA (D-Sub) ports quantity	1
HDMI *	✔

Ergonomics

Panel mounting interface	75 x 75 mm
Height adjustment *	✘
Tilt adjustment	✔
Tilt angle range	-2 - 22°

Power

Energy efficiency class (SDR) *	F
Energy consumption (SDR) per 1000 hours *	21 kWh
Power consumption (typical) *	21 W
Power consumption (standby) *	0.3 W
Power consumption (max)	25 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
European Product Registry for Energy Labelling (EPREL) code	431933

Operational conditions

Operating temperature (T-T)	10 - 40 °C
Operating relative humidity (H-H)	10 - 80%

Weight & dimensions

Width (with stand)	539.7 mm
Depth (with stand)	236.4 mm
Height (with stand)	425.4 mm
Weight (with stand)	3.4 kg
Width (without stand)	539.7 mm
Depth (without stand)	49.9 mm
Height (without stand)	321.3 mm
Weight (without stand)	2.8 kg

Packaging data

Package width	610 mm
Package depth	390 mm
Package height	150 mm
Package weight	4.8 kg

Ports & interfaces		Packaging content	
HDMI ports quantity	1	Cables included	AC, HDMI
HDMI version	1.4	**Logistics data**	
Ergonomics		Harmonized System (HS) code	85285210
VESA mounting *	✔		

8806092177680