DirectX version

12.0

## GIGABYTE Z790 D AX Motherboard - Supports Intel Core 14th Gen CPUs, 12+1+1 Phases Digital VRM, up to 7600MHz DDR5 (OC), 3xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Brand: GIGABYTE Product code: Z790 D AX

**Product name :** Z790 D AX Motherboard - Supports Intel Core 14th Gen CPUs, 12+1+1 Phases Digital VRM, up to 7600MHz DDR5 (OC), 3xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Z790 D AX

Z790, 4 x DDR5, Wi-Fi 6E, 2.5GbE LAN, 4 x SATA 6Gb/s, USB 3.2

GIGABYTE Z790 D AX Motherboard - Supports Intel Core 14th Gen CPUs, 12+1+1 Phases Digital VRM, up to 7600MHz DDR5 (OC), 3xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor			Rear panel I/O ports	
Processor manufacturer * Processor socket *  Compatible processor series *		Intel  LGA 1700  Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium®  Gold	DisplayPort version Headphone outputs Microphone in S/PDIF out port WiFi-AP antenna jack USB connector type	1.2 1 ✓ ✓ 2 USB Type-A, USB Type-C
Maximum number of SMP processors		1	Network	332 . ) pc / 1, 332 . ) pc c
Supported processor	sockets	LGA 1700		,
Maximum internal memory supported by processor		192 GB	Ethernet LAN Ethernet interface type	2.5 Gigabit Ethernet
Memory	-		LAN controller	Realtek RTL8125
Supported memory types * Number of memory slots * Memory slots type Memory channels ECC Non-ECC Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Supported memory module capacities Unbuffered memory	MHz 7600 MHz 192 GB	.5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600 12GB, 16GB, 32GB, 48GB	Wi-Fi * Top Wi-Fi standard Wi-Fi standards WLAN controller model Bluetooth Bluetooth version Features	Wi-Fi 6E (802.11ax)  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) Intel Wi-Fi 6E AX211
Storage controllers				latel 7700 Firmus
Supported storage drive types Supported storage drive interfaces *		4 7 ✓	Motherboard chipset * Audio chip Audio output channels * Product colour PC health monitoring	Intel Z790 Express Realtek ALC897 7.1 channels Brown Fan, Temperature, Voltage, Water cooling
RAID levels		0, 1, 5, 10	Component for *	PC
Graphics  Parallel processing technology  Not supported		Motherboard form factor *  Motherboard chipset family *  Power source type	ATX Intel ATX	
support *  Maximum resolution  HDCP		4096 x 2304 pixels ✓	Windows operating systems supported	Windows 10 x64, Windows 11 x64

Graphics		Expansion slots	
Discrete graphics support	1	PCI Express x1 (Gen 3.x) slots	2
Internal I/O	•	PCI Express x16 (Gen 3.x) slots	1
·	2	PCI Express x16 (Gen 4.x) slots	1
USB 2.0 connectors *	2 1 1	PCI Express x16 (Gen 5.x) slots	1
USB 3.2 Gen 1 (3.1 Gen 1) connectors *		Number of M.2 (M) slots	3
USB 3.2 Gen 2 (3.1 Gen 2) connectors *		BIOS	LIEEL AND
Number of SATA III connectors *	4	BIOS type *	UEFI AMI 256 Mbit
Total number of SATA connectors	4	BIOS memory size ACPI version	5.0
Front panel audio connector	✓	Clear CMOS jumper	<b>√</b>
Front panel connector	✓	Clear CMOS button	<b>V</b>
ATX Power connector (24-pin)	✓	Desktop Management Interface	*
Number of EATX power connectors	2	(DMI) version	2.7
CPU fan connector	✓	System Management BIOS	2.7
EPS power connector (8-pin)	✓	(SMBIOS) version	2.1
TPM connector	✓	Logistics data	
Thunderbolt headers	2	Country of origin	China
12V power connector	<b>V</b>	Products per shipping (inner) case	1 pc(s)
RGB LED pin header	1	Battery	
Rear panel I/O ports			2 ~
USB 2.0 ports quantity *	2	Battery weight	3 g 0.07 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	4	Lithium weight per battery  Number of battery cells	0.07 g
ports quantity *	•	Number of battery cens	Lithium-Manganese Dioxide
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1 1 1	Battery technology	(LiMnO2)
USB 3.2 Gen 2x2 Type-C ports		Battery type	CR2032
quantity		Packaging data	
Ethernet LAN (RJ-45) ports *		Package width	335 mm
PS/2 ports quantity	1	Package depth	270 mm
HDMI ports quantity *	1	Package height	80 mm
HDMI version	2.1	Package weight	1.84 kg
DisplayPorts quantity	1	5 5	1.04 Kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Antenna included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)
		• •	- · · ·



4719331860592

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.