

TP-Link AX3000 Whole Home Mesh WiFi 6 Unit

Brand: TP-Link Product code: DECO X50(1-PACK)

Product name : AX3000 Whole Home Mesh WiFi 6

Unit

- AX3000 Dual Band WiFi Super-fast WiFi 6 with speeds up to 3.0 Gbps
- 4 Streams, Less Lag 2×2/HE160 2402 Mbps + 2×2 574 Mbps
- Gigabit Wired Speed 3× Gigabit ports provide sufficient connectivity
- Boosted Seamless Coverage Seamless mesh WiFi coverage up to 2,500 ft2 (1-pack)
- Al-Driven Mesh Intelligently learns the network environment to provide ideal WiFi unique to your home
- $\hbox{- TP-Link HomeShield Provides comprehensive network protection, robust parental controls, and real-time IoT protection}\\$
- Setup Made Easier Than Ever The Deco app walks you through the setup step-by-step Wi-Fi 6, AX3000, 2.4/5 GHz, 2×2 MU-MIMO, $3\times1G$ RJ-45, 12V, $110\times110\times114$ mm, 1-pack





Design		Features	
Product colour *	White	Parental control	✓
Antenna type *	Internal	Parental control features	Custom profiles, Time controls,
Antennas quantity	2		Weekly/monthly reports
Transmit power	CE: <20 dBm (2.4 GHz) <23 dBm (5 GHz) FCC: <30 dBm (2.4 GHz) <30 dBm (5 GHz)	Firmware upgradeable via	Network
		MU-MIMO technology	✓
Reset button	✓	Ports & interfaces	
Wireless LAN features		Ethernet LAN (RJ-45) ports *	3
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	DC-in jack	✓
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Power	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	AC adapter output voltage	12 V
		AC adapter output current	1.5 A
WLAN data transfer rate (first band)	,	Certificates	
WLAN data transfer rate (second band)	2402 Mbit/s	Compliance certificates	CE, RoHS
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE	Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
Consultant almostithese	802.11n	Storage temperature (T-T)	-40 - 70 °C
Security algorithms Number of guest networks (5 GHz)	WPA-PSK, WPA2-PSK, WPA3-PSK	Operating relative humidity (H-H)	10 - 90%
Number of guest networks (2.4		Storage relative humidity (H-H)	5 - 90%
GHz)	1	Weight & dimensions	
IGMP proxy	✓	Width	110 mm
IGMP snooping	✓	Depth	110 mm
Tagged VLAN	✓	Height	114 mm
Dynamic DNS (DDNS)	✓	Packaging content	
Features		Number of products included	1 pc(s)
Built-in processor	1	AC adapter included	✓
Dane in processor	•	Number of units included	1 pc(s)

Features		Packaging content	
Processor cores	2 E	Ethernet cable	✓
Processor frequency	1 GHz	Packaging data	
Quality of Service (QoS) support	✓		220
Port forwarding	√	Package width	220 mm 194 mm 125 mm 910 g
Firewall security	SPI	Package depth Package height	
BeamForming	✓	Package weight	
DHCP client	✓	Logistics data	
Universal Plug and Play (UPnP)	•	Harmonized System (HS) code	85171800





4897098687062

4897098681657

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.