

ASUS RTX5060-O8G-LP-BRK NVIDIA GeForce RTX 5060 8 GB GDDR7

Brand : ASUS

Product code: 90YV0N90-M0NA00

Product name : RTX5060-O8G-LP-BRK

- AI Performance: 627 AI TOPS
 - OC mode: 2580 MHz (OC mode)/ 2550 MHz (Default mode)
 - Powered by the NVIDIA Blackwell architecture and DLSS 4
 - Low-profile Design leaves space for cables and airflow in small chassis
 - IP5X dust resistance offers protection from particle ingress for better durability
 - Dual ball fan bearings can last up to twice as long as sleeve bearing designs
 - Auto-Extreme technology uses automation to enhance reliability
 - GPU Tweak III software provides intuitive performance tweaking, advanced thermal control and system monitoring
- NVIDIA GeForce RTX 5060 8GB GDDR7, 627 TOPs, PCI Express 5.0, OpenGL 4.6, 128-bit, 28 Gbps, 550W, 1 x 8-pin

ASUS RTX5060-O8G-LP-BRK NVIDIA GeForce RTX 5060 8 GB GDDR7:


The ASUS GeForce RTX™ 5060 LP BRK 8GB GDDR7 OC Edition is big productivity in a small package

Big Productivity in a Small Package

ASUS GeForce RTX™ 5060 LP BRK is a low-profile, compact graphics card that enables multi-monitor productivity.

Processor		Performance	
CUDA *	✓	HDCP	✓
CUDA cores	3840	HDCP version	2.3
Graphics processor family *	NVIDIA	Dual Link DVI *	✗
Graphics processor *	GeForce RTX 5060	NVIDIA G-SYNC	✓
Processor boost clock speed	2550 MHz	NPU performance up to	627 TOPs
Processor frequency (OC mode)	2580 MHz	Overclocked (OC) edition	✓
Maximum resolution *	7680 x 4320 pixels	Design	
Parallel processing technology support *	Not supported	Cooling type *	Active
Maximum displays per videocard	4	Number of fans	3 fan(s)
Memory		Number of slots	2
Discrete graphics card memory *	8 GB	Product colour	Multicolour
Graphics card memory type *	GDDR7	Power	
Memory bus *	128 bit	Minimum system power supply *	550 W
Data transfer rate	28 Gbit/s	Supplementary power connectors	1x 8-pin
Ports & interfaces		System requirements	
Interface type *	PCI Express 5.0	Windows operating systems supported	✓
HDMI ports quantity *	2	Weight & dimensions	
HDMI version	2.1	Length	175.8 mm
DisplayPorts quantity *	1	Depth	38 mm
DisplayPort version	2.1a	Height	69 mm
Performance		Packaging data	
OpenGL version *	4.6	Package width	300 mm
Virtual Reality (VR) ready	✓	Package depth	55 mm
		Package height	218 mm
		Package type	Box





4711636177139

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.