

StarTech.com 155UE-USB4-DOCK laptop dock/port replicator Wired Silver

Brand : StarTech.com

Product code: 155UE-USB4-DOCK

Product name : 155UE-USB4-DOCK

StarTech.com 155UE-USB4-DOCK. Connectivity technology: Wired, Host interface: USB4, USB Power Delivery up to: 100 W. Ethernet LAN data rates: 10,100,1000,2500 Mbit/s. Product colour: Silver, Data transfer rate: 40 Gbit/s, HD type: 4K Ultra HD. Power source type: DC, AC input voltage: 100 - 240 V, Input current: 2.5 A. Windows operating systems supported: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Other operating systems supported: ChromeOS



High-Performance USB4 Dock

Enhance your workflow with a powerful combination of high-performance connectivity and up to 8K resolution video.



Ports & interfaces		Power	
Connectivity technology *	Wired	AC input voltage	100 - 240 V
Host interface *	USB4	Input current	2.5 A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1	Output voltage	20 V
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Output current	9 A
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Power consumption (typical)	165 W
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	Power plug type	Type M
USB Power Delivery	✓	Compatible power plug types	EU, UK
USB Power Delivery up to	100 W	Software	
HDMI ports quantity *	2	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64
Microphone in *	✗	Other operating systems supported	ChromeOS
DC-in jack	✓	Operational conditions	
Network		Operating temperature (T-T)	0 - 40 °C
Ethernet LAN *	✓	Storage temperature (T-T)	-20 - 70 °C
Ethernet LAN (RJ-45) ports	1	Operating relative humidity (H-H)	0 - 95%
Ethernet LAN data rates	10,100,1000,2500 Mbit/s	Weight & dimensions	
Wake-on-LAN ready	✓	Width	210 mm
Full duplex	✓	Depth	95 mm
Performance		Height	34 mm
Card reader integrated *	✗	Weight	138.6 g
Data transfer rate	40 Gbit/s	Packaging data	
HD type	4K Ultra HD	Package width	145 mm
Maximum digital resolution	3840 x 2160 pixels	Package depth	230 mm
Number of displays supported	2	Package height	89 mm
Maximum refresh rate	120 Hz		
Cable lock slot	✓		
Cable lock slot type	Kensington, Nano		
Product colour *	Silver		
On/off switch	✓		
LED indicators	✓		

Performance		Packaging data	
UASP support	✓	Package weight	1.3 kg
Housing material	Plastic	Packaging content	
Power		Cables included	USB
Power source type	DC	Quick start guide	✓
		Logistics data	
		Products per master (outer) case	8 pc(s)
		Master (outer) case width	305 mm
		Master (outer) case length	375 mm
		Master (outer) case height	265 mm
		Other features	
		Chipset	VIA - VL830, VIA - VL163, Realtek - RTD2188-VA-CG, Genesys Logic - GL9901NE



0065030902878



065030902878

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-AUG-2024. Prints or copies of Information are only valid on the printed Publication date