

ASUS ROG Swift PG49WCD computer monitor 124.5 cm (49") 5120 x 1440 pixels OLED Black



Brand : ASUS

Product family: ROG Swift

Product code: 90LM09C0-B01970


Product name : PG49WCD

- 49-inch curved super-ultrawide (5120 x 1440) QD-OLED gaming monitor with 144 Hz refresh rate and 0.03 ms response time for immersive gaming
- Highly efficient custom heatsink, improved airflow design and graphene rear for better heat management to reduce the risk of burn-in
- High perceptual 1000 nits peak brightness (3% of the screen with HDR on), 99% DCI-P3 gamut, and Delta E < 2 color difference for astonishing HDR performance
- Built-in ROG Smart KVM automatically switches a single keyboard and mouse between two devices, without any extra hardware or software — and even copy files between devices via USB 3.2 connectivity
- Optional uniform brightness setting ensures consistent luminance levels
- ASUS DisplayWidget Center enables easy OLED and monitor-settings adjustments with a mouse
- Extensive connectivity options including DisplayPort™ 1.4 (DSC), HDMI (v2.1), USB-C with 90 W Power Delivery


49" 5120 x 1440 OLED, 1800R, 1073.7M, 144Hz, HDMI, DisplayPort, USB, 100-240V, 50/60Hz, VESA, 11.7 kg

Display		Ports & interfaces	
Display diagonal *	124.5 cm (49")	Headphone outputs	1
Display resolution *	5120 x 1440 pixels	Headphone connectivity	3.5 mm
Native aspect ratio *	32:9	Built-in KVM switch	✓
Display technology *	OLED	HDCP	✓
Touchscreen *	✗	HDCP version	2.2
Display brightness (peak)	1000 cd/m ²	S/PDIF out port	✓
Display brightness (typical)	250 cd/m ²	Ergonomics	
Response time *	0.03 ms	VESA mounting *	✓
Display surface	Matt	Panel mounting interface	100 x 100 mm
Screen shape *	Curved	Wall mountable	✓
Screen curvature rating	1800R	Cable lock slot *	✓
Contrast ratio (typical) *	1500000:1	Cable lock slot type	Kensington
Contrast ratio (dynamic)	1000000000:1	Height adjustment *	✓
Maximum refresh rate *	144 Hz	Height adjustment	10 cm
Viewing angle, horizontal	178°	Swivelling	✓
Viewing angle, vertical	178°	Swivel angle range	15 - -15°
Display number of colours *	1.073 billion colours	Tilt adjustment	✓
Pixel pitch	0.233 x 0.233 mm	Tilt angle range	20 - -5°
Viewable size, horizontal	119.7 cm	Power	
Viewable size, vertical	33.9 cm	Energy efficiency class (HDR) *	F
Digital horizontal frequency	30 - 233 kHz	Energy consumption (HDR) per 1000 hours *	42 kWh
Digital vertical frequency	48 - 144 Hz	Power consumption (typical) *	47 W
Performance		Power consumption (off)	0.3 W
NVIDIA G-SYNC *	✓	Power consumption (PowerSave)	0.5 W
NVIDIA G-SYNC type	G-SYNC Compatible	AC input voltage	100 - 240 V
AMD FreeSync *	✓	AC input frequency	50/60 Hz
AMD FreeSync type	FreeSync Premium Pro	Energy efficiency scale	A to G
Flicker-free technology	✓	European Product Registry for Energy Labelling (EPREL) code	1679856
Low Blue Light technology	✓	Operational conditions	
Multimedia		Operating temperature (T-T)	0 - 40 °C
Built-in speaker(s) *	✗	Storage temperature (T-T)	-20 - 60 °C
Built-in camera *	✗	Design	
Market positioning *	Gaming		

Design		Weight & dimensions	
Product colour *	Black	Width (with stand)	1196.4 mm
Feet colour	Black	Depth (with stand)	282.9 mm
Ports & interfaces		Weight & dimensions	
Built-in USB hub *	✓	Height (with stand)	527.2 mm
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Weight (with stand)	11.7 kg
USB upstream port type	USB Type-C	Width (without stand)	1196.4 mm
Number of upstream ports	1	Depth (without stand)	155.4 mm
Number of USB Type-C upstream ports quantity	1	Height (without stand)	371.7 mm
USB Type-A downstream ports quantity	4	Weight (without stand)	8.5 kg
USB Type-C DisplayPort Alternate Mode	✓	Packaging data	
USB Power Delivery (USB PD)	✓	Package width	1320 mm
USB Power Delivery up to	90 W	Package depth	490 mm
HDMI *	✓	Package height	250 mm
HDMI ports quantity	1	Package weight	17 kg
HDMI version	2.1	Package type	Box
DisplayPorts quantity	1	Other features	
DisplayPort version	1.4	Certification	
Headphone out *	✓	cTUVus, FCC, ICES-3, CB, ErP, WEEE, EU Energy Label, UkrSEPRO, Ukraine Energy, CCC, BSMI, RCM, MEPS, VN MEPS, VCCI, PSE, PC Recycel, J-MOSS, KC, KCC, E-STANDBY, PSB, SIOC, CEC, HDMI, DP, Windows 10/11 WHQL, TÜV-Flicker Free, TÜV-Low Blue Light	



4711387267097



0197105266698



197105266698

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.