

Sony Inzone H9 II Headset Wireless Head-band Gaming USB Type-C Bluetooth Black, White

Brand : Sony Product family: Inzone Product code: WHG910NW


Product name : H9 II

- Developed with Fnatic eSports team
 - Superior sound quality built with the same driver unit as the Sony WH-1000XM6
 - Active Noise canceling works in both wireless and wired modes
 - Lightweight 260g (approx.) design and pressure-balanced structure to reduce fatigue and hotspots
 - A cardioid boom mic with AI noise cancellation for clear and natural voice comms
 - Supplied USB-C® dongle delivers a dedicated ultra-low latency 2.4GHz connection
 - Fnatic presets tuned for VALORANT and Apex Legends through the INZONE Hub
 - Up to 30 hours of battery life.2
 - Set game-specific EQ presets for PC or PlayStation®5 through the Sony Sound Connect App.3
 - Soft pouch included for easy storage and travel
- 2.4 GHz, Up to 30 h, Bluetooth 5.3, Cardioid, Circum Aural, Carbon composite, White
- Sony Inzone H9 II. Product type: Headset. Connectivity technology: Wireless, Bluetooth. Recommended usage: Gaming, Cable length: 2 m. Weight: 260 g. Product colour: Black, White



Performance		Headphones	
Product type *	Headset	Driver type	Dynamic
Wearing style *	Head-band	Noise canceling	✓
Recommended usage *	Gaming	Diaphragm material	Carbon
Headset type	Binaural	Microphone	
Product colour *	Black, White	Microphone type *	Boom
Volume control	Button	Microphone direction type	Cardioid
Cable length	2 m	Microphone mute	✓
Designed for children	✗	Battery	
Detachable cable	✓	Battery operated	✓
Suitable for indoor use	✓	Battery type	Built-in battery
Recommended age group	Adult	Fast charging	✓
Suggested gender	Boy/Girl	Fast charging time	5 min
Ports & interfaces		Charging source	USB
Connectivity technology *	Wireless	Weight & dimensions	
3.5 mm connector	✗	Weight	260 g
USB connectivity	✓	Packaging data	
USB connector	USB Type-C	Package type	Box
Bluetooth	✓	Packaging content	
Bluetooth profiles	A2DP, AAC, AVRCP, HFP, HSP, SBC	Quick start guide	✓
Bluetooth version	5.3	Warranty card	✓
Frequency band	2.4 GHz	Cables included	USB Type-A to USB Type-C
Headphones		Pouch	✓
Ear coupling *	Circumaural	Quantity	1
Acoustic system	Closed		
Impedance	440 Ω		
Headphone sensitivity	111 dB		

Headphones		Power	
Driver unit	3 cm	USB Type-C charging port *	✓
Supplier features			
Battery life		1800 min	
Charging time		210 min	



4548736170896

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.