PHILIPS

Philips B Line 242B1/00 LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black

Brand : Philips Product family: B Line Product code: 242B1/00

Product name: 242B1/00

Business Monitor 242B1 LCD monitor with PowerSensor

Philips B Line 242B1/00 LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black:

Get your best work done with this Philips monitor. IPS screen with crisp FHD gives the clarity to see your work. Loaded with features to improve productivity and sustainability. Eye comfort features with TUV certified to reduce eye fatigue.

Philips B Line 242B1/00. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920×1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time * Display surface Anti-glare screen Screen shape * Supported graphics resolutions Aspect ratio Contrast ratio (typical) * Contrast ratio (dynamic)	60.5 cm (23.8") 1920 x 1080 pixels Full HD 16:9 LED IPS W-LED X 300 cd/m² 4 ms Matt Flat 1920 x 1080 (HD 1080) 16:9 1000:1 50000000:1	Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) On Screen Display (OSD) languages	100 x 100 mm ✓ Kensington ✓ 15 cm ✓ -90 - 90° ✓ -180 - 180° ✓ -5 - 35° ✓ Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Dynamic contrast ratio marketing	SmartContrast	Number of OSD languages	21
name Maximum refresh rate * Viewing angle, horizontal	75 Hz 178°	Plug and Play LED indicators	✓ Operation, Stand-by
Viewing angle, vertical	178°	Power	
Display number of colours * Pixel pitch Pixel density	16.7 million colours 0.2745 x 0.2745 mm 93 ppi	Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours *	D 17 kWh
Horizontal scan range	30 - 85 kHz	Power consumption (typical) *	14.5 W
Vertical scan range	48 - 75 Hz	Power consumption (standby) *	0.35 W
Viewable size, horizontal	52.7 cm	Power consumption (off)	0 W
Viewable size, vertical	29.6 cm	Power consumption (PowerSave)	10.4 W

-		_	
Display		Power	
Digital horizontal frequency	30 - 85 kHz	AC input voltage	100 - 240 V
Digital vertical frequency	48 - 75 Hz	AC input frequency	50 - 60 Hz
Sync-on-green (SOG)	✓	Power supply type	Internal
Display diagonal (metric)	60.5 cm	Energy efficiency scale	A+++ to D
DDC/CI	✓	European Product Registry for Energy Labelling (EPREL) code	420473
Haze rate	25%		
Surface hardness	3H	Operational conditions	
Colour gamut standard	sRGB	Operating temperature (T-T)	0 - 40 °C
Colour gamut	91%	Storage temperature (T-T)	-20 - 60 °C
sRGB coverage (typical)	107%	Operating relative humidity (H-H)	20 - 80%
NTSC coverage (typical)	91%	Operating altitude	0 - 3658 m
Display sRGB	✓	Non-operating altitude	0 - 12192 m
Performance		Weight & dimensions	
VESA Adaptive Sync support	1	Width (with stand)	540 mm
. ,	Separate sync, Sync-on-green	Depth (with stand)	205 mm
Component video sync	(SOG)	Height (with stand)	501 mm
Flicker-free technology	/	Weight (with stand)	4.57 kg
Low Blue Light technology	√	Width (without stand)	540 mm
5 5.	•	Depth (without stand)	51 mm
Multimedia		Height (without stand)	323 mm
Number of speakers	2	Weight (without stand)	2.99 kg
RMS rated power	2 W	Packaging data	
Built-in speaker(s) *	✓		730 mm
Built-in camera *	×	Package width Package depth	198 mm
Danium			465 mm
Design		Package height Package weight	7.36 kg
Market positioning *	Business	Package type	Box
Product colour *	Black		DOX
Front bezel colour	Black	Packaging content	
Detachable stand	•	Stand included	✓
Feet colour	Black	Cables included	VGA, HDMI, DisplayPort, Audio
Ports & interfaces		Manual	(3.5mm), AC ✓
Built-in USB hub *	✓	Bundled software	SmartControl
USB hub version	3.2 Gen 2 (3.1 Gen 2)		SiliartColition
USB upstream port type	USB Type-B	Sustainability	
Number of upstream ports	1	Sustainability certificates	ENERGY STAR, TCO
USB Type-A downstream ports	4	Doesn't contain	PVC/BFR, Mercury
quantity VGA (D-Sub) ports quantity	1	Other features	
DVI port	- /	Exterior finish type	Textured
DVI-D ports quantity	1	Picture enhancement	SmartImage
		Recyclable packaging material	100%
HDMI *			CB; FCC Class B; ICES-003; CE Mark;
HDMI ports quantity	1	Regulatory Approvals	TUV Ergo; TUV/GS; CU-EAC; CCC;
HDMI version	1.4	See a Comprehension	CECP; CEL; UKRAINIAN; TUV Eye Comfort certified
DisplayPorts quantity	1	Heavy metals free	Hg (mercury)
DisplayPort version	1.2	Light sensor	/ (mercury)
Audio input	×	<u> </u>	
Headphone out *	✓	EasyRead mode	
Headphone outputs	1	LowBlue mode	1
Headphone connectivity	3.5 mm	Compliance certificates	RoHS
PC Audio in	✓	Mean time between failures (MTBF)	70000 h
HDCP	✓		CB, EPA, FCC Class B, ICES-003, CE
HDCP version	1.4	Certification	Mark, TUV Ergo, TUV/GS, SEMKO, CU-EAC, CCC, CECP, CEL,
AC (power) in	✓		UKRAINIAN, TUV Eye Comfort
			certified
Ergonomics		Recycling data	
VESA mounting *	•	Post-consumer recycled plastic	85%

LOQ	istics	aata

Harmonized System (HS) code

85285210



8712581764210

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.