ASUS ROG Strix SCAR 18 G835LX-SA009W Intel Core Ultra 9 275HX Laptop 45.7 cm (18") WQXGA 64 GB DDR5-SDRAM 2 TB SSD NVIDIA GeForce RTX 5090 Wi-Fi 7 (802.11be) Windows 11 Home Black

Brand : ASUS Product family: ROG Product code: 90NR0LF1-

M00670

Product name: G835LX-

SA009W

Intel Core Ultra 9 275HX (36MB Cache), 64GB DDR5-SDRAM, 2000GB SSD, 45.7 cm (18") WQXGA 2560 x 1600 Mini LED, Intel Graphics, NVIDIA GeForce RTX 5090 (24GB GDDR7), LAN, WLAN, Webcam, Windows 11 Home 64-bit

ASUS ROG Strix SCAR 18 G835LX-SA009W Intel Core Ultra 9 275HX Laptop 45.7 cm (18") WQXGA 64 GB DDR5-SDRAM 2 TB SSD NVIDIA GeForce RTX 5090 Wi-Fi 7 (802.11be) Windows 11 Home Black:

Victory, accelerated.

The Strix SCAR 18 features Intel® Core™ Ultra 9 processor 275HX boasting up to a 65W TDP with 8 Performance-cores and 16 Efficient-cores, paired with NVIDIA® GeForce RTX™ 5090 Laptop GPU with a max TGP of 175W, ensuring flawless AAA gaming experiences while making resource-intensive tasks like programming and rendering effortless and seamless.





Design		Graphics	
Colour name Product type * Product colour * Form factor * Market positioning	ct type * Laptop ct colour * Black factor * Clamshell t positioning Gaming uction year 2025	On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model * NVIDIA G-SYNC	Intel Intel Graphics Intel Graphics
Introduction year		Audio	
Display Display diagonal * Display resolution *	45.7 cm (18") 2560 x 1600 pixels	Audio system Number of built-in speakers Built-in microphone	Smart Amp 2 ✓
Touchscreen * HD type		Camera	
Panel type Native aspect ratio Anti-glare screen Display brightness RGB colour space Colour gamut Maximum refresh rate Contrast ratio (typical) High Dynamic Range (HDR) supported	WQXGA Mini LED 16:10 ✓ 500 cd/m² DCI-P3 100% 240 Hz 1200:1	Front camera Front camera HD type Infrared (IR) camera Network Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type Ethernet LAN	✓ Full HD ✓ Wi-Fi 7 (802.11be) Wi-Fi 7 (802.11be) X 2x2 ✓
High Dynamic Range (HDR) technology	Dolby Vision	Ethernet LAN data rates Bluetooth	10,100,1000,2500 Mbit/s
Processor		Bluetooth version	5.4
Processor manufacturer * Processor family * Processor generation Processor model *	Intel Intel Core Ultra 9 Intel Core Ultra (Series 2) 275HX	Ports & interfaces USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity Ethernet LAN (RJ-45) ports	3

Processor		Ports & interfaces		
Processor cores	24	HDMI ports quantity *	1	
Processor threads	24	HDMI version	2.1	
Processor boost frequency	5.4 GHz	Thunderbolt 5 ports quantity	2	
Performance cores Efficient cores	8 16	Intel® Thunderbolt 5	1	
Performance-core Max Turbo		Combo headphone/mic port	1	
Frequency	5.4 GHz	USB Type-C DisplayPort Alternate Mode	✓	
Efficient-core Max Turbo Frequency	4.6 GHz	Performance		
Performance-core base frequency	2.7 GHz			
Efficient-core base frequency	2.1 GHz	Motherboard chipset Intel HM870 Express		
Processor cache	36 MB	Keyboard		
Processor base power Maximum turbo power	55 W 160 W	Pointing device	Touchpad	
·	100 W	Numeric keypad *	1	
Neural processor unit (NPU)		Keyboard backlit	✓	
Neural processor unit (NPU)	Intel Al Boost	Keyboard backlit colour	RGB	
Sparsity support	•	Keyboard backlit zone	Per-key RGB	
Windows Studio effects support	1	Copilot key	1	
Al software frameworks supported by NPU	DirectML, OpenVINO, Windows ML, ONNX RT, WebNN	Software		
Total processor performance up to	36 TOPs	Operating system architecture	64-bit	
NPU performance up to	13 TOPs	Tital and and	1-month trial for new Microsoft 365	
GPU performance up to	8 TOPs	Trial software	customers. Credit card required, McAfee 30 days	
Memory		Operating system installed *	Windows 11 Home	
Internal memory *	64 GB		Xbox Game Pass for PC_3 months	
Internal memory type	DDR5-SDRAM		(*Terms and exclusions apply. Offer only available in eligible markets for	
Memory clock speed	5600 MHz	Bundled software	Xbox Game Pass for PC. Eligible	
Memory form factor	SO-DIMM		markets are determined at activation. Game catalog varies by	
Memory layout (slots x size)	2 x 32 GB		region, device, and time.)	
Memory slots	2x SO-DIMM	Microsoft Copilot	✓	
Maximum internal memory *	64 GB	·	-	
•		Battery	,	
Maximum internal memory *	64 GB	Battery Battery technology	Lithium-lon (Li-lon)	
Maximum internal memory * Memory channels	64 GB Dual-channel 2 TB	Battery	,	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media *	64 GB Dual-channel 2 TB SSD	Battery Battery technology Number of battery cells	Lithium-lon (Li-lon)	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity	64 GB Dual-channel 2 TB SSD 2 TB	Battery Battery technology Number of battery cells Battery capacity *	Lithium-lon (Li-lon) 4 90 Wh	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed	64 GB Dual-channel 2 TB SSD 2 TB 2	Battery Battery technology Number of battery cells Battery capacity * Fast charging	Lithium-lon (Li-lon) 4 90 Wh	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power	Lithium-lon (Li-lon) 4 90 Wh 30 min	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power	Lithium-lon (Li-lon) 4 90 Wh 30 min	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency	Lithium-lon (Li-lon) 4 90 Wh 30 min	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type *	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics Discrete GPU manufacturer	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 ✓ M.2 X NVIDIA	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Type-C charging port *	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics Discrete GPU manufacturer Discrete graphics card model *	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X NVIDIA NVIDIA GeForce RTX 5090	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Type-C charging port * USB Power Delivery (USB PD)	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X NVIDIA NVIDIA NVIDIA GeForce RTX 5090 24 GB	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Type-C charging port * USB Power Delivery (USB PD) Security Face recognition	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X NVIDIA NVIDIA GeForce RTX 5090	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Type-C charging port * USB Power Delivery (USB PD) Security Face recognition Windows Hello	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X NVIDIA NVIDIA NVIDIA GeForce RTX 5090 24 GB GDDR7	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Type-C charging port * USB Power Delivery (USB PD) Security Face recognition Windows Hello Trusted Platform Module (TPM)	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X NVIDIA NVIDIA NVIDIA GeForce RTX 5090 24 GB GDDR7	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Type-C charging port * USB Power Delivery (USB PD) Security Face recognition Windows Hello Trusted Platform Module (TPM) Password protection	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X NVIDIA NVIDIA NVIDIA GeForce RTX 5090 24 GB GDDR7	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Type-C charging port * USB Power Delivery (USB PD) Security Face recognition Windows Hello Trusted Platform Module (TPM) Password protection Password protection type	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X NVIDIA NVIDIA NVIDIA GeForce RTX 5090 24 GB GDDR7	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Type-C charging port * USB Power Delivery (USB PD) Security Face recognition Windows Hello Trusted Platform Module (TPM) Password protection Password protection type Weight & dimensions	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V BIOS, User	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X NVIDIA NVIDIA NVIDIA GeForce RTX 5090 24 GB GDDR7	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Type-C charging port * USB Power Delivery (USB PD) Security Face recognition Windows Hello Trusted Platform Module (TPM) Password protection Password protection type Weight & dimensions Width	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V BIOS, User	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X NVIDIA NVIDIA NVIDIA GeForce RTX 5090 24 GB GDDR7	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Type-C charging port * USB Power Delivery (USB PD) Security Face recognition Windows Hello Trusted Platform Module (TPM) Password protection Password protection type Weight & dimensions Width Depth	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V BIOS, User 399 mm 298 mm	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X NVIDIA NVIDIA NVIDIA GeForce RTX 5090 24 GB GDDR7	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Type-C charging port * USB Power Delivery (USB PD) Security Face recognition Windows Hello Trusted Platform Module (TPM) Password protection Password protection type Weight & dimensions Width Depth Height (front)	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V BIOS, User 399 mm 298 mm 2.35 cm	
Maximum internal memory * Memory channels Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Graphics Discrete GPU manufacturer Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type	64 GB Dual-channel 2 TB SSD 2 TB 2 1 TB PCI Express 4.0 M.2 X NVIDIA NVIDIA NVIDIA GeForce RTX 5090 24 GB GDDR7	Battery Battery technology Number of battery cells Battery capacity * Fast charging Fast charging time (50%) Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage USB Type-C charging port * USB Power Delivery (USB PD) Security Face recognition Windows Hello Trusted Platform Module (TPM) Password protection Password protection type Weight & dimensions Width Depth	Lithium-lon (Li-lon) 4 90 Wh 30 min 380 W 50 - 60 Hz 100 - 240 V 19 A 20 V BIOS, User 399 mm 298 mm	

D 1		•		
Pac	Kan	เทต	COL	ntent
· uc	ĸuy	9	COL	

AC adapter included *





4711387892244

0197105892248



197105892248

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.