

4-Port KM Switch with Mouse Roaming, USB Switch for Keyboard/Mouse, 3.5mm/USB Audio, Perihperal Sharing for 4 Computers, TAA Compliant

Product ID: P4A20132-KM-SWITCH



This Keyboard and Mouse (KM) Switch enables switching a single keyboard and mouse between multiple computers using mouse roaming, allowing users to seamlessly move the cursor across multiple screens (i.e., one monitor per computer).

Switch between computers by moving the mouse between monitors, without the need for hotkeys or physical buttons, enabling uninterrupted workflow and increased efficiency. Hotkey and push-button switching are universally compatible. Mouse Roaming is supported by most major desktop operating systems, including Windows, macOS, and Linux.

To accommodate various physical monitor setups, there are six preset display configurations available. This allows for smooth mouse movement across host monitors.

Hotkeys enable listening to audio from one computer while controlling another. USB audio and 3.5mm pass-through are available, and LEDs provide visual port selection status, while an audible buzzer confirms hotkey selection.

Certifications, Reports and Compatibility



Applications





- Manage multiple computers simultaneously, such as in data centers, server rooms, or network operations centers
- Navigate between platforms and workstations, increasing productivity and responsiveness

Features

• MOUSE ROAMING: Instantly switch computers by moving the mouse between monitors, without the need for hotkeys or physical buttons, enabling uninterrupted workflow and increased efficiency; Hotkey and push-button switching options are also available

• SCREEN LAYOUT PRESETS: Monitor layouts controlled via hotkeys are designed to accommodate a variety of physical monitor setups, allowing for seamless mouse movement across host monitors; 6 different preset display configurations available

• USB CONNECTIVITY: Supports up to three USB Human Interface Device (HID) peripherals and two USB 3.2 Gen 1 (5Gbps) devices; Ideal for environments such as control rooms, security facilities, server rooms, and financial operations

• THOUGHTFUL DESIGN: Independent audio switching allows users to listen to audio from one computer while controlling another; USB audio and 3.5mm pass-through available; LEDs provide visual port selection status; Audible buzzer for hotkey confirmation

Hardware		
	Warranty	2 Years
	Audio	Yes
	KVM Ports	4
	PC Interface	USB 3.2 Gen 1 (5Gbps)
	Number of Monitors Supported	0
	Cables Included	No
	Chipset ID	GL3523
Performance		
	On-Screen Display	No
	IP Control	No
	Hot-Key Selection	Yes

• UNIVERSAL COMPATIBILITY: Mouse Roaming is supported by most major desktop operating systems including Windows, macOS, and Linux; Hotkey and push-button switching are OS independent; Works with all hardware platforms including Intel and AMD





	Maximum Data Transfer Rate	5Gbps
	Audio Specifications	Analog Stereo - 2 Channel Audio
	Port Selection Support	Push Button, Hotkeys, and Mouse Roaming
	MTBF	156,000 Hours
Connector(s)	Console Interface(s)	2 - USB 3.2 Type-A (9 pin, Gen 1, 5Gbps)
		3 - USB 2.0 Type-A
		3 - 3.5mm Stereo Female 3 pos
	Host Connectors	4 - USB 3.2 Type-B (9 pin, Gen 1, 5Gbps)
		4 - 3.5mm Stereo Female 3 pos
Software	OS Compatibility	No Drivers or Software Required
Special Notes / Requirements		
	Note	On computers with multiple monitors connected, the mouse/keyboard will be bound to the main display.
		6-Key Rollover (6KRO) and N-Key Rollover (NKRO) are not supported by this product.
Indicators	LED Indicators	4 Solid Plue: Connected PC is powered on
	LED Indicators	4 - Solid Blue: Connected PC is powered on
		4 - Solid Red: Indicates the selected PC
Power	Power Source	AC Adapter Included
	Input Voltage	100 - 240 AC
	Input Current	0.6A
	Output Voltage	12V DC
	Output Current	5A



	Center Tip Polarity	Positive
	Plug Type	Μ
	Power Consumption (In Watts)	0.1W
Environmental		
	Operating Temperature	0C to 40C (32F to 104F)
	Storage Temperature	-10C to 60C (14F to 140F)
	Humidity	0% ~ 80% RH
Physical Characteristics		
	Color	Black
	Material	Steel
	Product Length	8.7 in [22.0 cm]
	Product Width	5.1 in [13.0 cm]
	Product Height	1.3 in [3.4 cm]
	Weight of Product	1.8 lb [0.8 kg]
Packaging Information		
	Package Length	9.6 in [24.5 cm]
	Package Width	11.6 in [29.5 cm]
	Package Height	2.5 in [6.3 cm]
	Shipping (Package) Weight	6.4 oz [180.0 g]
What's in the Box		
	Included in Package	1 - KM Switch
		1 - Universal Power Adapter (NA/EU/UK/ANZ)
		1 - Quick-Start Guide

*Product appearance and specifications are subject to change without notice.