

Right Angled USB-C to USB-A Adapter, USB 5Gbps, Compact USB-C Male to USB-A Female Adapter, Metal Housing, M/F

Product ID: USB31CAADGCPRA



Connect a USB-A device to a USB-C laptop or convert a USB-A cable to Type-C, using this compact USB-C to USB-A Male to Female adapter. The connector markings enable quick visual identification, distinguishing this adapter from other similar-looking or unmarked USB-C adapters. Eliminate guesswork and always choose the appropriate adapter that supports USB 5Gbps.

The USB-C to USB-A adapter is universally compatible with any Operating System. Simple plug-and-play setup enables instant deployment. The adapter supports USB 5Gbps and USB 2.0 (480Mbps), and facilitates up to 5V/3A output from a powered USB-C connection such as a wall charger. This enables up to 15W charging to a USB-A device from a USB-C source. Please note that USB-C video and Power Delivery are not supported.

The USB C to A adapter has a durable aluminum alloy housing that protects against wear and tear. The nickel-plated connectors are designed for long-lasting reliability and performance.

## **Certifications, Reports and Compatibility**



## Applications

- Right angled connector reduces cable strain in tight spaces
- Charge a USB-C device with up to 15W from a powered USB-A connection
- Slim, compact housing is durable and will not obstruct adjacent ports



## Features

• RIGHT ANGLED USB-C ADAPTER: Compact Right Angled USB-C Male to USB-A Female adapter connects neatly to a USB-C host; Ideal for installations where space is limited; Clear connector markings with data/power specs enable easy identification at a glance

• QUALITY CONSTRUCTION: Aluminum alloy outer housing enhances durability and wear protection; Slim design prevents the obstruction of adjacent device ports; Durable Nickel-plated connectors ensure consistent data throughput

• COMPATIBILITY: Versatile compatibility with USB-A cables and devices; Supports USB-C laptops and portable devices; Charge a portable USB-C device from a USB-A charger (up to 15W); NOTE: Please confirm compatibility between the USB-A device and USB-C host

• QUICK INSTALLATION: Ideal for mounted devices with bottom or rear-facing ports; Right-angled connector reduces cable and port strain from bending; Plug-and-play design requires no drivers for a hassle-free setup; Compatible with any Operating System

• RELIABLE TRANSMISSION: USB-C to USB-A adapter supports 5Gbps data transfer; Backward compatibility with USB 480Mbps (USB 2.0) for legacy devices; Supports up to 5V/3A output from a USB-A charger; NOTE: USB-C video and Power Delivery are not supported

Hardware		
	Warranty	2 Years
	Active or Passive Adapter	Passive
	Ports	1
	Connector Plating	Nickel
Performance	Maximum Data Transfer Rate	5Gbps
Connector(s)	Connector A	1 - USB 3.2 Type-C (24 pin, Gen 1, 5Gbps)
	Connector B	1 - USB 2.0 Type-A (4 pin, 480Mbps)
Power		
	Input Voltage	5V DC
	Input Current	3A
Environmental		
	Operating Temperature	0 to 40 (32&degF to 104&degF)



	Storage Temperature	-10 to 70 (14&degF to 158&degF)
	Humidity	10%~90%
Physical Characteristics		
	Color	Black
	Connector Style	Right Angled
	Material	Aluminum
	Product Length	0.8 in [2.1 cm]
	Product Width	1.0 in [2.6 cm]
	Product Height	0.5 in [1.2 cm]
	Weight of Product	0.2 oz [5.0 g]
Packaging Information		
	Package Length	4.9 in [12.5 cm]
	Package Width	3.5 in [9.0 cm]
	Package Height	0.2 in [5.0 mm]
	Shipping (Package) Weight	0.2 oz [5.2 g]
What's in the Box	Included in Package	1 - USB-C to Right Angle USB-A Adapter - M/F

\*Product appearance and specifications are subject to change without notice.

