

APC Easy 3S uninterruptible power supply (UPS) Double-conversion (Online) 30 kVA 30000 W

Brand : APC Product code: E3SUPS30KHB

Product name: Easy 3S

Easy UPS 3S 30 kVA 400 V 3:3 UPS for internal batteries

APC Easy 3S uninterruptible power supply (UPS) Double-conversion (Online) 30 kVA 30000 W:

Easy UPS 3S 30 kVA 400 V 3:3 UPS for internal batteries

High-efficiency 3-phase UPS that features advanced product features, competitive specifications, and robust electrical design, making business continuity easy in the data center or electrical room. This is an exceptionally easy to install, operate, maintain, and service 30 kVA UPS, ideal for small and medium businesses. Includes dust filter and conformance-coated boards for harsh environments. This UPS is for internal batteries, but is supplied without batteries, so you can easily customize the battery runtime. For battery runtime details, see the runtime charts published under the Documents tab.





Features		Design	
UPS topology *	Double-conversion (Online)	Form factor *	Tower
Output power capacity *	30 kVA	Cooling type	Active
Output power *	30000 W	Product colour *	White
Input operation voltage (min) st	304 V	LED indicators	✓
Input operation voltage (max) *	477 V	International Protection (IP) code	IP20
Input frequency *	45/65 Hz		CE, EAC, IEC 62040-1-1, IEC
Output operation voltage (min)	380 V	Certification	62040-2, IEC 62040-3, IEC 62040-4,
Output operation voltage (max)	415 V		ISTA 2B, RCM, WEEE REACH
Output frequency	50/60 Hz	Operational conditions	
Maximum current	55 A	Operating temperature (T-T)	0 - 40 °C
Number of input phases	3	Storage temperature (T-T)	-15 - 40 °C
Number of output phases	3	Operating relative humidity (H-H)	0 - 95%
Three-phase output voltage supported	400 V	Storage relative humidity (H-H) Operating altitude	0 - 95% 0 - 999.9 m
Efficiency	95%	Non-operating altitude	0 - 15000 m
Input power factor	0.99	1 3	0 13000 III
ECO mode	✓	Technical details	
Emergency Power Off (EPO)	✓	Compliance certificates	RoHS
Output voltage Total Harmonic Distortion (THD)	3%	Weight & dimensions	500
Input current Total Harmonic	3%	Width	500 mm 969 mm
Distortion (THD)	J /0	Depth Height	1400 mm
Noise level	63 dB	Weight	152 kg
Battery		Battery width	68.3 cm
Battery technology	Sealed Lead Acid (VRLA)	Battery depth	111.4 cm
-according j	Journal Lead / Icia (VIII I)	battery deptil	111.7 CIII

Battery		Weight & dimensions	
Battery voltage	240 V	Battery height	164 cm
		Battery weight	190 kg
		Logistics data	
		Harmonized System (HS) code	85078000





731304340812

0731304340812

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.