GIGABYTE Z790 AORUS ELITE X WIFI7 Motherboard - Supports Intel 14th Gen CPUs, 16+1+2 phases VRM, up to 8266MHz DDR5 (OC), 3xPCIe 4.0 M.2, Wi-Fi 7, 2.5GbE LAN, USB 3.2 Gen 2x2

Brand : GIGABYTE

Product code: Z790 AORUS ELITE X WIFI7

Product name : Z790 AORUS ELITE X WIFI7 Motherboard -Supports Intel 14th Gen CPUs, 16+1+2 phases VRM, up to 8266MHz DDR5 (OC), 3xPCIe 4.0 M.2, Wi-Fi 7, 2.5GbE LAN, USB 3.2 Gen 2x2

- LGA 1700: Supports Intel Core 13th and next-gen processors

- Digital twin 16+1+2 phases VRM solution
- Full support up to DDR5-8266

- VRM Thermal Armor Advanced & M.2 Thermal Guard L

- DIY-Friendly Design: Quick Release & Screwless Design for M.2 modules and graphics card

Intel Core 14th, 4 x DIMM, PCIe 5.0 x16, DP, HDMI, USB-C

GIGABYTE Z790 AORUS ELITE X WIFI7 Motherboard - Supports Intel 14th Gen CPUs, 16+1+2 phases VRM, up to 8266MHz DDR5 (OC), 3xPCIe 4.0 M.2, Wi-Fi 7, 2.5GbE LAN, USB 3.2 Gen 2x2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.

Processor			Rear panel I/O ports	
Processor manufacturer *		Intel	DisplayPort version	1.2
Processor socke	t *	LGA 1700	Headphone outputs	1
		Intel® Celeron®, Intel® Core [™] i3, Intel® Core [™] i5, Intel® Core [™] i7,	Microphone in	
Compatible processor series *		Intel® Core [™] i9, Intel® Pentium®	S/PDIF out port	×
		Gold	Digital audio optical out WiFi-AP antenna jack	1
Maximum number of SMP		1	USB connector type	z USB Type-A, USB Type-C
processors Supported processor sockets		LGA 1700	21	озв туреж, озв туре-с
Memory			Network	
Supported memory types * Number of memory slots *	DDR5-SDRAM 4		Ethernet LAN	✓
Memory slots type Memory channels	DIMM Dual-channel		Ethernet interface type	2.5 Gigabit Ethernet
ECC Non-ECC			LAN controller	Realtek RTL8125
Supported memory clock speeds	4000,4800,5200,5400,5600,5800,6000 MHz	,6200,6400,6600,6800,7000,7200,7400,7600,7800,7900,7950,8000,8200,8266	Wi-Fi *	1
Supported memory clock speed (max) Maximum internal memory *	8266 MHz 192 GB		Top Wi-Fi standard	Wi-Fi 7 (802.11be)
Unbuffered memory	√			802.11a, 802.11b, 802.11g, Wi-Fi 4
Storage contro	ollers		Wi-Fi standards	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax),
Supported storage drive types		HDD & SSD		Wi-Fi 7 (802.11be)
Supported storage drive interfaces *		M.2, SATA III	Bluetooth	✓
Number of HDDs supported		6	Bluetooth version	5.3
Number of storage drives supported		10	Features	
RAID support		1	Motherboard chipset *	Intel Z790 Express
RAID levels		0, 1, 5, 10	Audio chip	Realtek ALC1220-VB
Graphics			Audio output channels *	7.1 channels
Parallel processing technology		Not supported	Product colour	Black
support *		×	PC health monitoring	Fan, Temperature, Voltage, Water
On-board graphics card Maximum resolution		4096 x 2304 pixels	Component for *	cooling PC
		4096 x 2304 pixels	Component for *	
HDCP Directly consists			Motherboard form factor *	ATX
DirectX version 12.0		12.0	Motherboard chipset family *	Intel
Internal I/O			Windows operating systems supported	Windows 11 x64
USB 2.0 connectors *		2	Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *		1	PCI Express x16 (Gen 4.x) slots	2
			, ,	





Internal I/O

HDMI version

DisplayPorts quantity

USB 3.2 Gen 2 (3.1 Gen 2)					
connectors *	1				
Number of SATA III connectors *	6				
Front panel audio connector	-				
Front panel connector	<				
ATX Power connector (24-pin)	<				
Number of EATX power connectors	2				
CPU fan connector	1				
Number of chassis fan connectors	4				
EPS power connector (8-pin)	<				
TPM connector	1				
Thunderbolt headers	2				
12V power connector	1				
RGB LED pin header	1				
Rear panel I/O ports					
USB 2.0 ports quantity *	4				
USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4 3				
USB 3.2 Gen 1 (3.1 Gen 1) Type-A					
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A	3				
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * USB 3.2 Gen 2x2 Type-C ports	3				
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * USB 3.2 Gen 2x2 Type-C ports quantity	3 2 1				

2.0

1

Expansion slots					
PCI Express x16 (Gen 5.x) slots	1				
Number of M.2 (M) slots	4				
BIOS					
BIOS type *					
BIOS memory size	256 Mbit				
ACPI version Clear CMOS jumper	5.0				
Clear CMOS button					
Desktop Management Interface (DMI) version	2.7				
System Management BIOS (SMBIOS) version	2.7				
Logistics data					
Country of origin	China				
Products per shipping (inner) case	1 pc(s)				
Battery					
Battery weight	3 g				
Lithium weight per battery	0.07 g				
Number of battery cells	1 Lithium Managana Disuida				
Battery technology	Lithium-Manganese Dioxide (LiMnO2)				
Battery type	CR2032				
Packaging data					
Package width	335 mm				
Package depth	270 mm				
Package height	80 mm				
Package weight	2.52 kg				
Weight & dimensions					
Width	305 mm				
Depth	244 mm 35 mm				
Height	55 11111				
Packaging content					
Cables included	SATA				
Batteries included Antenna included					
Antenna included	Norton® Internet Security (OEM)				
Bundled software	version) LAN bandwidth management software				
Technical details					
Warranty period	3 year(s)				





4719331857592

0889523039298



889523039298

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.