

Desktop PC User Guide



T500MV/T500MVC



E26144 Revised Edition V2 April 2025

Copyright © 2025 ASUSTeK Computer Inc. All Rights Reserved.

No part of this manual, including the products and software described in it, may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language in any form or by any means, except documentation kept by the purchaser for backup purposes, without the express written permission of ASUSTEK Computer Inc. ("ASUS").

Product warranty or service will not be extended if: (1) the product is repaired, modified or altered, unless such repair, modification of alteration is authorized in writing by ASUS; or (2) the serial number of the product is defaced or missing.

ASUS PROVIDES THIS MANUAL "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL ASUS, ITS DIRECTORS, OFFICERS, EMPLOYEES OR AGENTS BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES (INCLUDING DAMAGES FOR LOSS OF PROFITS, LOSS OF BUSINESS, LOSS OF USE OR DATA, INTERRUPTION OF BUSINESS AND THE LIKE), EVEN IF ASUS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES ARISING FROM ANY DEFECT OR ERROR IN THIS MANUAL OR PRODUCT.

SPECIFICATIONS AND INFORMATION CONTAINED IN THIS MANUAL ARE FURNISHED FOR INFORMATIONAL USE ONLY, AND ARE SUBJECT TO CHANGE AT ANY TIME WITHOUT NOTICE, AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY ASUS. ASUS ASSUMES NO RESPONSIBILITY OR LIABILITY FOR ANY ERRORS OR INACCURACIES THAT MAY APPEAR IN THIS MANUAL, INCLUDING THE PRODUCTS AND SOFTWARE DESCRIBED IN IT.

Products and corporate names appearing in this manual may or may not be registered trademarks or copyrights of their respective companies, and are used only for identification or explanation and to the owners' benefit, without intent to infringe.

SERVICE AND SUPPORT

Visit our multi-language website at https://www.asus.com/support/.



Contents

3
5
15
19

Chapter 1 Getting started

Welcome!	21
Getting to know your computer	21
Setting up your computer	30
Turning your computer ON	33
Enabling fast startup	33

Chapter 2 Connecting devices to your computer

Connecting a USB storage device	. 35
Connecting microphone and speakers	. 36
Changing to the external audio output	. 39
Connecting multiple external displays	. 40
Connecting an HDTV	. 41

Chapter 3 Using your computer

Proper posture when using your Desktop PC	43
Configuring the USB ports using the BIOS	44
Configuring the HDD security setting using the BIOS	45
Configuring the Keyboard/Mouse using the BIOS (on selected models only))46
Using Armoury Crate	46

Chapter 4 Connecting to the Internet

Chapter 5 Using ASUS Business Manager

ASUS Business Manager		
Chapter 6	Troubleshooting	

onaptero	i cubicono cuig	
Troubleshooting		3

Appendix Working with Windows®

Starting for the first time	61
Start menu	61
Windows® apps	62
Connecting to wireless networks	62
Connecting to wired networks	63
Turning your computer off	63
Putting your computer to the Off mode / the lowest power mode	63
Putting your computer to sleep	63

Notices

ASUS Recycling/Takeback Services

ASUS recycling and takeback programs come from our commitment to the highest standards for protecting our environment. We believe in providing solutions for you to be able to responsibly recycle our products, batteries, other components, as well as the packaging materials. Please go to https://esg.asus.com/en/Takeback.htm for the detailed recycling information in different regions.

REACH

Complying with the REACH (Registration, Evaluation, Authorisation, and Restriction of Chemicals) regulatory framework, we published the chemical substances in our products at ASUS REACH website at <u>https://esg.asus.com/Compliance.htm</u>.

Federal Communications Commission Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- · This device may not cause harmful interference; and
- This device must accept any interference received including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with manufacturer's instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- · Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- · Consult the dealer or an experienced radio/TV technician for help.

FCC RF Exposure information

This equipment must be installed and operated in accordance with provided instructions and the antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. End-users and installers must be provided with antenna installation instructions and transmitter operating conditions for satisfying.

FCC RF Caution Statement

WARNING: Any changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.

FCC WiFi 6E Caution Statement

FCC regulations restrict the operation of this device to indoor use only. The operation of this device is prohibited on oil platforms, cars, trains, boats, and aircraft, except that operation of this device is permitted in large aircraft while flying above 10,000 feet.



The use of shielded cables for connection of the monitor to the graphics card is required to assure compliance with FCC regulations. Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

Lithium Battery Warning

CAUTION: Danger of explosion if battery is incorrectly replaced. Replace only with the same or equivalent type recommended by the manufacturer. Dispose of used batteries according to the manufacturer's instructions.

Avertissement relatif aux batteries Lithium

ATTENTION! Danger d'explosion si la batterie n'est pas correctement remplacée. Remplacer uniquement avec une batterie de type semblable ou équivalent, recommandée par le fabricant. Jeter les batteries usagées conformément aux instructions du fabricant.

Compliance Statement of Innovation, Science and Economic Development Canada (ISED)

This device complies with Innovation, Science, and Economic Development Canada licence exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device:

Operation in the band 5150–5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems.

CAN ICES (B) / NMB (B)

Déclaration de conformité de Innovation, Sciences et Développement économique Canada (ISED)

Le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canadaapplicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

La bande 5150 – 5250 MHz est réservée uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux.

CAN ICES (B) / NMB (B)

ISED Wi-Fi 6E Caution Statement (RLAN devices)

Devices shall not be used for control of or communications with unmanned aircraft systems. Les dispositifs ne doivent pas être utilisés pour commander des systèmes d'aéronef sans pilote ni pour communiquer avec de tels systèmes.

IC: Canadian Compliance Statement

Complies with the Canadian ICES-003 Class B specifications. This device complies with RSS 210 of Industry Canada. This Class B device meets all the requirements of the Canadian interference-causing equipment regulations.

This device complies with Industry Canada license exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Déclaration de conformité d'Industrie Canada

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada. Cet appareil numérique de la classe B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.

Le présent appareil est conforme aux normes CNR d'Industrie Canada applicables aux appareils radio exempts de licence. Son utilisation est sujette aux deux conditions suivantes : (1) cet appareil ne doit pas créer d'interférences et (2) cet appareil doit tolérer tout type d'interférences, y compris celles susceptibles de provoquer un fonctionnement non souhaité de l'appareil.

Canadian Department of Communications Statement

This digital apparatus does not exceed the Class B limits for radio noise emissions from digital apparatus set out in the Radio Interference Regulations of the Canadian Department of Communications.

This class B digital apparatus complies with Canadian ICES-003.

Déclaration du Département Canadien des Communications

Cet appareil numérique ne dépasse pas les limites de classe B en terme d'émissions de nuisances sonores, par radio, par des appareils numériques, et ce conformément aux régulations d'interférence par radio établies par le département canadien des communications.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

VCCI: Japan Compliance Statement

VCCI Class B Statement

この装置は、クラスB情報技術装置です。この装置は、家庭環境で使用することを目 的としていますが、この装置がラジオやテレビジョン受信機に近接して使用されると、 受信障害を引き起こすことがあります。

取扱説明書に従って正しい取り扱いをして下さい。

This is a Class B product based on the standard of the VCCI Council. If this is used near a radio or television receiver, it may cause radio interference. Install and use equipment according to the instruction manual.

Equipment registered based on the confirmation measurement at the user installation site.

この装置は、現在設置されている場所で妨害波の測定がされた情報技術装置であり、

VCCI協会の基準に適合しています。

従って、現在設置されている場所以外で使用する場合は、再び妨害波を測定し、VC

CIに届け出をしなければなりません。

This is a product for which interference was measured at the present installation site and confirmed to comply with the standard of Voluntary Control Council for Interference by Information Technology Equipment (VCCI). Before using the equipment at any location other than the present installation site, the member shall measure interference for confirmation and register the result to VCCI.

India E-Waste (Management) Rules 2016

This product complies with the "India E-Waste (Management) Rules, 2016" and prohibits use of lead, mercury, hexavalent chromium, polybrominated biphenyls (PBBs) and polybrominated diphenyl ethers (PBDEs) in concentrations exceeding 0.1% by weight in homogenous materials and 0.01% by weight in homogenous materials for cadmium, except for the exemptions listed in Schedule II of the Rule.

RF Equipment Notices

CE: European Community Compliance Statement

The equipment complies with the RF Exposure Requirement 1999/519/EC, Council Recommendation of 12 July 1999 on the limitation of exposure of the general public to electromagnetic fields (0-300 GHz).

Wireless Radio Use

This device is restricted to indoor use when operating in the 5.15 to 5.25 GHz frequency band.

Exposure to Radio Frequency Energy

The radiated output power of the Wi-Fi technology is below the FCC radio frequency exposure limits. Nevertheless, it is advised to use the wireless equipment in such a manner that the potential for human contact during normal operation is minimized.

FCC Bluetooth Wireless Compliance

The antenna used with this transmitter must not be colocated or operated in conjunction with any other antenna or transmitter subject to the conditions of the FCC Grant.

Bluetooth Industry Canada Statement

This Class B device meets all requirements of the Canadian interference-causing equipment regulations.

Cet appareil numérique de la Class B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.

NCC: Wireless Statement

低功率射頻器材技術規範

「取得審驗證明之低功率射頻器材,非經核准,公司、商號或使用者均不得擅自變更頻率、加大 功率或變更原設計之特性及功能。低功率射頻器材之使用不得影響飛航安全及干援合法通信;經 發現有干援現象時,應立即停用,並改善至無干援時方得繼續使用。前述合法通信,指依電信管 理法規定作業之無線電通信。低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性 電機設備之干援。」

* 應避免影響附近雷達系統之操作。

Japan RF Equipment Statement

この製品は、周波数帯域5.15~5.35GHzで動作しているときは、屋内においてのみ使用可能です。

KC (RF Equipment)

대한민국 규정 및 준수 방통위고시에 따른 고지사항 해당 무선설비는 운용 중 전파혼신 가능성이 있음, 이 기기는 인명안전과 관련된 서비스에 사용할 수 없습니다.

KC: Korea Warning Statement

B급 기기 (가정용 방송통신기자재) 이 기기는 가정용(B급) 전자과적합기기로서 주로 가정에서 사용하는 것을 목적으로 하며,모든 지역에서 사용할 수 있습니다.

*당해 무선설비는 전파훈신 가능성이 있으므로 인명안전과 관련된 서비스는 할 수 없습 니다.

Simplified EU Declaration of Conformity

ASUSTek Computer Inc. hereby declares that this device is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU. Full text of EU declaration of conformity is available at <u>https://www.asus.com/support/</u>.

The Wi-Fi operating in the band 5150-5350MHz shall be restricted to indoor use for countries listed in the table below:

AT	BE	BG	CZ	DK	EE	FR
DE	IS	IE	IT	EL	ES	CY
LV	LI	LT	LU	HU	MT	NL
NO	PL	PT	RO	SI	SK	TR
FI	SE	СН	HR	UK(NI)	^	

CE

CE RED RF Output table

Intel® AX211.NGWG

a. Low power indoor (LPI) Wi-Fi 5.945-6.425 GHz devices:

The device is restricted to indoor use only when operating in the 5945 to 6425 MHz frequency ranges in Austria (AT), Belgium (BE), Bulgaria (BG), Cyprus (CY), Czech Republic (CZ), Estonia (EE), France (FR), Germany (DE), Iceland (IS), Ireland (IE), Latvia (LV), Luxembourg (LU), Netherlands (NL), Norway (NO), Romania (RO), Slovakia (SK), Slovenia (SI), Spain (ES), Switzerland (CH).

b. Very Low Power (VLP) Wi-Fi 5.945-6.425 GHz devices (portable devices):

The device is not permitted used on Unmanned Aircraft Systems (UAS) when operating in the 5945 to 6425MHz frequency range in Austria (AT), Belgium (BE), Bulgaria (BG), Cyprus (CY), Czech Republic (CZ), Estonia (EE), France (FR), Germany (DE), Iceland (IS), Ireland (IE), Latvia (LV), Luxembourg (LU), Netherlands (NL), Norway (NO), Romania (RO), Slovakia (SK), Slovenia (SI), Spain (ES), Switzerland (CH).

Function	Frequency	Maximum Output Power (EIRP)
	2.4 - 2.4835 GHz	< 100
	5.15 – 5.35 GHz	< 200
WiFi	5.47 – 5.725 GHz	< 200
	5.725 - 5.875 GHz**	< 25
	5.925 - 6.425 GHz	< 200
Bluetooth	2.4 - 2.4835 GHz	< 100

Receiver category 1

** Non-Intel modules: 5.725-5.85 GHz

RTL8852BE

Function	Frequency	Maximum Output Power (EIRP)
2.4 – 2.4835 GHz		< 100
WiFi	5.15 – 5.35 GHz	< 200
	5.47 - 5.725 GHz	< 200
	5.725 - 5.875 GHz**	< 25
Bluetooth	2.4 - 2.4835 GHz	< 100

* Receiver category 1 ** Non-Intel modules: 5.725-5.85 GHz

RTL8851BE

Function	Frequency	Maximum Output Power (EIRP)
2.4 - 2.4835 GHz		< 100
\A/:E:	5.15 – 5.35 GHz	< 200
WiFi	5.47 – 5.725 GHz	< 200
	5.725 - 5.875 GHz**	< 25
Bluetooth	2.4 - 2.4835 GHz	< 100

* Receiver category 1
 ** Non-Intel modules: 5.725-5.85 GHz

Simplified UKCA Declaration of Conformity

ASUSTek Computer Inc. hereby declares that this device is in compliance with the essential requirements and other relevant provisions of The Radio Equipment Regulations 2017 (S.I. 2017/1206). Full text of UKCA declaration of conformity is available at https://www.asus.com/support/.

The Wi-Fi operating in the band 5150-5350MHz shall be restricted to indoor use for the country listed below:



UKCA RF Output table

Intel® AX211.NGWG

a. Low power indoor (LPI) Wi-Fi 5.945-6.425 GHz devices:

The device is restricted to indoor use only when operating in the 5925 to 6425 MHz frequency range in UK.

b. Very Low Power (VLP) Wi-Fi 5.945-6.425 GHz devices (portable devices):

The device is not permitted to be used on Unmanned Aircraft Systems (UAS) when operating in the 5925 to 6425 MHz frequency range in UK.

Function	Frequency	Maximum Output Power (EIRP)	
	2.4 - 2.4835 GHz	< 100	
	5.15 - 5.35 GHz	< 200	
WiFi	5.47 - 5.725 GHz	< 200	
	5.725 - 5.875 GHz**	< 25	
	5.925 - 6.425 GHz	< 200	
Bluetooth	2.4 - 2.4835 GHz	< 100	

* Receiver category 1

** Non-Intel modules: 5.725-5.85 GHz

RTL8852BE

Function	Frequency	Maximum Output Power (EIRP)
	2.4 - 2.4835 GHz	< 100
WiFi	5.15 – 5.35 GHz	< 200
VVIFI	5.47 – 5.725 GHz	< 200
	5.725 - 5.875 GHz**	< 25
Bluetooth	2.4 - 2.4835 GHz	< 100

* Receiver category 1

** Non-Intel modules: 5.725-5.85 GHz

RTL8851BE

Function	Frequency	Maximum Output Power (EIRP)
	2.4 - 2.4835 GHz	< 100
WiFi	5.15 – 5.35 GHz	< 200
VVIFI	5.47 - 5.725 GHz	< 200
	5.725 - 5.875 GHz**	< 25
Bluetooth	2.4 - 2.4835 GHz	< 100

* Receiver category 1 ** Non-Intel modules: 5.725-5.85 GHz





ENERGY STAR® Qualified Product

ENERGY STAR® is a joint program of the U.S. Environmental Protection Agency and the U.S. Department of Energy helping us all save money and protect the environment through energy efficient products and practices.

All ASUS products with the ENERGY STAR® logo comply with the ENERGY STAR® standard, and the power management feature is enabled by default. The monitor is automatically set to sleep within

10 minutes of user inactivity; the computer is automatically set to sleep within 30 minutes of user inactivity. To wake your computer, click the mouse, press any key on the keyboard, or press the power button.

Please visit <u>https://www.energystar.gov</u> for detailed information on the ENERGY STAR[®] joint program, power management, and the benefits to the environment.

*Note: ENERGY STAR® is NOT supported on FreeDOS and Linux-based products.



Conventions used in this guide

To ensure that you perform certain tasks properly, take note of the following symbols used throughout this manual.



DANGER/WARNING: Information to prevent injury to yourself when trying to complete a task.



CAUTION: Information to prevent damage to the components when trying to complete a task.



IMPORTANT: Instructions that you MUST follow to complete a task.



NOTE: Tips and additional information to help you complete a task.

Safety information

181

Disconnect the AC power and peripherals before cleaning. Wipe the Desktop PC using a clean cellulose sponge or chamois cloth dampened with solution of nonabrasive detergent and a few drops of warm water then remove any extra moisture with a dry cloth.

- DO NOT place on uneven or unstable work surfaces. Seek servicing if the casing has been damaged.
- DO NOT expose to dirty or dusty environments. DO NOT operate during a gas leak.
- DO NOT place or drop objects on top and DO NOT shove any foreign objects into the Desktop PC.
- DO NOT expose to strong magnetic or electrical fields.
- DO NOT expose to or use near liquids, rain, or moisture. DO NOT use the modem during electrical storms.
- Battery safety warning: DO NOT throw the battery in fire. DO NOT short circuit the contacts. DO NOT disassemble the battery.
- Use this product in environments with ambient temperatures between 5°C (41°F) and 35°C (95°F).
- DO NOT cover the vents on the Desktop PC to prevent the system from getting overheated.
- **DO NOT** use damaged power cords, accessories, or other peripherals.
- To prevent electrical shock hazard, disconnect the power cable from the electrical outlet before relocating the system.
- Seek professional assistance before using an adapter or extension cord. These devices could interrupt the grounding circuit.
- Ensure that your power supply is set to the correct voltage in your area. If you are not sure about the voltage of the electrical outlet you are using, contact your local power company.
- If the power supply is broken, **DO NOT** try to fix it by yourself. Contact a qualified service technician or your retailer.
- The Desktop PC is non-portable.



Hazardous moving parts. Desktop should be completely shutdown before servicing product. Replacing fan components should only be attempted by qualified service personnel.

- Hazardous Moving Parts Warning

WARNING: Keep fingers and other body parts away from any moving parts.



CAUTION: DO NOT loosen the thumb screws to access the internal area of your device. If service or repair is required, return your device to an authorized service center.



WARNING! Hot Internal replaceable parts and iron parts may cause burns.

Coating notice



IMPORTANT! To provide electrical insulation and maintain electrical safety, a coating is applied to insulate the device except on the areas where the I/O ports are located.



"Do not ingest battery, Chemical Burn Hazard"

This product contains a coin / button cell battery. If the coin / button cell battery is swallowed, it can cause severe internal burns in just 2 hours and can lead to death. Keep new and used batteries away from children.

If the battery compartment does not close securely, stop using the product and keep it away from children.

If you think batteries might have been swallowed or placed inside any part of the body, seek immediate medical attention.

Where to find more information

Refer to the following sources for additional information and for product and software updates.

ASUS website

The ASUS website provides updated information on ASUS hardware and software products. Refer to the ASUS website <u>www.asus.com</u>.

ASUS Local Technical Support

Visit ASUS website at <u>https://www.asus.com/support/contact</u> for the contact information of local Technical Support Engineer.

Tutorial

Tool-less: T500MV/T500MVC is tool-less design. You can disassemble the chassis by removing knurled thumb screws by hand, and replace hard disc drive and optical disc drive easily.

After replacement, please assemble T500MV/T500MVC back to the original state. For more replacement and assembly information, please refer link as below:

https://www.youtube.com/watch?v=1KH_hYfblOo

Package contents

ASUS Desktop PC	Keyboard x1 (Optional)	Mouse x1 (Optional)
	0	0
Power cord x1	Support DVD x1	Recovery DVD x1 (Optional)
	testallation Guide	Warrants
ASUS mouse pad x 1 (Optional)	Installation Guide x1	Warranty card x1



• If any of the above items is damaged or missing, contact your retailer.

The illustrated items above are for reference only. Actual product specifications may vary with different models.



Chapter 1 Getting started

Welcome!

Thank you for purchasing the ASUS Desktop PC!

The ASUS Desktop PC provides cutting-edge performance, uncompromised reliability, and user-centric utilities. All these values are encapsulated in a stunningly futuristic and stylish system casing.



Read the ASUS Warranty Card before setting up your ASUS Desktop PC.



 The Desktop PC does not support Windows[®] 7 operating system. ASUS is not responsible for any loss or damage incurred by installing Windows[®] 7.

• Be careful when handling the desktop PC to prevent the risk of injury.

Getting to know your computer




Illustrations are for reference only. The ports and their locations, and the chassis color vary with different models.



IMPORTANT! Do not use this Desktop PC for cryptocurrency mining (consuming a vast amount of electricity and time to gain convertible virtual currency) and/or related activities.

T500MV/T500MVC Top and front panel




- 1. **Power button.** Press this button to turn on your computer.
- 2. **Power LED.** The LED indicates if the computer is on.
- 3. **Audio combo port.** This port connects to a microphone or a headphone. You can also connect your headset or an external microphone.
- 4. USB 3.2 Gen 1 ports. These 9-pin Universal Serial Bus (USB) ports connect to USB 3.2 Gen 1 devices.
- 5. USB 3.2 Gen 1 Type-C[®] port. The Universal Serial Bus 3.2 Gen 1 (USB 3.2 Gen 1) Type-C[®] port connects to USB 3.2 Gen 1 Type-C[®] devices.



- The output voltage of the USB 3.2 Gen 1 Type-C[®] port is 5V, 3A.
- If you are using flip-cover USB devices, connect them to the USB ports on the rear panel for a better experience.

ENGLISH

T500MV/T500MVC Rear panel



- HDMI[™] port. This port is for a High-Definition Multimedia Interface (HDMI[™]) connector, and is HDCP compliant allowing playback of HD DVD, Blu-ray, and other protected content.
- 2. **DisplayPort**. This port is for a DisplayPort-compatible device.
- 3. USB 2.0 ports. These Universal Serial Bus 2.0 (USB 2.0) ports connect to USB 2.0 devices such as a mouse, printer, scanner, camera, PDA, and others.



When USB Wake is enabled in the BIOS, the system will turn on or wake from hibernation when a USB mouse or keyboard connected to this port is used. (This option is disabled by default.)

- 4. Microphone port (pink). This port connects to a microphone.
- 5. **Line Out port (lime).** This port connects to a headphone or speaker. In a 4, 5.1, or 7.1-channel configuration, the function of this port becomes Front Speaker Out.
- 6. Line In port (light blue). This port connects to a tape, CD, DVD player, or other audio sources.



Refer to the audio configuration table below for the function of the audio ports in the 2, 4, 5.1, or 7.1-channel configuration.

Audio 2, 4, 5.1, or 7.1-channel configuration

Port	Headset 2-channel	4-channel	5.1-channel	7.1-channel
Light Blue (Rear panel)	Line In	Rear Speaker Out	Rear Speaker Out	Rear Speaker Out
Lime (Rear panel)	Line Out	Front Speaker Out	Front Speaker Out	Front Speaker Out
Pink (Rear panel)	Mic In	Mic In	Bass/Center	Bass/Center
Black (Front panel)	Line Out	-	-	-

7. **Power connector.** Plug the power cord to this connector.



Rating (depending on PSU specifications):

- 115/230Vac, 50/60Hz, 3A/2A (180W) (Global);
 220V~, 50Hz, 2A (180W) (Chinese Mainland);
 115Vac, 60Hz, 3A (180W) (Taiwan);
 115/230Vac, 50/60Hz, 3A/2A (180W) (Japan; Korea)
- 115/230Vac, 50/60Hz, 6A/3A (330W/500W) (Global);
 220V~, 50Hz, 3A (330W/500W) (Chinese Mainland);
 115Vac, 60Hz, 6A (330W/500W) (Taiwan);
 115/230Vac, 50/60Hz, 6A/3A (330W/500W) (Japan; Korea)
- 8. Air vents. These vents allow air ventilation.



DO NOT block the air vents on the chassis. Always provide proper ventilation for your computer.

9. **Expansion slot brackets.** Remove the expansion slot bracket when installing an expansion card.



 PCIEX16_1 slot supports graphics cards and storage devices only while other PCIE slots support storage devices and other PCIe devices.

• Install the primary graphics card in PCIEX16_1 if you use two graphics cards.

	PCIEX16_1
n	PCIEX16_2
•	PCIEX1_2

- ASUS Graphics Card is available on selected models. The display output ports on the
 optional ASUS Graphics Card may vary with different models.
- Refer to Installing a graphics card in your computer for detailed instructions.

- 10. ASUS Graphics Card (on selected models only). The display output ports on this optional ASUS Graphics Card may vary with different models.
- 11. LAN (RJ-45) port. This port allows Gigabit connection to a Local Area Network (LAN) through a network hub.

LAN port LED indications


Activity/Link LED		Speed LED	
Status	Description	Status	Description
OFF	No link	OFF	10Mbps connection
ORANGE	Linked	ORANGE	100Mbps connection
BLINKING	Data activity	GREEN	1Gbps connection



LAN port


Installing memory in your computer

This desktop PC comes with two Small Outline Dual Inline Memory Modules (SO-DIMM) slots designed for DDR5 (Double Data Rate 5) memory modules.



Recommended memory configurations

 Follow the installation sequence below to ensure system stability and avoid possible booting up failure.



Install DIMMs with the same capacity from the same manufacturer in the slots of the same channel.


Single memory capacity Total memory capacity	DIMM_A1	DIMM_A2
8GB	8GB	
16GB	16GB	
16GB	8GB	8GB
32GB	32GB	
32GB	16GB	16GB
64GB	32GB	32GB

.

Installing memory in your computer

To install memory in your computer:

- 1. Turn off your computer.
- 2. Unplug all cables from your computer.
- 3. Open your computer case.
- 4. Remove the thermal fan.
- 5. Locate an empty SO-DIMM socket.
- 6. Align the notch on the bottom edge of the memory module with the key of the SO-DIMM socket.
- 7. Insert the bottom edge of the module into the socket at an appropriate angle.
- 8. When the module is inserted, push it down until the retaining clips snap into place.




- 9. Install the thermal fan.
- 10. Close your computer case.




The above picture is for reference only. The inner structure of the desktop PC may vary.

Installing a graphics card in your computer To install a graphics card in your computer:

- 1. Turn off your computer.
- 2. Unplug all cables from your computer.
- 3. Open your computer case and locate PCIEX16_1 slot if you are installing the first or the primary graphics card.
- 4. Align the notch on your graphics card with the key of the slot, and then insert the card into the slot.




5. The ejector will snap back into place automatically.




ENGLISH

6. Use a screw driver and a screw to lock the graphics card on the chassis.



7. (Optional) Connect a proper power supply plug to the graphics card.



Setting up your computer

This section guides you through connecting the main hardware devices, such as the external monitor, keyboard, mouse, and power cord, to your computer.

Connecting an external monitor

Using the ASUS Graphics Card (on selected models only)


Connect your monitor to the display output port on the discrete ASUS Graphics Card.

To connect an external monitor using the ASUS Graphics Card:

- 1. Connect a monitor to a display output port on the ASUS Graphics Card.
- 2. Plug the monitor to a power source.



The display output ports on the ASUS Graphics Card may vary with different models.




Using the onboard display output ports

Connect your monitor to the onboard display output port.

To connect an external monitor using the onboard display output ports:

- 1. Connect a monitor to a display output port on the rear panel of your computer.
- 2. Plug the monitor to a power source.






- If your computer comes with an ASUS Graphics Card, the graphics card is set as the primary display device in the BIOS. Hence, connect your monitor to a display output port on the graphics card.
- To connect multiple external monitors to your computer, refer to Connecting multiple external displays in Chapter 2 of this guide for details.


Connecting a USB keyboard and a USB mouse

Connect a USB keyboard and a USB mouse to the USB ports on the rear panel of your computer.



Connecting the power cord

Connect one end of the power cord to the power connector on the rear panel of your computer and the other end to a power source.





For safety purpose, ONLY connect the power cord to a grounded electrical outlet.

Turning your computer ON

This section describes how to turn on your computer after setting up your computer.

Turning your computer ON To turn your computer ON:

- 1. Turn your monitor ON.
- 2. Press the power button on your computer.



3. Wait until the operating system loads automatically.

Enabling fast startup

You can shut down the computer with fast startup enabled.

To enable fast startup in Shutdown settings:

Enter Control Panel in the search bar and open it (View by: Category), select Hardware and Sound > Power Options > Choose what the power button does, click Change settings that are currently unavailable, check Turn on fast startup (recommended) and click Save changes.

Define power buttons and turn or Choose the power settings that you want for page apply to all of your power plans.			on thi
Power and sleep button settings			
When I press the power button:	Shut down		
When pies the power button.	Shut down	•	
When I press the sleep button:	Sleep		
When I press the sleep button.	sieep		
Shutdown settings			
Turn on fast startup (recommended)		
This helps start your PC faster after sh		affected. Learn More	
Sleep			
Show in Power menu.			
Hibernate			
Hibernate Show in Power menu.			

If fast startup is disabled, when you shut down the computer, it shuts down to the S5 power state.

Chapter 2 Connecting devices to your computer

Connecting a USB storage device

This desktop PC provides USB 3.2 Gen 1 Type-C $^{\circ}$, USB 3.2 Gen 1 and USB 2.0 ports on the front and rear panels. The USB ports allow you to connect USB devices such as storage devices.

To connect a USB storage device:


· Insert the USB storage device to your computer.



You can enable or disable the front and rear USB 3.2 Gen 1 Type-C[®], USB 3.2 Gen 1 and USB 2.0 ports individually from the BIOS Setup. Refer to the **Configuring the USB ports using the BIOS** section in Chapter 3 of this user manual for details.

Front panel

Rear panel



Connecting microphone and speakers

This desktop PC comes with microphone ports and speaker ports on both the front and rear panels. The audio I/O ports located on the rear panel allow you to connect 2-channel, 4-channel, 5.1-channel, and 7.1-channel stereo speakers.


Į

- When your Desktop PC comes with an internal speaker, the audio output will be from the internal speaker.
- When you connect an external audio device such as earphone or speaker, you need to
 enable the audio device output. For details, refer to the section Changing to the external
 audio output.
- When you disconnect the audio device, you need to manually change the audio output to the internal speaker from the Control Panel.


Connecting Headphone and Mic




Connecting 2-channel Speakers



Connecting 4-channel Speakers




Connecting 5.1-channel Speakers



Connecting 7.1-channel Speakers







Changing to the external audio output

When you connect an external audio device to your Desktop PC, enable the audio device output to ensure a clear audio quality.

To change to the external audio output:

1. Connect an external audio device such as earphone or speaker to the rear Line Out port. The Audio Manager screen automatically pops up.



For the location of the rear Line Out port, refer to the section **Getting to know your computer**.

2. Tick Front Speaker Out, then click OK.



3. Tick **Line In**, then click **OK**. The audio output will now be from the external audio device.





The Audio Manager screenshots above are for reference only.

Connecting multiple external displays


Your desktop PC may come with VGA, HDMI[™], or DVI ports and allows you to connect multiple external displays.

Setting up multiple displays

When using multiple monitors, you are allowed to set display modes. You can use the additional monitor as a duplicate of your main display, or as an extension to enlarge your Windows® desktop.

To set up multiple displays:

- 1. Turn off your computer.
- 2. Connect the two monitors to your computer and connect the power cords to the monitors. Refer to **Setting up your computer** section in Chapter 1 for details on how to connect a monitor to your computer.



- 3. Turn on your computer.
- 4. From the Start menu, click Settings > System > Display.
- 5. Configure the settings for your displays.



For some graphics cards, only the monitor that is set to be the primary display has display during POST. The dual display function works only under Windows.

Connecting an HDTV

Connect a High Definition TV (HDTV) to the HDMI[™] port of your computer.



- You need an HDMI[™] cable to connect the HDTV and the computer. The HDMI[™] cable is purchased separately.
- To get the best display performance, ensure that your HDMI[™] cable is less than 15 meters.





Proper posture when using your Desktop PC

When using your Desktop PC, maintaining the proper posture is necessary to prevent strain to your wrists, hands, and other joints or muscles. This section provides you with tips on avoiding physical discomfort and possible injury while using and fully enjoying your Desktop PC.



To maintain the proper posture:

- Position your computer chair to make sure that your elbows are at or slightly above the keyboard to get a comfortable typing position.
- Adjust the height of your chair to make sure that your knees are slightly higher than your hips to relax the backs of your thighs. If necessary, use a footrest to raise the level of your knees.
- Adjust the back of your chair so that the base of your spine is firmly supported and angled slightly backward.
- Sit upright with your knees, elbows and hips at an approximately 90° angle when you are at the PC.
- Place the monitor directly in front of you, and turn the top of the monitor screen even with your eye level so that your eyes look slightly downward.
- Keep the mouse close to the keyboard, and if necessary, use a wrist rest for support to reduce the pressure on your wrists while typing.
- Use your Desktop PC in a comfortably-lit area, and keep it away from sources of glare such as windows and straight sunlight.
- Take regular mini-breaks from using your Desktop PC.

Configuring the USB ports using the BIOS

You can enable or disable the USB 3.2 Gen 1 Type-C $^{\circ}$, USB 3.2 Gen 1 and USB 2.0 ports from the BIOS Setup.

To disable or enable the USB 3.2 Gen 1 Type-C[®], USB 3.2 Gen 1 and USB 2.0 ports:

- 1. Press <Delete> to enter the BIOS Setup at startup.
- From the BIOS Setup EZ Mode screen, press <F7> to enter the Advanced Mode. From the Advanced Mode screen, click Advanced > USB Configuration > USB Single Port Control.
- 3. Select the USB port that you want to enable or disable.
- 4. Press <Enter> to enable or disable the selected USB port.
- 5. Click Exit and select Save Changes & Reset to save the changes made.

UEFI BIOS Utility - Advânced Mode 9427/2021 20:20 [©] ⊕ English ⊡MyFavorme(73)	
My Favorites Main Advanced Monitor Boot Tool Exit	Hardware Monitor
← Advanced\USB Configuration\USB Single Port Control	CPU
USB32G1_3 Enabled	Frequency Temperature 2400 MHz 43°C
USB32G1_4	BCLK Core Voltage
USB32G2_1 Enabled -	100.00 MHz 0.879 V
USB32G2_2 Enabled	Ratio 24x
USB32G1_5 Enabled	Memory
USB32G1_6	Frequency Voltage
USB2_7	3200 MHz 1.232 V
US82_8 Enabled -	Capacity 32768 MB
	Voltage
	+12V +5V 12.192 V 5.120 V



Refer to Chapter 1 for the location of the USB ports.

Configuring the HDD security setting using the BIOS

You can set a password in the BIOS Setup to protect your HDD. To set a password for your HDD from the BIOS Setup:

- 1. Press <Delete> to enter the BIOS Setup at startup.
- From the BIOS Setup EZ Mode screen, press <F7> to enter the Advanced Mode.
 From the Advanced Mode screen, click Main and the selected HDD to open the HDD Password screen.
- 3. Select the Set Master Password item and press <Enter>.
- 4. From the Create New Password box, key in a password, then press <Enter>.
- 5. Confirm the password when prompted.
- 6. Select the Set User Password item and press <Enter>.
- 7. Follow steps 4 and 5 to set the user password.
- 8. Click Exit and select Save Changes & Reset to save the changes made.

05/06/2021 00: Thursday		y – Advanced I English 🗐 MyFavi							
My Favorit		Advanced	Monitor	Boot	Тос	el Exit		G Hardwa	re Monito
ME FW Versi						15.0.20.1466		CPU	
PCH Steppin Processor In						BO		Frequency 2700 MHz	Temperatu 38°C
Brand String						11th Gen Intel(R) Core(T 2.70GHz	M) i5-11500 @	BCLK 100.00 MHz	Core Voltaj 0.888 V
CPU Speed						2700 MHz			
Total Memor						32768 MB		27x	
Memory Fre						3200 MHz			
System Lang	lage					English	*		
System Date					Ν.	05/06/2021			
System Time					3	00:57:08		3200 MHz	1.232 V
Access Level						Administrator		Capacity 32768 MB	
➤ Security								32766 MB	
	Configuration:							Voltage	
	4008-2FR102		_	_	_				

To change the password for your HDD from the BIOS Setup:

- 1. Follow steps 1 and 2 of the previous section to open the HDD Password screen.
- 2. Select the Set Master Password item and press <Enter>.
- 3. From the Enter Current Password box, key in the current password, then press <Enter>.
- 4. From the Create New Password box, key in a new password, then press <Enter>.
- 5. Confirm the password when prompted.
- 6. Click Exit and select Save Changes & Reset to save the changes made.

To clear the user password, follow the same steps as in changing a user password, but press <Enter> when prompted to create/confirm the password. After you clear the password, the Set User Password item on top of the screen shows Not Installed.

Configuring the Keyboard/Mouse using the BIOS (on selected models only)

You can wake up your computer with a keyboard or mouse. You can enable the feature from the BIOS Setup.

To allow a keyboard or mouse to wake up your computer:

- 1. Restart your computer. When the ASUS logo appears, press <Delete> to enter the BIOS Setup.
- 2. From the BIOS Setup EZ Mode screen, press <F7> to enter Advanced Mode. From the Advanced Mode screen, click **Advanced**.
- Go to Advanced Power Management > ErP Support / ErP Ready, then select Disable or Enable (S5).
- 4. Go to Advanced Power Management > Power On By USB Keyboard/Mouse, then select Enable.
- 5. Click Exit and select Save Changes & Reset to save the changes made.

Using Armoury Crate

Armoury Crate is a software hub that lets you download and update drivers and applications for your desktop computer, customize lighting effects for your devices, and access other advanced features.



The default lighting brightness is set to a moderate level. You can adjust the brightness and other lighting settings through Armoury Crate to suit your preferences.

Chapter 4 Connecting to the Internet

Wired connection

Use an RJ-45 cable to connect your computer to a DSL/cable modem or a local area network (LAN).


Connecting via a DSL/cable modem To connect via a DSL/cable modem:

1. Set up your DSL/cable modem.



Refer to the documentation that came with your DSL/cable modem.

 Connect one end of an RJ-45 cable to the LAN (RJ-45) port on the rear panel of your computer and the other end to a DSL/cable modem.




- 3. Turn on the DSL/cable modem and your computer.
- 4. Configure the necessary Internet connection settings.



- Contact your network administrator for details or assistance in setting up your Internet connection.
- For more details, refer to the sections **Configuring a dynamic IP/PPPoE network** connection or **Configuring a static IP network connection**.

1. Connect one end of an RJ-45 cable to the LAN (RJ-45) port on the rear panel of your computer and the other end to your LAN.



- 2. Turn on your computer.
- 3. Configure the necessary Internet connection settings.



- Contact your network administrator for details or assistance in setting up your Internet connection.
- For more details, refer to the sections **Configuring a dynamic IP/PPPoE network** connection or **Configuring a static IP network connection**.

~

Configuring a dynamic IP/PPPoE network connection

To configure a dynamic IP/PPPoE network connection:

- 1. Launch Network and Sharing Center in either of these two ways:
 - a) From the taskbar, right-click 🔽 , then click **Open Network and Sharing Center**.
 - b) From the Start menu, click Settings > Network & Internet > Ethernet > Network and Sharing Center.
- 2. From the Open Network and Sharing Center screen, click Change Adapter settings.
- 3. Right-click on your LAN and select **Properties**.
- 4. Click Internet Protocol Version 4(TCP/ IPv4) and click Properties.

5.	Click Obtain an IP address automatically
	and click OK .

	-							
Conne	ect using:							
2	Realtek PC	le GBE F	amily Contro	ller				
					Ē	Confi	gure	
This c	onnection u	ses the fo	lowing item	IS:	-			
	QoS Pac	ket Sche	duler	201	14			^
			/ersion 4 (T					
			gy Discover Adapter Mu				er	
			rotocol Drive			0001		
. 🔊	4- Internet F	Protocol \	/ersion 6 (T	CP/IPv	6)			
	Link-Laye	er Topolo	gy Discover	y Resp	onde	6		Y
<							>	
	Install		Uninstall			Prope	arties	
Des	cription							
				C	к		Canc	el
:ernet f	Protocol Ver	sion 4 (T(CP/IPv4) Pro				Canc	el
ieneral	Alternate C	onfigurati	ion	opertie	5			
ieneral You car this cap for the Ol	Alternate C n get IP settir ability. Othe appropriate : otain an IP ac se the followi	Configurati ngs assign rwise, you IP setting: ddress aut	ion ed automatic u need to ask s. tomatically	opertie	s our ne	etwork c admir	support	s
ieneral You car this cap for the O Us IP ac	Alternate C nget IP settin ability. Othe appropriate : otain an IP ac se the followin iddress:	Configurati ngs assign rwise, you IP setting: ddress aut	ion ed automatic u need to ask s. tomatically	opertie	s our ne	twork	support	s
eneral You car this cap for the O Us IP ac	Alternate C n get IP settir ability. Othe appropriate : otain an IP ac se the followi	Configurati ngs assign rwise, you IP setting: ddress aut	ion ed automatic u need to ask s. tomatically	opertie	s our ne	:twork c admir	support	s
eneral You car this cap for the OI OUs IP ac Subr	Alternate C nget IP settin ability. Othe appropriate : otain an IP ac se the followin iddress:	Configurati ngs assign rwise, you IP setting: ddress aut ng IP addr	ion ed automatic u need to ask s. tomatically	opertie	s our ne	twork s admin	support	s
eneral You car this cap for the O Us IP ac Subr Defa	Alternate C nget IP settin ability. Othe appropriate : otain an IP ac se the followin ddress: net mask: nult gateway:	configurati ngs assign rwise, you IP setting: ddress aut ddress aut	ion ed automatic u need to ask s. tomatically	cally if y your r	s our ne	twork admir	support	s
eneral You car this cap for the O OI IP ac Subr Defa	Alternate C nget IP settii ability. Othe appropriate i otain an IP ac se the followin iddress: net mask: uult gateway: otain DNS ser	configurati ngs assign rwise, you IP settings ddress aut ng IP addr	ion med automatic u need to ask s. tomatically ress:	cally if y your n	s our ne	ttwork s admin	support	s
ieneral You car this cap for the Ol Us IP ac Subr Defa	Alternate C nget IP settii ability. Othe appropriate i otain an IP ac se the followin iddress: net mask: uult gateway: otain DNS ser	configurations assign rwise, you IP setting: ddress autor address autor IP address IP address autor IP address IP Addre	ion ded automatic u need to ask s. tomatically ress:	cally if y your n	s our ne	twork c admin	support	s
eneral You car this cap for the O OI IP ac Subr Defa O OI Prefi	Alternate C nget IP settir sability. Other appropriate : otain an IP are se the followin idress: wet mask uult gateway: otain DNS ser se the followin	configurations assign rwise, you IP settings ddress aut ing IP addir rver addre ng DNS se rver:	ion ded automatic u need to ask s. tomatically ress:	cally if y your n	s rour ne etwork	twork admir	support	s



Continue to the next steps if you are using PPPoE connection.

Return to the Network and 6. Sharing Center and then click Set up a new connection or network

Network and Sharing Center 🔹 🛧 🛂 « Network and Ir

rol Danel Home

oe advanced sharing


🖉 Set Up a C

- 😡 Cor

View your basic net

7 Select Connect to the Internet and click Next.

- Select Broadband (PPPoE) and click 8. Next.
- 9. Follow the next onscreen instructions to complete the setup.



To configure a static IP network connection:

- 1. Repeat steps 1 to 4 of the previous section.
- 2 Click Use the following IP address.
- Enter the IP address, Subnet mask and 3. Gateway from your service provider.
- If needed, enter the preferred DNS Server 4. address and alternative address.
- 5. When done. click OK.

	Nest Ca	orel
	1964	incer
sect to the Internet		
o you want to connect?		
Broadband (PPPoE)		
Connect using DSL or cable that requires a user name an	d password.	
now connection options that this computer is not set up to	use	
	с	ancel
	C	ancel
Internet Protocol Version 4 (TCI		
Internet Protocol Version 4 (TCI		ance
General	P/IPv4) Properties	;
General You can get IP settings assigne this capability. Otherwise, you	P/IPv4) Properties ed automatically if your network supports need to ask your network administrator	;
General You can get IP settings assigne	P/IPv4) Properties ed automatically if your network supports need to ask your network administrator	
General You can get IP settings assigne this capability. Otherwise, you for the appropriate IP settings.	P/IPv4) Properties ed automatically if your network supports need to ask your network administrator	
General You can get IP settings assigne this capability. Otherwise, you	P/IPv4) Properties ed automatically if your network supports need to ask your network administrator smatically	
General You can get IP settings assigne this capability. Otherwise, you for the appropriate IP settings. Obtain an IP address auto	P/IPv4) Properties ed automatically if your network supports need to ask your network administrator smatically ess:	
General You can get IP settings assigner this capability. Otherwise, you for the appropriate IP settings. Obtain an IP address auto © Use the following IP addres IP address:	P/IPv4) Properties ed automatically if your network supports need to ask your network administrator smatically 192 - 168 - 128 - 2	;
General You can get IP settings assigner this capability. Otherwise, you for the appropriate IP settings. Obtain an IP address auto © Use the following IP addre	P/IPv4) Properties ed automatically if your network supports need to ask your network administrator smatically ess:	
General You can get IP settings assigne this capability. Otherwise, you for the aspability. Otherwise, you of the aspace of the assist Obtain an IP address suit Use the following IP addre IP address: Subnet mask: Default gateway:	P/IPv4) Properties ed automatically if your network supports need to ask your network administrator amatically 192 - 168 - 128 - 2 255 - 255 - 2 192 - 168 - 128 - 2 192 - 168 - 128 - 2	
General You can get IP settings assigne this capability. Otherwise, you for the appropriate IP settings. Obtain an IP address auto Obtain an IP address: Subnet mask: Default gateway: Obtain DNS server address	P/IPv4) Properties ed automatically (f your network supports need to ask your network administrator sematically ESS: 192 - 168 - 128 - 2 255 - 255 - 0 192 - 168 - 128 - 2 ss automatically ss automatically	
General You can get IP settings assigned this capability. Otherwise, you for the appropriate IP settings. Obtain an IP address auto Obtain an IP address: Subnet mask: Default gateway: Obtain DNS server address Obtain DNS server address Obtain DNS server address	P/IPv4) Properties ed automatically (f your network supports need to ask your network administrator sematically ESS: 192 - 168 - 128 - 2 255 - 255 - 0 192 - 168 - 128 - 2 ss automatically ss automatically	
Ceneral You can get IP settings assigner this capability. Otherwise, you for the appropriate JP settings Obtain an IP address auto Use the following IP addre IP address: Submet mask: Default gateway: Obtain DNS server address Obtain DNS server:	P/IPv4) Properties ad automatically if your network supports need to ask your network administrator somatically ssg: 192.168.128.2 255.255.255.0 192.168.128.2 255.125.25 as automatically ver addresses: .	;
General You can get IP settings assigned this capability. Otherwise, you for the appropriate IP settings. Obtain an IP address auto Obtain an IP address: Subnet mask: Default gateway: Obtain DNS server address Obtain DNS server address Obtain DNS server address	P/IPv4) Properties ed automatically (f your network supports need to ask your network administrator sematically ESS: 192 - 168 - 128 - 2 255 - 255 - 0 192 - 168 - 128 - 2 ss automatically ss automatically	;

vð s


ork information and set up connections

OK Cancel

Chapter 5 Using ASUS Business Manager

ASUS Business Manager

ASUS Manager provides a set of tools for customizing and maintaining your ASUS computer. For detailed information, please refer to <u>https://www.asus.com/support/FAQ/1042634/</u>.



Chapter 6 Troubleshooting

Troubleshooting

This chapter presents some problems you might encounter and the possible solutions.

? My computer cannot be powered on and the power LED on the front panel does not light up.

- · Check if your computer is properly connected.
- Check if the wall outlet is functioning.
- Check if the Power Supply Unit is switched on. Refer to the section **Turning** your computer ON in Chapter 1.

? My computer hangs.

- Do the following to close the programs that are not responding:
 - 1. Simultaneously press <Alt> + <Ctrl> + <Delete> keys on the keyboard, then click **Task Manager**.
 - 2. Select the program that is not responding, then click **End Task**.
- If the keyboard is not responding, press and hold the Power button on your chassis until the computer shuts down. Then press the Power button to turn it on.

? I cannot connect to a wireless network using the ASUS WLAN Card (on selected models only)?

- Ensure that you enter the correct network security key for the wireless network you want to connect to.
- Connect the external antennas (optional) to the antenna connectors on the ASUS WLAN Card and place the antennas on the top of your computer chassis for the best wireless performance.

? I cannot insert the M.2 Wi-Fi card / M.2 SSD module into the M.2 slot.

Ensure that you follow the printing on the motherboard and insert the M.2 Wi-Fi card / M.2 SSD module into the proper M.2 slot.

? The arrow keys on the number key pad are not working.

Check if the Number Lock LED is off. When the Number Lock LED is on, the keys on the number key pad are used to input numbers only. Press the Number Lock key to turn the LED off if you want to use the arrow keys on the number key pad.

? No display on the monitor.

- Check if the monitor is powered on.
- Ensure that your monitor is properly connected to the video output port on your computer.
- If your computer comes with a discrete graphics card, ensure that you connect your monitor to a video output port on the discrete graphics card.
- Check if any of the pins on the monitor video connector is bent. If you discover bent pins, replace the monitor video connector cable.
- Check if your monitor is plugged to a power source properly.
- Refer to the documentation that came with your monitor for more troubleshooting information.

? When using multiple monitors, only one monitor has display.

- Ensure that the both monitors are powered on.
- During POST, only the monitor connected to the VGA port has display. The dual display function works only under Windows.
- When a graphics card is installed on your computer, ensure that you connect the monitors to the output port on the graphics card.
- Check if the multiple displays settings are correct.

? My computer cannot detect my USB storage device.

- The first time you connect your USB storage device to your computer, Windows[®] automatically installs a driver for it. Wait for a while and go to My Computer to check if the USB storage device is detected.
- Connect your USB storage device to another computer to test if the USB storage device is broken or malfunctions.

? I want to restore or undo changes to my computer's system settings without affecting my personal files or data.

You can use Windows® 11 Refresh your PC without affecting your files recovery option to restore or undo changes to your computer's system settings without affecting your personal data such as documents or photos. To use this recovery option, click Settings > Update & recovery > Recovery from the Start menu, select Refresh your PC without affecting your files, and click Get started.

? The picture on the HDTV is distorted.

- It is caused by the different resolutions of your monitor and your HDTV. Adjust the screen resolution to fit your HDTV. To change the screen resolution:
 - From the Start menu, click Settings > System > Display.

? My speakers produce no sound.

- Ensure that you connect your speakers to the Line out port (lime) on the front panel or the rear panel.
- Check if your speak is connected to an electrical source and turned on.
- Adjust your speakers' volume.
- Ensure that your computer's system sounds are not Muted.
 - If it is muted, the volume icon is displayed as
 Is a construction of the system sounds, click from the Windows[®] notification area, then click s
 - If it is not muted, click with and drag the slider to adjust the volume.
- Connect your speakers to another computer to test if the speakers arer working properly.

? The DVD drive cannot read a disc.

- Check if the disc is placed with the label side facing up.
- Check if the disc is centered in the tray, especially for the discs with non-standard size or shape.
- Check if the disc is scratched or damaged.

? The DVD drive eject button is not responding.

- 1. From the Start menu, click **File Explorer**.
- 2. Right-click OVD RW Drive, then click Eject from the menu

Power

Problem	Possible Cause	Action
No power	Incorrect power voltage	 Set your computer's power voltage switch to your area's power requirements. Adjust the voltage settings. Ensure that the power cord is unplugged from the power outlet.
No power (The power indicator is off)	Your computer is not turned on.	Press the power key on the front panel to ensure that your computer is turned on.
	Your computer's power cord is not properly connected.	 Ensure that the power cord is properly connected. Use other compatible power cord.
	PSU (Power supply unit) problems	Contact the ASUS Service Center about installing another PSU on your computer.

Display

Problem	Possible Cause	Action
No display output after turning the computer on (Black screen)	The signal cable is not connected to the correct VGA port on your computer.	 Connect the signal cable to the correct display port (onboard VGA or discrete VGA port). If you are using a discrete VGA card, connect the signal cable to the discrete VGA port.
	Signal cable problems	Try connecting to another monitor.

LAN

Problem	Possible Cause	Action
	The LAN cable is not connected.	Connect the LAN cable to your computer.
	LAN cable problems	Ensure the LAN LED is on. If not, try another LAN cable. If it still does not work, contact the ASUS service center.
Cannot access the Internet	Your computer is not properly connected to a router or hub.	Ensure that your computer is properly connected to a router or hub.
	Network settings	Contact your Internet Service Provider (ISP) for the correct LAN settings.
	Problems caused by the anti-virus software	Close the anti-virus software.
	Driver problems	Reinstall the LAN driver

Audio

Problem	Possible Cause	Action
	Speaker or headphone is connected to the wrong port.	 Refer to your computer's User Guide for the correct port. Disconnect and reconnect the speaker to your computer.
No Audio	Speaker or headphone does not work.	Try using another speaker or headphone.
	The front and back audio ports do not work.	Try both the front and back audio ports. If one port failed, check if the port is set to multi-channel.
	Driver problems	Reinstall the audio driver

System

Problem	Possible Cause	Action
	Too many programs are running.	Close some of the programs.
System speed is too slow	Computer virus attack	 Use an anti-virus software to scan for viruses and repair your computer. Reinstall the operating system.
	Hard disk drive failure	 Send the damaged hard disk drive to ASUS Service Center for servicing. Replace with a new hard disk drive.
The system often hangs or freezes.	Memory module problems	 Replace with compatible memory modules. Remove the extra memory modules that you have installed, then try again. Contact the ASUS Service Center for assistance.
	There is not enough air ventilation for your computer.	Move your computer to an area with better air flow.
	Incompatible softwares are installed.	Reinstall the OS and reinstall compatible softwares.
The system does not boot up	An expansion card other than a graphics card and a storage device is installed in PCIEX16_1.	Install this expansion card into any other PCIe slot and reboot the system.

CPU

Problem	Possible Cause	Action	
Too noisy right after turning on the computer.	Your computer is booting up.	It is normal. The fan runs on its full speed when the computer is powering on. The fan slows down after entering the OS.	
	The BIOS settings have been changed.	Restore the BIOS to its default settings.	
	Old BIOS version	Update the BIOS to the latest version. Visit the ASUS Support site at <u>https://www.asus.com/ support/</u> to download the latest BIOS versions.	
Computer is too noisy when in use.	The CPU fan has been replaced.	Ensure that you are using a compatible or ASUS-recommended CPU fan.	
	There is not enough air ventilation for the computer.	Ensure that your computer is working in an area with good air flow.	
	The system temperature is too high.	 Update the BIOS. If you know how to reinstall the motherboard, try to clean the inner space of the chassis. Contact the ASUS Service Center for assistance. 	



If the problem still persists, refer to your Desktop PC's warranty card and contact the ASUS Service Center. Visit the ASUS Support site at <u>https://www.asus.com/support</u> for the service center information.

Appendix Working with Windows®

Starting for the first time

When you start your computer for the first time, a series of screens appear to guide you in configuring your Windows[®] operating system. Follow the onscreen instructions to configure the following basic items:

- Personalize
- Get online
- Settings
- Your account

After configuring the basic items, Windows[®] proceeds to install your apps and preferred settings. Ensure that your computer is kept powered on during the setup process. Once the setup process is complete, the Desktop appears.



The screenshots in this chapter are for reference only.

Start menu

The Start menu is the main gateway to your computer's programs, Windows® apps, folders, and settings. You can use the Start menu to do these common activities:

- Start programs or Windows® apps
- Open commonly used programs or Windows[®] apps
- · Adjust computer settings
- · Get help with the Windows® operating system
- Turn off your computer
- Log off from Windows[®] or switch to a different user account

Launching the Start menu

You can launch the Start menu in two ways:

- Position your mouse pointer over the Start icon on your desktop then click it.
- Press the Windows[®] logo key
 on your keyboard.

Opening programs from the Start menu

One of the most common uses of the Start menu is opening programs installed on your Computer. You can open programs in two ways:

- Position your mouse pointer over the program then click to launch it.
- Use the arrow keys to browse through the programs. Press 🛛 📼 to launch it.

Windows[®] apps



Some Windows $^{\scriptscriptstyle \otimes}$ apps require signing in to your Microsoft account before they are fully launched.

Launching Windows® apps from the Start menu

You can launch Windows® apps in two ways:

- · Position your mouse pointer over the app then click to launch it.
- Use the arrow keys to browse through the apps. Press 👘 📼 to launch an app.

Connecting to wireless networks

Wi-Fi

Access emails, surf the Internet, and share applications via social networking sites using your computer's Wi-Fi connection.

Connecting Wi-Fi

Connect your computer to a Wi-Fi network by using the following steps:

- 1. Click/Tap the Wi-Fi icon from the taskbar to enable Wi-Fi.
- 2. Select an access point from the list of available Wi-Fi connections.
- 3. Select Connect to start the network connection.



You may be prompted to enter a security key to activate the Wi-Fi connection.

Bluetooth

Use Bluetooth to facilitate wireless data transfers with other Bluetooth-enabled devices.

Pairing with other Bluetooth-enabled devices

You need to pair your computer with other Bluetooth-enabled devices to enable data transfers. Connect your devices by using the following steps:

- 1. Launch Settings from the Start menu.
- 2. Select Devices > Bluetooth to search for Bluetooth-enabled devices. (for Windows® 10)

Select Bluetooth & devices > Add device to search for Bluetooth-enabled devices. (for Windows® 11)

3. Select a device from the list to pair your computer with the device.



For some Bluetooth-enabled devices, you may be prompted to key in the passcode of your computer.

Connecting to wired networks

You can also connect to wired networks, such as local area networks and broadband Internet connection, using your computer's LAN port.



Contact your Internet Service Provider (ISP) for details or your network administrator for assistance in setting up your Internet connection.

Turning your computer off

You can turn off your computer by doing either of the following procedures:

 Launch the Start menu, select the power icon then select Shut down to do a normal shutdown.

From the log-in screen, select the power icon then select Shut down.

Press of the select OK.

If your computer is unresponsive, press and hold the power button for at least four (4) seconds until your computer turns off.

Putting your computer to the Off mode / the lowest power mode

You can put your computer to the Off mode / the lowest power mode in the following way: Enter Control Panel in the search bar and open it (View by: Category), select Hardware and Sound > Power Options > Choose what the power button does, click Change settings that are currently unavailable, uncheck Turn on fast startup (recommended) and click Save changes.

 Launch the Start menu, select the power icon then select Shut down to do a normal shutdown.

From the log-in screen, select the power icon then select Shut down.

- Press or + to launch Shut Down Windows. Select Shut down from the dropdown list then select OK.
- If your computer is unresponsive, press and hold the power button for at least four (4) seconds until your computer turns off.

Putting your computer to sleep

You can put your computer to Sleep mode in two ways:

 Launch the Start menu, select the power icon then select Sleep to put your computer to sleep.

From the log-in screen, select the power icon then select Sleep.





You can also put your computer to Sleep mode by pressing the power button once.