## Sony Xperia 5 III 15.5 cm (6.1") Hybrid Dual SIM Android 11 5G USB Type-C 8 GB 128 GB 4500 mAh Black

Brand : Sony Product family: Xperia Product code: XQBQ52B.UKCX

Product name: Xperia 5 III

- An optical telephoto lens up to 105mm
- Compact design, powerful 4,500mAh battery
- Real-time Eye AF for humans and animals
- 6.1" 21:9 CinemaWide™ HDR OLED 120Hz Refresh rate display
- Qualcomm® Snapdragon™ 888 Mobile Platform

6.1" 21:9, HDR, OLED,  $2520 \times 1080$ , Qualcomm Snapdragon  $888 \ 5G$  Mobile Platform,  $4500 \ mAh$ , Bluetooth 5.2, Android 11

Sony Xperia 5 III. Display diagonal: 15.5 cm (6.1"), Display resolution: 2520 x 1080 pixels. Processor family: Qualcomm Snapdragon, Processor model: 888. RAM capacity: 8 GB, Internal storage capacity: 128 GB. Rear camera resolution (numeric): 12 MP, Rear camera type: Triple camera. SIM card capability: Hybrid Dual SIM. Operating system installed: Android 11. Battery capacity: 4500 mAh. Product colour: Black. Weight: 168 g





Display		Network	
Display diagonal *	15.5 cm (6.1")	SIM card capability *	Hybrid Dual SIM
Screen shape	Flat	Mobile network generation *	5G
Panel type	OLED	SIM card type *	NanoSIM
Display glass type	Gorilla Glass	Wi-Fi	✓
Gorilla Glass version	Gorilla Glass 6	Mr. Et al. and and	802.11a, 802.11b, 802.11g, Wi-Fi 4
Display resolution *	2520 x 1080 pixels 21:9	Wi-Fi standards	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Native aspect ratio  Maximum refresh rate	21:9 120 Hz	Bluetooth *	<b>✓</b>
High Dynamic Range (HDR)	✓	Bluetooth version	5.2
supported	•	aptX technology	✓
Touchscreen type	Capacitive	3G bands supported	800,850,1700,1900,2100 MHz
Processor		Tethering (modem-mode)	✓
Processor family *	Qualcomm Snapdragon	Near Field Communication (NFC)	✓
Processor model *	888	Subscription	
Storage		Subscription type *	No subscription
RAM capacity *	8 GB	Ports & interfaces	
Internal storage capacity *	128 GB	USB port	✓
Compatible memory cards *	MicroSDXC	USB connector type	USB Type-C
Maximum memory card size	1 TB	USB version	3.2 Gen 1 (3.1 Gen 1)
Camera		Headphone connectivity	3.5 mm
Rear camera sensor size	1/1.7"	Messaging	
Second rear camera sensor size	1/2.9"		<b>/</b>
Third rear camera sensor size	1/2.5"	Short Message Service (SMS)	•

Camera		Messaging	
Rear camera resolution (numeric) *	12 MP	Multimedia Messaging Service	
Second rear camera resolution		(MMS)	<b>✓</b>
(numeric)	12 MP	E-mail	✓
Third rear camera resolution (numeric)	12 MP	Navigation	
Rear camera aperture number	1.7	GPS (satellite)	✓
Second rear camera aperture number	2.3	GLONASS BeiDou	<b>√</b>
Third rear camera aperture number	2.2		•
Rear camera field of view (FOV) angle	82°	Galileo Quasi-Zenith Satellite System	<b>*</b>
Second rear camera field of view (FOV) angle	34°	(QZSS) Position location *	<b>/</b>
Third rear camera field of view (FOV) angle	124°	Design	
Rear camera focal length	2.4 cm	Form factor *	Bar
Second rear camera focal length	7 cm	Product colour *	Black
Third rear camera focal length	1.6 cm	Protection features	Dust resistant, Water resistant
Digital zoom	12.5x	Performance	
Front camera type *	Single camera	Fast charging	1
Front camera sensor size	1/4"	Fingerprint reader	1
Front camera resolution (numeric) *		Speakerphone	/
Front camera aperture number	2	Country of origin	China
Front camera field of view (FOV) angle	78°	Vibrating alert	✓
Rear camera flash *	1	Software	
Flash type	LED	Platform *	Android
Maximum frame rate	120 fps	Operating system installed *	Android 11
Video recording modes	720p, 1080p, 2160p	App distribution platform	Google Play
Rear camera type *	Triple camera	Virtual assistant	Google Assistant
Auto focus Video stabilizer	<b>√</b>	Battery	
Image stabilizer type	Optical Image Stabilization (OIS)	Battery capacity *	4500 mAh
Geotagging	✓	Endurance	
		International Protection (IP) code *	IPX5, IPX8
		Weight & dimensions	
		•	60
		Width	68 mm 8.2 mm
		Depth Height	8.2 mm 157 mm
		Weight *	168 g
		Package width	92 mm
		Package width	190 mm
		Package height	55 mm
		Package weight	407 g
		Other features	-
		Touchscreen	✓
		Technical details	
		Commodity Classification Automated Tracking System (CCATS)	8517120000



7311271701453

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.