## TP-Link INSIGHT S385 Bullet CCTV security camera Outdoor 3840 x 2160 pixels Wall

Brand : TP-Link

Product code: INSIGHT S385(4MM)

Product name : INSIGHT S385

- 4K (8MP) Ultra HD and 24h Full-Color

- People & Vehicle Analytics§
- Human & Vehicle Classification
- Smart Detection
- Smart Video Enhancement Technology
- Active Defense and Two-Way Audio
- IP67 Waterproof
- H.265+ Compression Technology
- 12V DC/PoE

VIGI 8MP Outdoor Full-Color Bullet Network Camera, 1/2.7", 1/3 to 1/10000 s, F1.6, 3840 x 2160, CBR, VBR, BLC/3D DNR/HLC/SmartIR, 120 dB, 12V DC  $\pm$  5%, Max. 10.5 W, 5.5 mm Coaxial Power Plug, PoE: 802.3af/at, class 0, Max. 11.5 W, IP67, 184 x 74 x 74 mm, 0.525 kg, White

TP-Link INSIGHT S385. Type: CCTV security camera, Placement supported: Outdoor, Connectivity technology: Wired. Mounting type: Wall, Product colour: White, Form factor: Bullet. Lens viewing angle, horizontal: 91.5°, Lens viewing angle, vertical: 46.1°, Lens viewing angle, diagonal: 109.6°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.7 mm (1 / 2.7"). Sensor type (panoramic camera): CMOS, Signal-to-Noise Ratio (SNR) (panoramic camera): 52 dB





Performance		Video	
	CCTV security camera Outdoor	Digital Wide Dynamic Range (DWDR)	1
Connectivity technology *	Wired	Audio	
Maximum operating distance	107 m	Built-in speaker(s)	1
Wide Dynamic Range (WDR)	✓	Audio system	2-way
Day/night mode	<ul> <li>Image: A start of the start of</li></ul>	Audio input channels	1 channels
Infrared (IR) cut-off filter	1	Audio output channels	1 channels
Remote viewing	1	Audio formats supported	G.711 A-law
Dynamic range	120 dB	Sample rate	8 kHz
Plug and Play	1	Built-in microphone	✓
Design		Number of microphones	1
Form factor *	Bullet	Bit rate range	0 - 64 Kbit/s
Mounting type *	Wall	Network	
Product colour *	White	Ethernet LAN *	✓
Housing material Protection features International Protection (IP) code	Metal Waterproof IP67	Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP UDP, SSL/TLS, FTP/SFTP, RTP, IPv4, IPv6, ARP
Weatherproof	<ul> <li>Image: A set of the set of the</li></ul>	Wi-Fi *	×
Camera		Bluetooth *	×
Lens viewing angle, horizontal	91.5°	Live view	<ul> <li>Image: A set of the set of the</li></ul>
Lens viewing angle, vertical	46.1°	Storage	
Lens viewing angle, diagonal Tilt angle range Camera shutter speed	109.6° 0 - 90° 1/3 to 1/10000	Compatible memory cards Maximum memory card size	MicroSD (TransFlash) 512 GB
·	1,5 (0 1,10000	Security	
Image sensorOptical sensor size25.4 / 2.7 mm (1 / 2.	25.4 / 2.7 mm (1 / 2.7")	Built-in siren	1
Progressive scan	✓	Video motion detection	<ul> <li>Image: A second s</li></ul>
Sensor type *	CMOS	Alert notification type	Push notification
		Motion sensor	1
		Mirror	1

Panoramic camera		Management features	
Sensor type (panoramic camera)	CMOS	Web browser	1
Signal-to-Noise Ratio (SNR) (panoramic camera)	52 dB	Cloud-managed *	✓
Digital Wide Dynamic Range		Reset button	<ul> <li>Image: A second s</li></ul>
(DWDR) (panoramic camera)	✓	Power	
Lens system		Power source type *	DC, PoE
Recognize distance	21 m	Power consumption (max)	10.5 W
Focal length range Fixed focus	4 mm	Power consumption (Power over Ethernet (PoE))	11.5 W
	•	DC output voltage	12
Night vision		Operational conditions	
Night vision *	✓	Operating temperature (T-T)	-30 - 60 °C
LED type	IR/White	Storage temperature (T-T)	-40 - 60 °C
Video		Operating relative humidity (H-H)	0 - 95%
Maximum resolution *	3840 x 2160 pixels	Storage relative humidity (H-H)	0 - 95%
Total megapixels *	8 MP	Weight & dimensions	
Video compression formats	H.264, H.264+, H.265, H.265+	Width	74 mm
Video recording	✓	Height	74 mm
Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)	Length	184 mm
	Main Stream: 256 Kbps to 8 Mbps,	Weight	525 g
Bit rate		Packaging content	
Back Light Compensation (BLC)	<ul> <li>Image: A set of the set of the</li></ul>	Number of cameras *	1
Highlight Compensation (HLC)	1	Mounting kit	✓
		Screws included	1

Drilling template included

Manual

1

.



## 1210002606356

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.