

GIGABYTE B850M D3HP Motherboard - AMD Ryzen 9000 Series CPUs, 5+2+2 Phases Digital VRM, up to 5200MHz DDR5 (OC), 1xPCIe 5.0 + 1xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 2

Brand : GIGABYTE


Product code: B850M D3HP

Product name : B850M D3HP Motherboard - AMD Ryzen 9000 Series CPUs, 5+2+2 Phases Digital VRM, up to 5200MHz DDR5 (OC), 1xPCIe 5.0 + 1xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 2

- 5+2+2 Phases Digital VRM with DrMOS
 - Dual Channel DDR5 4*DIMMs
 - PCIe Gen5 x16 with PCIe UD Slot & EZ-Latch
 - M.2 Gen5 with M.2 Heatsink, MOSFET Heatsink
- B850M D3HP Motherboard - AMD Ryzen 9000 Series CPUs, 5+2+2 Phases Digital VRM, up to 5200MHz DDR5 (OC), 1xPCIe 5.0 + 1xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 2

GIGABYTE B850M D3HP Motherboard - AMD Ryzen 9000 Series CPUs, 5+2+2 Phases Digital VRM, up to 5200MHz DDR5 (OC), 1xPCIe 5.0 + 1xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	HDMI ports quantity *	1
Processor socket *	Socket AM5	DisplayPorts quantity	1
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Headphone outputs	1
		Microphone in	✓
Supported processor sockets	Socket AM5	WiFi-AP antenna jack	2
Memory		Network	
Supported memory types *	DDR5-SDRAM	Ethernet LAN	✓
Number of memory slots *	4	Ethernet interface type	Gigabit Ethernet
Memory slots type	DIMM	Wi-Fi *	✗
Memory channels	Dual-channel	Features	
ECC compatibility	Non-ECC	Motherboard chipset *	AMD B850
Supported memory clock speeds	4400,4800,5200 MHz	Audio chip	Realtek ALC897
Supported memory clock speed (max)	5200 MHz	Audio output channels *	7.1 channels
Maximum internal memory *	256 GB	Product colour	Brown
Unbuffered memory	✓	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Maximum internal memory per slot	64 GB	Component for *	PC
Storage controllers		Motherboard form factor *	micro ATX
Supported storage drive types	HDD & SSD	Motherboard chipset family *	AMD
Supported storage drive interfaces *	M.2, SATA III	Power source type	ATX
Number of HDDs supported	4	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Number of storage drives supported	6	Expansion slots	
RAID support	✓	PCI Express x16 (Gen 3.x) slots	1
RAID levels	0, 1, 10	PCI Express x16 (Gen 5.x) slots	1
Graphics		Number of M.2 (M) slots	2
Parallel processing technology support *	Not supported	1st M.2 largest key size	2580
Maximum resolution	4096 x 2160 pixels	1st M.2 highest PCI Express generation	5.0
HDCP	✓	2nd M.2 largest key size	22110
DirectX version	12.0	2nd M.2 highest PCI Express generation	4.0

Internal I/O		BIOS	
USB 2.0 connectors *	2	BIOS type *	UEFI AMI
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	BIOS memory size	256 Mbit
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	ACPI version	5.0
Number of SATA III connectors *	4	Clear CMOS jumper	✓
Front panel audio connector	✓	Clear CMOS button	✓
Front panel connector	✓	Desktop Management Interface (DMI) version	2.7
ATX Power connector (24-pin)	✓	System Management BIOS (SMBIOS) version	2.7
CPU fan connector	✓	Logistics data	
Number of CPU fan connectors	2	Country of origin	China
Number of chassis fan connectors	3	Products per shipping (inner) case	1 pc(s)
Peripheral (Molex) power connectors (4-pin)	1	Battery	
EPS power connector (8-pin)	✓	Battery weight	3 g
Number of EPS power connectors (8-pin)	1	Lithium weight per battery	0.07 g
TPM connector	✓	Number of battery cells	1
Serial port headers	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
12V power connector	✓	Battery type	CR2032
RGB LED pin header	✓	Weight & dimensions	
Number of RGB LED pin headers	4	Width	244 mm
Rear panel I/O ports		Depth	244 mm
USB 2.0 ports quantity *	2	Height	35 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Packaging content	
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	1	Batteries included	✓
Ethernet LAN (RJ-45) ports *	1	Antenna included	✓
		Screws included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	1.3 kg
		Technical details	
		Warranty period	3 year(s)



4719331867058

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-DEC-2024. Prints or copies of Information are only valid on the printed Publication date