

Brother TD-2120N label printer Direct thermal 203 x 203 DPI 152.4 mm/sec Wired Ethernet LAN

Brand : Brother

Product code: TD2120NZU1

Product name : TD-2120N

203 x 203 dpi, 63mm, 16MB SDRAM, 152.4mm/sec, USB 2.0, Ethernet LAN
 Brother TD-2120N. Print technology: Direct thermal, Maximum resolution: 203 x 203 DPI, Print speed: 152.4 mm/sec. Connectivity technology: Wired. Product colour: Black, Grey



Printing		Operational conditions	
Print technology *	Direct thermal	Operating relative humidity (H-H)	20 - 80%
Maximum resolution *	203 x 203 DPI	Storage relative humidity (H-H)	20 - 80%
Print speed *	152.4 mm/sec	Operating temperature (T-T)	5 - 40 °C
Maximum printing width *	5.6 cm	Storage temperature (T-T)	-20 - 60 °C
Vertical printing	✓	Weight & dimensions	
Paper handling		Width	181 mm
Ribbon length	1 m	Depth	226 mm
Maximum label length	1 m	Height	283 mm
Ports & interfaces		Weight	2.12 kg
Connectivity technology *	Wired	Packaging data	
Ethernet LAN *	✓	Package weight	2.83 kg
USB port *	✓	Packaging content	
USB 2.0 ports quantity	1	Cables included	USB
RS-232 ports	1	Bundled software	Thermal Printer PLUS Brother Label Design/Print
Optional connectivity	Bluetooth, Wireless LAN	Drivers included	✓
Performance		AC adapter included	✓
Page description languages	ESC P	Logistics data	
Internal memory	32 MB	Harmonized System (HS) code	84433210
Flash memory	16 MB	Pallet gross height	18.3 cm
Built-in barcodes	2D, CODABAR (NW-7), Code 128 (A/B/C), Code 39, Data Matrix, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, UPC-A, UPC-E	Pallet gross weight	336.2 kg
		Master (outer) cases per pallet	36 pc(s)
		Master (outer) cases per pallet layer	6 pc(s)
		Layers per pallet	6 pc(s)
Number of fonts	7	Products per pallet	108 pc(s)
Underline	✓	Technical details	
		Pallet type	1200 x 1000 mm

Performance		Other features	
Security algorithms	EAP-FAST, 128-bit WEP, 64-bit WEP, EAP-TLS, EAP-TTLS, LEAP, PEAP, SSID, TKIP, WPA-PSK, WPA2-PSK	Media types supported	0.75 - 2.48" (19 - 63mm) Wide, 2.3 - 11mil (0.058 - 0.279mm) Thick, 5" (127mm) OD
Design		Supported network protocols	ARP, RARP, BOOTP, DHCP, APIPA, WINS/NetBIOS Name Resolution, DNS Resolver, mDNS, LLMNR Responder, LPR/LPD, Custom Raw Port/Port9100, FTP Server, TFTP Server, SNMPv1/v2c, ICMP
Product colour *	Black, Grey		
Built-in display	✓		
Display *	LCD		
Power		Character sets	Abicomp, ASCII, BRASCII, ISO 8859-15, ISO Latin 1, Italic, PC437, PC850, PC858, PC860, PC861, PC863, PC865, Roman 8
AC adapter output voltage	25 V		
AC adapter output current	6 A		
System requirements		LED indicators	✓
Minimum storage drive space	70 MB	Country of origin	China
Minimum RAM	128 MB		
Windows operating systems supported	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64		
Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012		



4977766720496

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-MAR-2025. Prints or copies of Information are only valid on the printed Publication date