



POLY Studio X70 All-In-One Video Bar with TC10 Controller Kit

Brand : POLY

Product code: 8L531AA

Product name : Studio X70 All-In-One Video Bar with TC10 Controller Kit

- Ready for your close-up? This all-in-one video bar transitions seamlessly between wide and narrow-angle cameras, showing everyone in your large meeting spaces in sharp detail.
- Keep your eye on the action with Poly DirectorAI intelligent camera framing and NoiseBlockAI technology — all powered by machine learning. Get advanced vocal pickup from our next gen microphones. Easily share content over wired or wireless connections.
Studio X70 All-In-One Video Bar with TC10 Controller Kit

POLY Studio X70 All-In-One Video Bar with TC10 Controller Kit:

Enable meeting equality

The Poly Studio X70, all-in-one video bar, offers quality audio and video performance in large meeting spaces. Enjoy pinpoint-accurate automatic framing and tracking modes, distraction-free audio technology, and lifelike 4K UltraHD video.



Poly Lens suite for easier management of your collaboration devices



Performance		Network	
Product colour *	Black	Supported network protocols	IPv4, IPv6
Auto framing	✓	Security algorithms	128-bit AES, 256-bit AES, FIPS 140-2, SSL/TLS
Tracking modes	Presenter mode	Camera	
Meeting features	Whiteboard	Megapixel (approx.) *	20 MP
Product type *	Group video conferencing system	Camera type	Dual camera
Wall mountable	✓	Second camera resolution	20 MP
Video		Zoom capability	✓
HD type *	4K Ultra HD	Digital zoom	7.3x
Maximum video resolution *	3840 x 2160 pixels	Horizontal field of view	120°
Supported video modes	720p, 1080p, 2160p	Diagonal field of view	140°
Supported graphics resolutions	800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 3840 x 2160	Display	
		Display diagonal	20.3 cm (8")
Video formats supported	AVC, H.264, H.265	Display resolution	1280 x 800 pixels
Audio		Microphone	
Built-in speaker(s)	✓	Number of microphones	4
Number of speakers	2	Computer system	
Voice codecs	G.711, G.719, G.722, G.722.1, G.728, G.729A	VESA mounting	✓
RMS rated power	40 W	Operational conditions	
Speaker power	20 W	Operating temperature (T-T)	0 - 40 °C
Ports & interfaces		Operating relative humidity (H-H)	15 - 80%
HDMI ports quantity	3	Storage temperature (T-T)	-40 - 70 °C
HDMI output ports quantity	2	Storage relative humidity (H-H)	5 - 95%
HDMI input ports quantity	1	Heat dissipation	65 BTU/h
USB connector type	USB Type-A, USB Type-C	Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Width	840.2 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Depth	117.3 mm
Ethernet LAN (RJ-45) ports	2	Height	135.4 mm
Network		Weight	3.2 kg
Ethernet LAN *	✓	Packaging content	
		Cables included	AC, HDMI, LAN (RJ-45)

Network		Packaging content	
Ethernet LAN data rates	10,100,1000 Mbit/s		Poly Studio X70; AC power adapter;
Wi-Fi	✓	Packaging content	HDMI cable; Power cable; CAT 5E
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)		LAN cable; Poly TC10 touch controller; Display mounting clamp



0198122834532



198122834532



0198122834525




198122834525



0197961923001




197961923001



0197497837476




197497837476



0197497837483



197497837483



0197497837490




197497837490



0197497837506



197497837506



0197497837513




197497837513



0197498382043




197498382043



0197497837520




197497837520



0197497837537



197497837537



0197498409191



197498409191



0197497837544



197497837544



0197497837551



197497837551

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.