## **PHILIPS**

## Philips V Line Full HD LCD monitor 273V7QJAB/00

Brand : Philips Product family: V Line Product code: 273V7QJAB/00

**Product name :** Full HD LCD monitor 273V7QJAB/00

- V Line
- 27" (68.6 cm)
- Full HD (1920 x 1080)

273V7QJAB Full HD LCD monitor

## Philips V Line Full HD LCD monitor 273V7QJAB/00:

A perfect all-round display with stunning images that stretch from edge to edge, made easy on the eyes, in a compact, slim design.

Philips V Line Full HD LCD monitor 273V7QJAB/00. Display diagonal: 68.6 cm (27"), Display resolution:  $1920 \times 1080 \text{ pixels}$ , HD type: Full HD, Display technology: LED. Display: LED. Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal:  $178^\circ$ , Viewing angle, vertical:  $178^\circ$ . Built-in speaker(s). VESA mounting. Product colour: Black





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical)	68.6 cm (27") 1920 x 1080 pixels Full HD 16:9 LED IPS W-LED X 250 cd/m <sup>2</sup>	Height adjustment * Tilt adjustment Tilt angle range On Screen Display (OSD)  On Screen Display (OSD) languages	X  -5 - 20°  - Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian,
Response time *	4 ms	Plug and Play	Swedish, Turkish, Ukrainian
Anti-glare screen	<b>✓</b>	LED indicators	Operation, Stand-by
Screen shape *	Flat	Power	
Supported graphics resolutions Aspect ratio	1920 x 1080 (HD 1080) 16:9	Energy efficiency class (SDR) *	Е
Contrast ratio (typical) * Contrast ratio (dynamic)	1000:1 10000000:1	Energy consumption (SDR) per 1000 hours * Power consumption (typical) *	21 kWh 15.4 W
Dynamic contrast ratio marketing name	SmartContrast	Power consumption (standby) *	0.5 W
Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Horizontal scan range	75 Hz 178° 178° 16.7 million colours 0.311 x 0.311 mm 82 ppi 30 - 83 kHz	Power consumption (average) Power consumption (off) AC input voltage AC input frequency Power supply type Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code	23 W 0.3 W 100 - 240 V 50 - 60 Hz Internal A to G 413357
Vertical scan range	56 - 76 Hz 59.8 cm	Operational conditions	
Viewable size, horizontal Viewable size, vertical Digital horizontal frequency	33.6 cm 30 - 83 kHz	Operating temperature (T-T) Storage temperature (T-T)	0 - 40 °C -20 - 60 °C

- · ·			
Display		Operational conditions	
Digital vertical frequency Sync-on-green (SOG) Display diagonal (metric) DDC/CI	56 - 76 Hz ✓ 68.6 cm	Operating relative humidity (H-H) Operating altitude Non-operating altitude Relative humidity	20 - 80% 0 - 3658 m 0 - 12192 m 20 - 80%
Haze rate	25%	Weight & dimensions	
Surface hardness Colour gamut standard 3D Separate H/V sync Display sRGB Performance	3H sRGB ★ ✓	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand)	613 mm 227 mm 454 mm 4.37 kg 613 mm 45 mm 368 mm
NVIDIA G-SYNC *	x	Weight (without stand)	3.8 kg
AMD FreeSync *	X	Packaging data	
Component video sync  Flicker-free technology  Low Blue Light technology  Windows operating systems supported	Separate sync, Sync-on-green (SOG)	Package width Package depth Package height Package weight Package type	664 mm 134 mm 452 mm 6.19 kg Box
Mac operating systems supported	✓	Packaging content	
Multimedia		Stand included	✓
Number of speakers Built-in speaker(s) *	2	Cables included Manual	HDMI, AC ✓
Built-in camera *		Other features	
Duilt-iii Cairiera "	X	Other leatures	
Design	*	Display	LED
	Home Black Black	Display On/off switch TV tuner integrated Exterior finish type	<ul><li>X</li><li>Textured</li></ul>
<b>Design</b> Market positioning * Product colour *	Home Black	Display On/off switch TV tuner integrated Exterior finish type Recommended resolution	✓ X Textured 1920 x 1080 @ 60 Hz
Design  Market positioning * Product colour * Feet colour  Ports & interfaces  Built-in USB hub * VGA (D-Sub) ports quantity  DVI port  HDMI ports quantity	Home Black	Display On/off switch TV tuner integrated Exterior finish type	<ul><li>X</li><li>Textured</li></ul>
Design  Market positioning * Product colour * Feet colour  Ports & interfaces  Built-in USB hub * VGA (D-Sub) ports quantity  DVI port	Home Black Black  X 1 X 1	Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material	X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light
Design  Market positioning * Product colour * Feet colour  Ports & interfaces  Built-in USB hub * VGA (D-Sub) ports quantity DVI port  HDMI ports quantity DisplayPorts quantity DisplayPort version Headphone out *	Home Black Black  X 1 X 1 1	Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals	X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off
Design  Market positioning * Product colour * Feet colour  Ports & interfaces  Built-in USB hub * VGA (D-Sub) ports quantity  DVI port  HDMI ports quantity  DisplayPorts quantity  DisplayPort version  Headphone out * Headphone outputs	Home Black Black  X 1 X 1 1 1	Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material  Regulatory Approvals  Heavy metals free No flickering LowBlue mode	X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off Hg (mercury)  ✓
Design  Market positioning * Product colour * Feet colour  Ports & interfaces  Built-in USB hub * VGA (D-Sub) ports quantity  DVI port  HDMI ports quantity  DisplayPorts quantity  DisplayPort version  Headphone out * Headphone outputs  PC Audio in	Home Black Black	Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material  Regulatory Approvals  Heavy metals free No flickering LowBlue mode Compliance certificates	X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off Hg (mercury)  RoHS, WEEE
Market positioning * Product colour * Feet colour  Ports & interfaces  Built-in USB hub * VGA (D-Sub) ports quantity  DVI port  HDMI ports quantity  DisplayPorts quantity  DisplayPort version  Headphone out * Headphone outputs PC Audio in  Ergonomics  VESA mounting * Panel mounting interface  Cable lock slot *	Home Black Black	Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material  Regulatory Approvals  Heavy metals free No flickering LowBlue mode	X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off Hg (mercury)  ✓
Design  Market positioning * Product colour * Feet colour  Ports & interfaces  Built-in USB hub * VGA (D-Sub) ports quantity  DVI port  HDMI ports quantity  DisplayPorts quantity  DisplayPort version  Headphone out * Headphone outputs  PC Audio in  Ergonomics  VESA mounting * Panel mounting interface	Home Black Black	Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material  Regulatory Approvals  Heavy metals free No flickering LowBlue mode Compliance certificates Mean time between failures (MTBF)	X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off Hg (mercury)  ROHS, WEEE 50000 h CU, SEMKO, cETLus, TUV/ISO9241-307, CE Mark, FCC Class B, ICES-003, RCM, UKRAINIAN, KCC, BSMI, TUV Cert. — blue light
Market positioning * Product colour * Feet colour  Ports & interfaces  Built-in USB hub * VGA (D-Sub) ports quantity  DVI port  HDMI ports quantity  DisplayPorts quantity  DisplayPort version  Headphone out * Headphone outputs PC Audio in  Ergonomics  VESA mounting * Panel mounting interface  Cable lock slot *	Home Black Black	Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material  Regulatory Approvals  Heavy metals free No flickering LowBlue mode Compliance certificates Mean time between failures (MTBF)  Certification	X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off Hg (mercury)  ROHS, WEEE 50000 h CU, SEMKO, cETLus, TUV/ISO9241-307, CE Mark, FCC Class B, ICES-003, RCM, UKRAINIAN, KCC, BSMI, TUV Cert. — blue light
Market positioning * Product colour * Feet colour  Ports & interfaces  Built-in USB hub * VGA (D-Sub) ports quantity  DVI port  HDMI ports quantity  DisplayPorts quantity  DisplayPort version  Headphone out * Headphone outputs PC Audio in  Ergonomics  VESA mounting * Panel mounting interface  Cable lock slot *	Home Black Black	Display On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material  Regulatory Approvals  Heavy metals free No flickering LowBlue mode Compliance certificates Mean time between failures (MTBF)  Certification	X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off Hg (mercury)  ROHS, WEEE 50000 h CU, SEMKO, cETLus, TUV/ISO9241-307, CE Mark, FCC Class B, ICES-003, RCM, UKRAINIAN, KCC, BSMI, TUV Cert. — blue light cut-off





8712581745905

5054444327815

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.