

Epson LX-350 UK 240V

Brand : Epson

Product code: C11CC24032

Product name : Epson LX-350 UK 240V

LX-350, 240 x 144 DPI, NLQ, RS-232, USB 2.0 B, 27W, 4100g

Epson LX-350 UK 240V:

A very economical printer to run, the LX-350 helps save money with its high ribbon yield of 4 million characters and its low power consumption. Using just 1.1W in sleep mode and 27W when powered on, the LX-350 is qualified by ENERGY STAR for its excellent energy efficiency. Easy to integrate, the LX-350 has Parallel, Serial and USB interfaces as standard, and will fit neatly onto desks thanks to its compact design and cable management system.

- High reliability - MTBF of 10,000 operating hours
- Power-efficient - 1.1W on standby, 27W powered on
- Economical - Ribbon yield of 4m characters
- Easy integration - Parallel, Serial and USB interfaces
- Compact design - Fits neatly onto desks



Printing		System requirements		
Maximum resolution *	240 x 144 DPI	Windows 2000, Windows 2000 Professional, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64		
Maximum printing width (columns) *	80			
Colour *	✗			
Features				
Product colour *	Black			
Sound pressure level (printing) *	53 dB			
RAM capacity	128 KB			
Country of origin	Indonesia			
Ports & interfaces				Windows operating systems supported
Standard interfaces *	Parallel, RS-232, USB 2.0			
Endurance				
Print head *	9-pin			
Ribbon life	4 million characters			
Mean time between failures (MTBF)	10000 h			
Power				
Power consumption (typical)	27 W			
Power consumption (standby)	1.1 W			
Operational conditions		Weight & dimensions		
Operating temperature (T-T)	5 - 35 °C	Width	348 mm	
Storage temperature (T-T)	5 - 35 °C	Depth	275 mm	
Operating relative humidity (H-H)	10 - 80%	Height	154 mm	
Storage relative humidity (H-H)	10 - 80%	Weight	4.1 kg	
		Packaging data		
		Quantity per pack	1 pc(s)	
		Package width	360 mm	
		Package depth	420 mm	
		Package height	215 mm	
		Package weight	5.2 kg	
		Technical details		
		Sustainability certificates	ENERGY STAR	

Logistics data	
Products per pallet	45 pc(s)
Pallet gross length	120 cm
Pallet gross width	80 cm
Pallet gross height	2.08 m
Products per pallet layer	5 pc(s)
Products per pallet layer (UK)	6 pc(s)
Products per pallet (UK)	54 pc(s)
Pallet length (UK)	120 cm
Pallet width (UK)	100 cm
Pallet height (UK)	2.08 m



8715946502946

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-DEC-2024. Prints or copies of Information are only valid on the printed Publication date