GIGABYTE

GIGABYTE B760M AORUS ELITE AX Motherboard - Supports Intel Core 14th Gen CPUs, 12*+1+1 Phases Digital VRM, up to 7800MHz DDR5 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Brand : GIGABYTE

Product code: B760M AORUS ELITE AX

Product name : B760M AORUS ELITE AX Motherboard - Supports Intel Core 14th Gen CPUs, 12*+1+1 Phases Digital VRM, up to 7800MHz DDR5 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Micro ATX, Socket LGA 1700, Intel B760 Chipset, 4 x DDR5 DIMM, AMI UEFI BIOS, Wi-Fi 6E (802.11ax), Bluetooth 5.3

GIGABYTE B760M AORUS ELITE AX Motherboard - Supports Intel Core 14th Gen CPUs, 12*+1+1 Phases Digital VRM, up to 7800MHz DDR5 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.

Processor

Processor manufacturer *	Intel
Processor socket *	LGA 1700
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold
Supported processor sockets	LGA 1700
Maximum internal memory supported by processor	192 GB

Memory

Supported memory types *	DDR5-SDRAM
Number of memory slots *	4
Memory slots type	DIMM
Non-ECC	✓
Supported memory clock speeds	4000,4800,5300,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600,7800 MHz
Supported memory clock speed (max)	7800 MHz
Maximum internal memory *	192 GB
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB
Unbuffered memory	✓

Storage controllers

Supported storage drive types	HDD & SSD
Supported storage drive interfaces *	M.2, SATA III
Number of HDDs supported	4
Number of storage drives supported	6
RAID support	✓
RAID levels	0, 1, 5, 10

Graphics

Parallel processing technology support *	CrossFireX
Maximum resolution	4096 x 2304 pixels
HDCP	✓
DirectX version	12.0

Internal I/O

USB 2.0 connectors *	2

Rear panel I/O ports

USB 3.2 Gen 2x2 Type-C ports quantity	1
Ethernet LAN (RJ-45) ports *	1
HDMI ports quantity *	1
DisplayPorts quantity	1
Headphone outputs	1
Microphone in	✓
WiFi-AP antenna jack	2

Network

Ethernet LAN	✓
Ethernet interface type	2.5 Gigabit Ethernet, 5 Gigabit Ethernet
Wi-Fi *	✓
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
WLAN controller model	Intel Wi-Fi 6E AX211
Bluetooth	✓
Bluetooth version	5.3

Features

Motherboard chipset *	Intel B760 Express
Audio output channels *	7.1 channels
Product colour	Black
PC health monitoring	Fan, Temperature, Voltage, Water cooling
Component for *	PC
Motherboard form factor *	micro ATX
Motherboard chipset family *	Intel
Power source type	ATX
Windows operating systems supported	Windows 10, Windows 11

Internal I/O

USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1
Number of SATA III connectors *	4
Total number of SATA connectors	4
S/PDIF out connector	✔
Front panel audio connector	✔
Front panel connector	✔
ATX Power connector (24-pin)	✔
CPU fan connector	✔
Number of chassis fan connectors	3
Peripheral (Molex) power connectors (4-pin)	1
EPS power connector (8-pin)	✔
TPM connector	✔
Thunderbolt headers	2
RGB LED pin header	✔

Rear panel I/O ports

USB 2.0 ports quantity *	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1

Expansion slots

PCI Express x16 (Gen 4.x) slots	1
Number of M.2 (M) slots	2

BIOS

BIOS type *	UEFI AMI
BIOS memory size	256 Mbit
ACPI version	5.0
Clear CMOS jumper	✔
Desktop Management Interface (DMI) version	2.7
System Management BIOS (SMBIOS) version	2.7

Logistics data

Country of origin	China
Products per shipping (inner) case	1 pc(s)

Battery

Battery weight	3 g
Lithium weight per battery	0.07 g
Number of battery cells	1
Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Battery type	CR2032

Packaging data

Package width	270 mm
Package depth	268 mm
Package height	68 mm
Package weight	1.56 kg

Weight & dimensions

Width	244 mm
Depth	244 mm
Height	35 mm

Packaging content

Cables included	SATA
Batteries included	✔
Bundled software	Norton Internet Security

Technical details

Warranty period	3 year(s)

4719331851309

0889523035047

889523035047