NETGEAR GS724Tv6 Managed L2+/L3 Gigabit Ethernet (10/100/1000) 1U Blue, Grey

Brand: NETGEAR Product code: GS724T-600EUS

Product name: GS724Tv6

24-Port Gigabit Ethernet Smart Switch with 2 Dedicated SFP Ports, Europe, including United Kingdom

NETGEAR GS724Tv6 Managed L2+/L3 Gigabit Ethernet (10/100/1000) 1U Blue, Grey:

NETGEAR GS724T Smart Cloud Switch offers powerful L2 and L2+/Layer 3 Lite features and enhanced performance and usability. Manage remotely with Insight Cloud Management

Total Network Solution helps you get the most out of your network

Easily deploy, manage, and monitor NETGEAR Insight managed routers, switches, and access points all from a single pane-of-glass.

NETGEAR GS724Tv6. Switch type: Managed, Switch layer: L2+/L3. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 24. Full duplex. MAC address table: 16000 entries, Switching capacity: 52 Gbit/s. Networking standards: IEEE 802.1D, IEEE 802.1ab, IEEE 802.1as, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE.... Power connector: DC-in jack. Rack mounting, Form factor: 1U



Management features		Security		
Switch type *	Managed	SSH/SSL support	✓	
Switch layer	L2+/L3	Multicast features		
Quality of Service (QoS) support	/	Multicast support	✓	
Web-based management	✓	Number of multicast groups filtered	512	
System event log	✓	Protocols		
Ports & interfaces		Management protocols	SNMP v1/v2	
Basic switching RJ-45 Ethernet ports quantity *	24	Design	J 12,12	
Basic switching RJ-45 Ethernet ports	Gigabit Ethernet (10/100/1000)	Rack mounting *	✓	
type * SFP module slots quantity	2	Form factor	10	
Power connector	DC-in jack	Product colour	Blue, Grey	
Network	•	LED indicators	Activity, Link	
Network	IEEE 802.1D, IEEE 802.1ab, IEEE	Number of fans	0 fan(s)	
Networking standards *	802.1as, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3x, IEEE 802.3z	Performance		
		Noise level	0 dB	
10G support *		Firmware upgradeable	✓	
Port mirroring	· ✓	Mean time between failures (MTBF)	1999946 h	
Full duplex	·	Power		
IP routing	'	AC input voltage	100 - 240 V	
Flow control support	·	AC input frequency	50/60 Hz	
Broadcast storm control	Power consumption (typical) 13.5 W		13.3 W	
Spanning tree protocol	· ✓	Power over Ethernet (PoE)		
VLAN support	·	Power over Ethernet (PoE) *	×	
Number of VLANs	256	Operational conditions		
Data transmission		Operating temperature (T-T)	0 - 45 °C	
Switching capacity *	52 Gbit/s	Storage temperature (T-T)	-20 - 70 °C	
MAC address table *	16000 entries	Operating relative humidity (H-H)	0 - 90%	
Number of queues	8	Storage relative humidity (H-H) Operating altitude	0 - 95% 0 - 3000 m	
Number of static routes	32	Non-operating altitude 0 - 3000 m		
Jumbo frames support	✓			

Data transmission		Weight & dimensions	
Jumbo frames	9000	Width	328 mm
Packet buffer memory	2 MB	Depth	169 mm
Security		Height	43 mm
DHCP features	DHCP client, DHCP snooping	Weight	1.62 kg
Access Control List (ACL)	✓		
IGMP snooping	✓		
Security algorithms	HTTPS, SSL/TLS		
MAC address filtering	✓		





606449169119

0606449169119

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.