

TP-Link MiniGBIC Module

Brand: TP-Link Product code: TL-SM311LM

Product name: MiniGBIC Module

- Multi-mode MiniGBIC module

- Applied to T3700G-28TQ, TL-SG5412F/TL-SG5428, TL-SL5428E,TL-SG3210/TL-SG3216/TL-SG3424/TL-SG3424P,TL-SL3428/TL-SL3452, TL-SG2210P/TL-SG2216/TL-SG2424/TL-SG2424P/TL-SG2452, TL-SL2218/TL-SL2428/TL-SL2452 and MC220L

MiniGBIC, 850nm, Multi-mode Fiber, 1.25Gbps, LC/UPC

TP-Link MiniGBIC Module:

What This Product Does

The TL-SM311 series Fiber Module Cards are introduced for extending transfer distance. Attached to our managed/smart switches, they can extend the distance to several kilometers even tens of kilometers which can basically satisfy the distance requirement of LAN. Users can choose whether and which items to use the fiber modules according to the demand in order to lower cost.

TP-Link MiniGBIC Module. SFP transceiver type: Fiber optic, Maximum data transfer rate: 1250 Mbit/s, Interface type: mini-GBIC/SFP. Product colour: Metallic. Input voltage: 3.3 V. Compliance certificates: RoHS, Certification: FCC, CE. Width: 55.4 mm, Depth: 13.7 mm, Height: 12.9 mm





Performance		Operational conditions	
SFP transceiver type * Maximum data transfer rate * Interface type * Single-mode fiber (SMF) supported Multi-mode fiber (MMF) supported Fiber optic connector	Fiber optic 1250 Mbit/s mini-GBIC/SFP X LC (UPC)	Minimum operating temperature Maximum operating temperature Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 °C 70 °C 0 - 70 °C -40 - 80 °C 10 - 90% 5 - 90%
Fiber cable diameters supported (core/cladding) Maximum transfer distance Wavelength Networking standards	50/125,62.5/125 μm 550 m 850 nm IEEE 802.3z	Weight & dimensions Width Depth Height	55.4 mm 13.7 mm 12.9 mm
Features	ILLL 002.32	Packaging content	
Product colour Power	Metallic	Quantity per pack Packaging data	1 pc(s)
Input voltage Certificates	3.3 V	User guide Package width Package depth	✓ 148 mm 207 mm
Compliance certificates Certification	RoHS FCC, CE	Package height Package weight Logistics data	38 mm 110 g
		Harmonized System (HS) code	85369010








































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.