

Acer X1328

Brand : Acer **Product code:** MR.JX611.003

Product name: X1328

- Acer ColorBoost3D™
- WXGA Resolution
- Acer LumiSense™
- Acer BlueLightShield™
- Acer ColorSafe II
- Automatic Vertical Keystone Correction

Analog signal format system *

- Eco-Mode

 1920×1200 , 5000 lm, 16:10, 20000:1 contrast, 1.54 to 1.72 (1524 mm@2000 mm) trow, 1.07B colors, 5000 H, HDMI, USB, VGA, 100-240V, 275W, 0 - 40°C , 2.80 kg

Acer X1328. Projector brightness: 5000 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1280x800). Light source type: Lamp, Service life of light source: 5000 h, Service life of light source (economic mode): 10000 h. Focus: Manual, Focal length range: 21.85 - 24 mm, Aperture range (F-F): 2.41 - 2.53. Analog signal format system: NTSC, PAL, SECAM, Digital signal format system: EDTV, HDTV, SDTV, Supported graphics resolutions: 1920 x 1200 (WUXGA). Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 1.4b





| Projector | | Ports & interfaces | |
|------------------------------------------------------|--------------------------------------------|----------------------------------------|---------------------------|
| Supported aspect ratios | ility * 685.8 - 7620 mm (27 - 300") | DVI port * | x |
| Screen size compatibility * | | Network | |
| Projection distance Projector brightness * | 1 - 10 m | Wi-Fi * | × |
| Projector brightness * Projection technology * | 5000 ANSI lumens DLP WXGA (1280x800) | Factures | |
| Projection technology Projector native resolution * | | Features | 07.10 |
| Contrast ratio (typical) * | 20000:1 | Noise level (economic mode) | 27 dB |
| Native aspect ratio * | 16:10 | HDCP | ✓ |
| Number of colours | 1.07 billion colours | Multimedia | |
| Projector brightness (economic mode) | 4000 ANSI lumens | Built-in speaker(s) * RMS rated power | ✓ 3 W |
| Uniformity | 80% | Number of built-in speakers | 1 |
| Horizontal scan range | 15 - 100 kHz | · | - |
| Vertical scan range | 24 - 120 Hz | Design | |
| Keystone correction, vertical | -40 - 40° | Market positioning * Product colour * | Business Black |
| Light source | | Placement | Ceiling |
| Light source type * | Lamp | LED indicators | Light, Power, Temperature |
| Service life of light source * | 5000 h | Cable lock slot type | Kensington |
| Service life of light source (economic mode) | 10000 h | Display | |
| Lamp type | OSRAM | Built-in display * | × |
| Lamp power | 240 W | Power | |
| Lamps quantity | 1 lamp(s) | Power source * | AC |
| Lens system | | Power consumption (typical) * | 275 W |
| Focus * | Manual | Power consumption (standby) * | 0.5 W |
| Focal length range | 21.85 - 24 mm | AC input voltage | 100 - 240 V |
| Aperture range (F-F) | 2.41 - 2.53 | Software | |
| Zoom capability | ✓ | Windows operating systems | |
| Zoom type | Manual | supported | ✓ |
| Zoom ratio | 1.1:1 | Mac compatibility | ✓ |
| Digital zoom Optical zoom | 2x 1.1x | Other operating systems supported | ChromeOS |
| Throw ratio | 1.1x 1.54 - 1.72 | Operational conditions | |
| Offset | 125% | Operating temperature (T-T) | 0 - 40 °C |
| Video | | Operating relative humidity (H-H) | 0 - 80% |
| video | | . 3 | |

NTSC, PAL, SECAM

| Video | | Weight & dimensions | |
|----------------------------------------------------------------------|-----------------------------------------|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Digital signal format system Supported graphics resolutions | EDTV, HDTV, SDTV 1920 x 1200 (WUXGA) | Width Depth | 313 mm 240 mm |
| Ports & interfaces | | Height * | 113.7 mm 2.8 kg |
| HDMI connector type HDMI version | Full-size 1.4b | Packaging content | 2.8 kg |
| USB 2.0 Type-A ports quantity | 2 | Remote control included * | ✓ |
| Audio (L/R) in * | 1 | Batteries included | ✓ |
| Audio (L/R) out Serial interface type * VGA (D-Sub) ports quantity * | 1 RS-232 2 2 | Cables included | AC, VGA |
| | | Manual | ✓ |
| | | Packaging content | Lens Cap Security Card |
| HDMI ports quantity * Composite video in * | 1 | Logistics data | |
| Component video (YPbPr/YCbCr) in * 1 | | Quantity per pack | 1 pc(s) |
| | | Other features | |
| | | Special features | Acer ColorBoost3D™ Acer LumiSense™ Acer BlueLightShield™ Acer ColorSafe II Automatic Vertical Keystone Correction Eco-Mode |
| | | RS-232 ports | 1 |
| | | Maximum digital resolution | 1920 x 1200 pixels |
| | | Security features | Security Bar |



4711474020130

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.