

## Philips P Line 326P1H/00 LED display 80 cm (31.5") 2560 x 1440 pixels Quad HD Black



**Brand :** Philips

**Product family:** P Line

**Product code:** 326P1H/00

**Product name :** 326P1H/00

- P Line
  - 32 (31.5"/80 cm diag.)
  - 2560 x 1440 (QHD)
- Brilliance 326P1H LCD monitor with USB-C docking

### Philips P Line 326P1H/00 LED display 80 cm (31.5") 2560 x 1440 pixels Quad HD Black:


The Philips USB-C docking display for a comprehensive solution. View QHD and re-charge a laptop up to 90 W, all at the same time with a single USB-C cable. Pop-up webcam with Windows Hello and daisy-chaining deliver performance and convenience

Philips P Line 326P1H/00. Display diagonal: 80 cm (31.5"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Panel mounting interface	100 x 100 mm
Display resolution *	2560 x 1440 pixels	Cable lock slot *	✓
HD type *	Quad HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LED	Height adjustment	18 cm
Panel type *	IPS	Pivot	✓
Backlight type	W-LED	Pivot angle	-90 - 90°
Touchscreen *	✗	Swivelling	✓
Display brightness (typical)	350 cd/m <sup>2</sup>	Swivel angle range	-180 - 180°
Response time *	4 ms	Tilt adjustment	✓
Anti-glare screen	✓	Tilt angle range	-5 - 25°
Screen shape *	Flat	On Screen Display (OSD)	✓
Supported graphics resolutions	2560 x 1440	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Aspect ratio	16:9	Number of OSD languages	21
Contrast ratio (typical) *	1000:1	Plug and Play	✓
Contrast ratio (dynamic)	50000000:1	LED indicators	Operation, Stand-by
Dynamic contrast ratio marketing name	SmartContrast		
Maximum refresh rate *	75 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	G
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	39 kWh
Display number of colours *	1.07 billion colours	Power consumption (typical) *	25.3 W
Pixel pitch	0.2727 x 0.2727 mm	Power consumption (standby) *	0.3 W
Pixel density	93 ppi	Power consumption (PowerSave)	24 W
Horizontal scan range	30 - 114 kHz	AC input voltage	100 - 240 V
Vertical scan range	48 - 75 Hz		
Viewable size, horizontal	69.8 cm		
Viewable size, vertical	39.3 cm		
Digital horizontal frequency	30 - 114 kHz		

<b>Display</b>		<b>Power</b>	
Digital vertical frequency	48 - 75 Hz	AC input frequency	50 - 60 Hz
Display diagonal (metric)	80 cm	Power supply type	Internal
DDC/CI	✓	Energy efficiency scale	A to G
Haze rate	25%	European Product Registry for Energy Labelling (EPREL) code	398293
Surface hardness	3H	<b>Operational conditions</b>	
Colour gamut standard	sRGB	Operating temperature (T-T)	0 - 40 °C
Colour gamut	89%	Storage temperature (T-T)	-20 - 60 °C
sRGB coverage (typical)	118%	Operating relative humidity (H-H)	20 - 80%
NTSC coverage (typical)	106%	Operating altitude	0 - 3658 m
Adobe RGB coverage	87%	Non-operating altitude	0 - 12192 m
Display sRGB	✓	<b>Weight &amp; dimensions</b>	
<b>Performance</b>		Width (with stand)	714 mm
Component video sync	Separate sync	Depth (with stand)	280 mm
Flicker-free technology	✓	Height (with stand)	649 mm
Low Blue Light technology	✓	Weight (with stand)	12.2 kg
<b>Multimedia</b>		Width (without stand)	714 mm
Number of speakers	2	Depth (without stand)	62 mm
RMS rated power	10 W	Height (without stand)	422 mm
Built-in speaker(s) *	✓	Weight (without stand)	8.21 kg
Megapixel (approx.)	2 MP	<b>Packaging data</b>	
Built-in microphone	✓	Package width	930 mm
Built-in camera *	✓	Package depth	186 mm
<b>Design</b>		Package height	563 mm
Market positioning *	Home	Package weight	15.5 kg
Product colour *	Black	Package type	Box
Front bezel colour	Black	<b>Packaging content</b>	
Detachable stand	✓	Stand included	✓
Feet colour	Black	Cables included	HDMI, DisplayPort, USB Type-C, AC
<b>Ports &amp; interfaces</b>		Manual	✓
Built-in USB hub *	✓	Bundled software	SmartControl
USB hub version	3.2 Gen 1 (3.1 Gen 1)	<b>Sustainability</b>	
USB upstream port type	USB Type-C	Sustainability certificates	ENERGY STAR, TCO
Number of upstream ports	1	Doesn't contain	Mercury, PVC/BFR
Number of USB Type-C upstream ports quantity	1	<b>Other features</b>	
USB Type-A downstream ports quantity	4	HBR3 support	✓
USB Type-C DisplayPort Alternate Mode	✓	USB Power Delivery revision	3.0
USB Power Delivery (USB PD)	✓	Exterior finish type	Textured
USB Power Delivery up to	90 W	Recyclable packaging material	100%
DVI port	✗	Heavy metals free	Hg (mercury), Pb (lead)
HDMI *	✓	Light sensor	✓
HDMI ports quantity	2	EasyRead mode	✓
HDMI version	1.4	LowBlue mode	✓
DisplayPorts quantity	2	Philips SmartUniformity	93 - 105%
DisplayPort version	1.4	Picture enhancement	SmartImage
Audio input	✗	Regulatory Approvals	CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU RoHS; CCC; CEL; CECP; CE Mark; FCC Class B; ICES-003; TUV Eye Comfort certified
Audio output	✓	Delta E	2
Headphone out *	✗	Compliance certificates	RoHS
HDCP	✓	Mean time between failures (MTBF)	70000 h
HDCP version	2.2	Ethernet LAN data rates	10,100,1000 Mbit/s
Charging port type	USB Type-C + USB Type-A	Wake-on-LAN	✓
AC (power) in	✓	Certification	CB, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, CCC, CEL, CECP, CE Mark, FCC Class B, ICES-003, TUV Eye Comfort certified
DisplayPort output	✓		

<b>Network</b>		<b>Recycling data</b>	
Ethernet LAN	✓	Post-consumer recycled plastic	85%
<b>Ergonomics</b>		<b>Logistics data</b>	
VESA mounting *	✓	Harmonized System (HS) code	85285210



8712581768096

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-DEC-2024. Prints or copies of Information are only valid on the printed Publication date