ASUS ROG Strix OLED XG34WCDG computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD QD-OLED Black

Brand : ASUS Product family: ROG Strix Product code: 90LM0B70-

OLED B01171

Product name: XG34WCDG

ROG Strix OLED XG34WCDG Monitor – 34-inch 3440x1440, 175Hz (Above 144Hz), 0.03ms (GTG), ASUS OLED Care Pro, Neo Proximity Sensor, 99.3% DCI-P3, true 10-bit color, G-Sync compatible, DisplayWidget Center, ELMB, HDR

ASUS ROG Strix OLED XG34WCDG computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD QD-OLED Black:

ONE FOR ALL

ROG Strix OLED XG34WCDG

The ROG Strix OLED XG34WCDG is a 34-inch, 175Hz ultra-wide QD-OLED gaming monitor. With the addition of the Neo Proximity Sensor in the new ROG OLED Care Pro suite, the monitor transitions to a black screen when no user is detected, guarding against burn-in.

ASUS ROG Strix OLED XG34WCDG. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: UltraWide Quad HD, Display technology: QD-OLED, Response time: 0.03 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Display brightness (peak)	86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD 21:9 QD-OLED OLED X 1000 cd/m ²	USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs	15 W 2 2.1 1 1.4 ✓
Display brightness (typical)	250 cd/m²	Ergonomics	-
Response time * Response time measurement type Anti-glare screen Screen shape * Screen curvature rating Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Viewable size, horizontal	0.03 ms GTG (Gray to Gray) ✓ Curved 1800R 1500000:1 175 Hz 178° 178° 1.073 billion colours 0.232 x 0.232 mm 80 cm	VESA mounting * Panel mounting interface Wall mountable Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Swivelling Swivel angle range Tilt adjustment Tilt angle range	✓ 100 x 100 mm ✓ ✓ Kensington ✓ 11 cm ✓ -25 - 25° ✓ -5 - 20°
Viewable size, vertical Digital horizontal frequency	33.7 cm 280 - 280 kHz	Power	
Digital vertical frequency Display diagonal (metric) High Dynamic Range (HDR) supported	48 - 175 Hz 87 cm	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours *	F G 32 kWh
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black	Energy consumption (HDR) per 1000 hours *	50 kWh

Display		Power	
Colour gamut standard Colour gamut	DCI-P3 99.3%	Power consumption (typical) * Power consumption (standby) *	36 W 0.5 W
Performance NVIDIA G-SYNC * NVIDIA G-SYNC type AMD FreeSync * AMD FreeSync type	✓ G-SYNC Compatible ✓ FreeSync Premium Pro	Power consumption (off) Power consumption (PowerSave) AC input voltage AC input frequency Energy efficiency scale European Product Registry for	0.3 W 0.5 W 100 - 240 V 50/60 Hz A to G 2339195
VESA Adaptive Sync support Flicker-free technology	1	Energy Labelling (EPREL) code Weight & dimensions	
Low Blue Light technology Game mode	<i>'</i>	Width (with stand) Depth (with stand)	812 mm 199 mm
Multimedia Built-in speaker(s) *	×	Height (with stand) Weight (with stand)	545 mm 8.3 kg
Built-in camera *	×	Width (without stand) Depth (without stand)	812 mm 108 mm
Design Market positioning *	Gaming	Height (without stand) Weight (without stand)	380 mm 6.2 kg
Product colour * Feet colour	Black Black	Packaging data Package width	930 mm
Ports & interfaces		Package depth Package height	224 mm 515 mm
Built-in USB hub * USB hub version USB Type-A downstream ports	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Package weight Package type	11.7 kg Box
quantity USB Type-C downstream ports	1	Sustainability Sustainability certificates	Forest Stewardship Council (FSC)
quantity USB Type-C DisplayPort Alternate Mode	·	Other features	Mix
USB Power Delivery (USB PD)	✓	Brand specific technologies	ASUS OLED Care



4711387973332

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.