



Acer X1329 Standard throw projector 4800 ANSI lumens DLP WXGA (1280x800) Black



Brand : Acer

Product code: MR.JX711.002

Product name : X1329

- 4800 Lumens Brightness
- WXGA Resolution
- Optional Dongle Wireless
- Acer ColorBoost3D
- Acer LumiSense
- Acer BlueLightShield
- Acer ColorSafe II
- Eco-Mode
- Integrated Speakers

DLP, 4800 lm, 1280x800, WUXGA, f/2.56, 16:10, 20.000:1, 1.07 Billion Colors

Acer X1329. Projector brightness: 4800 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1280x800). Light source type: Lamp, Service life of light source: 5000 h, Service life of light source (economic mode): 10000 h. Focus: Manual, Focal length range: 22 - 24.1 mm, Aperture range (F-F): 2.56 - 2.68. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 1280 x 800 (WXGA), 1920 x 1200 (WUXGA). Serial interface type: RS-232

Projector		Ports & interfaces	
Supported aspect ratios	4:3, 16:10	PC Audio out	✓
Projection distance	1 - 10 m	VGA (D-Sub) ports quantity *	1
Projector brightness *	4800 ANSI lumens	HDMI ports quantity *	2
Projection technology *	DLP	Composite video in *	1
Projector native resolution *	WXGA (1280x800)	DVI port *	✗
Contrast ratio (typical) *	20000:1	Network	
Native aspect ratio *	16:10	Smart TV *	✗
Number of colours	1.07 billion colours	Ethernet LAN *	✗
Projector brightness (economic mode)	3840 ANSI lumens	Wi-Fi *	✗
Uniformity	85%	Features	
Horizontal scan range	15 - 100 kHz	Projection modes	Ceiling, Front, Rear
Vertical scan range	24 - 120 Hz	Noise level *	29 dB
Keystone correction, vertical	-40 - 40°	Multimedia	
Light source		Built-in speaker(s) *	✓
Light source type *	Lamp	RMS rated power	3 W
Service life of light source *	5000 h	Number of built-in speakers	1
Service life of light source (economic mode)	10000 h	Design	
Lamp type	P-VIP	Market positioning *	Presentation
Lamp power	203 W	Product type *	Standard throw projector
Lamps quantity	1 lamp(s)	Product colour *	Black
Lens system		Placement	Ceiling
Focus *	Manual	Cable lock slot	✓
Focal length range	22 - 24.1 mm	Cable lock slot type	Kensington
Aperture range (F-F)	2.56 - 2.68	Display	
Zoom capability	✓	Built-in display *	✗
Zoom type	Manual	Power	
Zoom ratio	1.1:1	Power source *	AC
Offset	100%	Power consumption (typical) *	260 W
Video		Power consumption (standby) *	0.5 W
Analog signal format system *	NTSC, PAL, SECAM	AC input voltage	120 - 230 V
Supported graphics resolutions	1280 x 800 (WXGA), 1920 x 1200 (WUXGA)	AC input frequency	50 Hz

Ports & interfaces		Operational conditions	
HDMI version	1.4	Operating temperature (T-T)	0 - 40 °C
USB 2.0 ports quantity	1	Operating relative humidity (H-H)	0 - 90%
USB 2.0 Type-A ports quantity	1	Weight & dimensions	
Audio (L/R) in *	1	Width	299.5 mm
Audio (L/R) out	1	Depth	220 mm
Serial interface type *	RS-232	Height	105.1 mm
PC Audio in	✓	Weight *	2.4 kg
Packaging content			
		Remote control included *	✓
		Batteries included	✓
		Cables included	AC, VGA
		Carrying case	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-JUL-2025. Prints or copies of Information are only valid on the printed Publication date