GIGABYTE Z790 AORUS ELITE AX ICE Motherboard - Supports Intel Core 13th CPUs, 16+1+2 Phases Digital VRM, up to 7600MHz DDR5, 4xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Brand : GIGABYTE Product code: Z790 AORUS ELITE AX

 $\begin{array}{l} \textbf{Product name:} \ Z790 \ \text{AORUS ELITE AX ICE Motherboard-Supports Intel Core 13th CPUs, } 16+1+2 \ \text{Phases Digital VRM,} \\ \text{up to } 7600 \text{MHz DDR5, } 4 \text{xPCIe } 4.0 \ \text{M.2, Wi-Fi } 6 \text{E, } 2.5 \text{GbE LAN, } \\ \text{USB } 3.2 \ \text{Gen } 2 \end{array}$

CADRIES

Z799 AGRILE

ELITE AX EE

ATX, LGA 1700 socket, Intel Z790 Express chipset, 4x DDR5 DIMM, Wi-Fi 6E, Bluetooth 5.3, AMI UEFI BIOS

GIGABYTE Z790 AORUS ELITE AX ICE Motherboard - Supports Intel Core 13th CPUs, 16+1+2 Phases Digital VRM, up to 7600MHz DDR5, 4xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN , USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



| Processor | | | Rear panel I/O ports | |
|--|---|--|---|--|
| Processor manufacturer * Processor socket * | | Intel LGA 1700 | HDMI ports quantity * HDMI version | 1 2.0 |
| Compatible processor series * | | Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold | DisplayPorts quantity DisplayPort version Headphone outputs | 1 1.2 2 |
| Supported processor sockets | | LGA 1700 | Microphone in | ✓ |
| Maximum internal memory supported by processor | | 192 GB | S/PDIF out port WiFi-AP antenna jack | 2 |
| Memory | | | USB connector type | USB Type-A, USB Type-C |
| Supported memory types * Number of memory slots * | DDR5-SDRAM 4 | | Network | |
| Memory slots type Memory channels ECC Non-ECC Supported memory clock speeds | DIMM Dual-channel | ,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600 | ***** | ✓ 2.5 Gigabit Ethernet |
| Supported memory clock speed (max) Maximum internal memory * Supported memory module capacities Unbuffered memory | 7600 MHz 192 GB 1GB, 2GB, 4GB, 12GB, ✓ | , 16GB, 32GB, 48GB | Top Wi-Fi standard Wi-Fi standards | Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) |
| Storage controllers | | | Bluetooth | ✓ |
| Supported storage drive types | | HDD & SSD | Bluetooth version | 5.3 |
| Supported storage drive interfaces * | | M.2, PCI Express 4.0, SATA III | Features | |
| Number of HDDs supported | | 6 | Motherboard chipset * | Intel Z790 Express |
| Number of storage drives supported | | I 10 | Audio output channels * | 7.1 channels |
| RAID support | | ✓ | Product colour | White |
| RAID levels | | 0, 1, 5, 10 | PC health monitoring | Fan, Temperature, Voltage, Water cooling |
| Graphics | | | Component for * | PC |
| Parallel processing technology support * | | Not supported | Motherboard form factor * | ATX |
| Maximum resolution | | 4096 x 2304 pixels | Motherboard chipset family * | Intel |
| HDCP | | ✓ | Windows operating systems supported | Windows 10 x64, Windows 11 x64 |
| DirectX version | | 12.0 | Expansion slots | |
| Internal I/O | | | PCI Express x16 slots | 3 |
| USB 2.0 connectors * | | 2 | | |

| Internal I/O | | Expansion slots | |
|---|-------------|--|---------------------------------------|
| · | | • | 1 |
| USB 3.2 Gen 1 (3.1 Gen 1) connectors * | 1 | Number of M.2 (M) slots | 4 |
| USB 3.2 Gen 2 (3.1 Gen 2) | | BIOS | |
| connectors * | | BIOS type * | UEFI AMI |
| Number of SATA III connectors * | 6 | BIOS memory size | 256 Mbit |
| Total number of SATA connectors | 6 | ACPI version | 5.0 |
| Front panel audio connector | V | Clear CMOS jumper | V |
| Front panel connector | V | Clear CMOS button | 1 |
| ATX Power connector (24-pin) CPU fan connector | 1 | Desktop Management Interface (DMI) version | 2.7 |
| EPS power connector (8-pin) | * | System Management BIOS | 2.7 |
| TPM connector | 1 | (SMBIOS) version | 2.7 |
| Thunderbolt headers | 2 | Logistics data | |
| 12V power connector | √ | Country of origin | China |
| RGB LED pin header | ✓ | Products per shipping (inner) case | 1 pc(s) |
| Rear panel I/O ports | | Battery | |
| USB 2.0 ports quantity * | 4 | Battery weight | 3 g |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A | 3 | Lithium weight per battery | 0.07 g |
| ports quantity * | | Number of battery cells | 1 |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * | 2 1 1 | Battery technology | Lithium-Manganese Dioxide (LiMnO2) |
| USB 3.2 Gen 2x2 Type-C ports quantity | | Battery type | CR2032 |
| Ethernet LAN (RJ-45) ports * | | Packaging data | |
| | | Package width | 335 mm |
| | | Package depth | 270 mm |
| | | Package height | 80 mm |
| | | Package weight | 2.3 kg |
| | | Weight & dimensions | |
| | | Width | 305 mm |
| | | Depth | 244 mm |
| | | Height | 35 mm |
| | | Packaging content | |
| | | Cables included | SATA |
| | | Batteries included | 1 |
| | | Bundled software | Norton Internet Security |
| | | Technical details | |
| | | Warranty period | 3 year(s) |





4719331858896

0889523039922



889523039922

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.