

TA-WMR66 WALL/FLOOR MOUNT RACK



Features:

- Heavy-duty cold-rolled steel construction
- Static load capacity up to 60 kg
- Lockable front door for improved security
- Removable side panels for easy access during installation and servicing
- Adjustable profile rails to accommodate different equipment depths
- Cable entry openings at both top and bottom
- Doors can be configured to open from either the left or right side
- Optional caster wheels or support feet available
- Top panel prepared for cooling fan installation
- Compact wall/Floor-mounted design to save valuable floor space

Main material:

- Cold-rolled steel

Surface treatment:

- Degreasing, pickling, phosphating, laundering, powder coating
- Doors can be opened from the left or right

Load capacity:

- Static load: 60KG



• Removable side panel




• Earthing screw inside




• Installation method




• Adjustable profile rail




- 1.top cover
- 2.bottom plate
- 3.frame
- 4.front door
- 5.side panel
- 6.horizontal bracket
- 7.L-shaped bar
- 8.back panel
- 9.mounting panel
- 10.profile rail




Side




Front




Side(with no side panel on)




Top



Back



Installation dimension



DIMENSIONS

Rack Size	Length in mm	Width in mm	Height in mm	Height with Castor Wheels in mm
6U	600	600	370	445
9U	600	600	500	575
12U	600	600	636	711
15U	600	600	770	845

Technical parameters

NO	NAMES	QYANTITY	UNIT	MATERIALS	SURFACETREATMENT	REMARKS
1	top covers	1	pc	1.0mm cold-rolled steel	powder coating	
2	bottom plates	1	pc	1.0mm cold-rolled steel	powder coating	
3	frames	2	pc	1.0mm cold-rolled steel	powder coating	
4	front doors	1	pc	5mm tempered glasses 1.2mm cold-rolled steel	powder coating	
5	sidepanels	2	pc	1.2mm cold-rolled steel	powder coating	
6	horizontal brackets	4	pc	1.2mm cold-rolled steel	powder coating	
7	L-shaped panels	2	pc	1.2mm cold-rolled steel	powder coating	
8	back panels	1	pc	1.0mm cold-rolled steel	powder coating	
9	wall hanging panels	1	pc	1.2mm cold-rolled steel	powder coating	
10	profile rails	4	pc	1.5mm cold-rolled steel	powder coating	
11	cage nuts	20	pc		powder coating	

Compliance & Standards: IEC 60297, EIA-310-D, RoHS, CE, ISO 9001.

Surface Protection: Powder-coated finish for corrosion resistance and long-term durability

Safety: Includes earthing provision and secure lockable acces