

SARJ

REPAIRS SHOW PROMISE FOR SPACE STATION SOLAR POWER

Jack McGuinn, Senior Editor



Several spacewalks were required to make repairs to the SARJ. Photo/NASA.

Much has happened since we last reported on the malfunctioning solar array rotary joint (SARJ) attached to the International Space Station. Space shuttle Endeavour dropped in for a two-week visit in November during which repairs were made and invaluable data collected.

"We were able to clean, lubricate or replace 11 of the 12 trundle bearings assemblies (TBAs) on the starboard side (where the problem first arose)," says Kevin Window, NASA SARJ recovery team leader. "It took the better part of three EVAs (spacewalks); a pretty extensive job."

And, comically—in hindsight—a job not without incident. You may recall that during the initial EVA a tool bag containing a grease gun, a putty tool-like scraper and some other items slipped from the grasp of astronaut Heidemarie Stefanyshyn-Piper—lost in space, never to be seen again. Luckily, there was another set of tools onboard and the scheduled repairs were made without further incident.

From the beginning, the areas of greatest concern for flight engineers on the ground were the build-up of grit-like particles on the raceway of the TBAs, vibration in the SARJ truss and a spike upward in the motor current powering the system. As reported previously, these problems resulted in the SARJ being in disabled mode since its installation.

Window lays out the bearings issue.

"The trundle bearing is made up of three separate bearings—they have a bearing that rolls on each of the three surfaces of the race ring," he explains. "The inner- and outer-



canted surfaces are at a 45 degree angle, the other is a flat surface. The bearings themselves have lubricant internal to the bearings and that's Braycote 601. But the lubricant that was utilized to lube the inner face between the trundle bearings roller and the race ring itself was gold—a solid lubricant. What we have determined in tests is that the lack of lubrication on that inner face causes excessive friction, which we have proven in a vacuum test that that excessive friction causes the bearings to tip on-edge, which increases our surface stress, and the surface stress was high enough to crack the nitride layer. That is what we have determined was the root cause."

Window adds that a few unresolved issues remain on his fault tree, but their resolution will come only when the hardware returns to earth for a hands-on inspection.

As for the repairs done in space, things went reasonably well.

"We went out there with a scraping tool, some wipes and Braycote 602, and we cleaned away as much debris (grit) as we possibly could," says Window. "We reapplied a one-eighth bead of lubricant all the way around on all three surfaces. We replaced the trundle bearings, and since then we have rotated (the SARJ) two complete revolutions. And what we have found is that the motor current that we had seen prior to lubrication has gone down tremendously. We had seen motor currents of .9 amps, and we're down to an average of .17 amps. We're

continued

back down close to where we first started the solar SARJ. The average current when we first started was .15."

Keep in mind, the vibrations caused by the amped-up motor are what set the alarm bells off at mission control. Looking into that problem is what led to the discovery of the debris build-up on the TBAs.

"The vibration is what concerned us tremendously, and it's why we stopped rotating the SARJ," says Window. "Vibrations like that can cause damage to a lot of other things. This is promising data that shows that most of those vibrations have gone away."

As for the debris, Window explains that its origin was the solid—or gold—lubed bearings. The recovery team determined that these bearings were compromised before the shuttle ever launched. Poor application of the gold at the factory was the root cause for that issue. That is what led to the team decision to re-lubricate the bearings with the Braycote. And just to be safe, they also added it to the bearings on the port side solar array.

"We did not replace any hardware on the port side. The port side at this point has no known damage to the race rings. We've inspected several different areas of it, and we haven't seen any damage to the race ring surface."

Once the repairs were made, the SARJ was put through two revolutions and data was collected. It is that data that will help in going forward.

"We're going to conduct another set of rotations and gather that data as well," says Window. "We're putting it in auto track, where the software moves it according to the rotation of the space station," as it was designed to do in the first place.

"We're then going to take that collected data and develop a new spectrum that the structures and dynamics folks can use in their model to determine what impact any vibrations that we see have on the structure itself. Previously, the damage that we were seeing after the vibrations—before we cleaned and lubed—was going to cause us problems. What we hope is that this new spectrum will show that those vibrations are basically in the noise and will not cause any structural damage to the truss. That's the hope. We'll see."

At this writing, the plan is to fly two additional solar arrays to the station in February. Both of them will be added to the existing arrays on the starboard side. Once that is done, more testing will be done and data collected.

"That will drive us to a decision that we need to make on what to do as far as any type of repair, or if we need to do a repair on the truss. We do have plans in place."

As for lessons learned, "We have learned that the lack of gold causes problems," says Window. "In addition to that—and I'm sure that there will be papers written on this and

published—we had trundle bearings that flew on the starboard side that we have documented evidence that the gold was flaked off of the rolling surface prior to its use. There was an issue associated with how that gold plating was done. We also found that the gold wears off quicker than expected.

"One of the things that we found on the port side is some of the Braycote 601 that was internal to the bearing housing. It leaked out and that lubricant fell onto the race ring (thus re-lubricating the deficient gold-plated bearings). And that could have been enough to keep the port side from having a failure."

Irving Laskin

RECEIVES AGMA LIFETIME ACHIEVEMENT AWARD

Irving Laskin, a consultant in gear technology specializing in fine-pitch gearing and *Gear Technology* technical editor, received the AGMA Lifetime Achievement Award for his dedicated career in the gear industry. He accepted the award at the annual awards luncheon at the Fall Technical Meeting. Laskin has been involved in AGMA's technical committees for more than 25 years, serving as chairman of the Fine Pitch Gearing, Plastics Gearing and Powder Metallurgy Gearing Committees. Laskin was also a member of AGMA's Technical Division Executive Committee.

Laskin played a pivotal role in establishing the plastics and powder metallurgy segments of the industry within AGMA, and has been instrumental in recruiting many companies to become members. The award is given to a member of the industry who demonstrates vision and leadership, sharing knowledge and experience for the advancement of the gear community.

"Irving Laskin has been a mentor to many in the plastic gearing industry. He exhibits an unequalled thirst for knowledge of gearing issues and is always willing to disseminate that knowledge freely and passionately with many," says Richard Wheeler, president of plastic gear manufacturer ABA-PGT. "His devotion to the industry in preparing industry standards continues to this day and his contribution to the development of AGMA standards is unmatched based upon our experience. We applaud AGMA for their recognition of Irving Laskin."

American Axle

ANNOUNCES AGREEMENT WITH FORMTECH

American Axle & Manufacturing (AAM) recently announced a purchase agreement with FormTech Industries LLC. The agreement has American Axle exchanging its hub and spindle forging business for FormTech's differential gear, hypoid pinion and ring gear forging business.

In order to compensate for the difference in value, American Axle made a cash payment to FormTech. The parties also exchanged certain direct and indirect inventories, fixed assets and tooling related to the businesses.

"Through this asset purchase agreement, AAM has strategically acquired new forging process technology," says Richard Dauch, co-founder and chairman at AAM. "This strengthens our competitive position in the North American automotive forging market and enhances our ability to expand and diversify AAM's market penetration into transaxle components for passenger cars and crossover vehicles, as well as transfer case and all-wheel-drive components."

Hansen

APPOINTS DECLERCQ TO WIND ENERGY POSITION

Dr. Jan Declercq has been appointed director of business development/sales and marketing for Hansen Transmissions Wind Energy business unit. He joins Hansen after serving as technology development manager and business manager with Pauwels Trafo Belgium, a transformer manufacturer.

Declercq holds a doctorate in applied sciences from the University of Leuven, Belgium

continued



Dr. Jan Declercq



**WINDPOWER®
2009**
CONFERENCE + EXHIBITION
CHICAGO MAY 4-7

Recently recognized as one of the top 50 fastest-growing shows in North America, WINDPOWER 2009 is expecting another record-breaking year of over 776 exhibitors and over 13,000 attendees.

Come experience the excitement with leaders of the wind industry and take advantage of all the growth opportunities at the largest wind conference and exhibition held annually in the world.

www.windpowerexpo.org



GEAR CUTTING TOOLS MADE IN SWITZERLAND



SCHNYDER U.S. Distributor
HANIK
CORPORATION
PHONE 630-595-7333
FAX 630-595-7343
www.hanikcorp.com
email: hanikcorp@aol.com

ph: 011-41-32-344-0400 • fax: 011-41-32-344-0404 • www.schnyder.com • mail@schnyder.com

NEWS

and several other university degrees. He's the chairman of the Agoria Renewable Energy Club, a network of experienced Belgian companies that provide solutions, products and services in the renewable energy field. Declercq is also a member of several international technology councils.

"We are very happy to welcome Jan on board our wind energy business," says Ivan Brems, CEO of Hansen Transmissions. "Jan has been familiar with the wind industry for many years and his experience and knowledge will contribute to the success of our further development in wind energy."

Siemens

SUPPLYING MAJOR DANISH OFFSHORE WIND FARM

E.ON has enlisted Siemens Energy to supply 90 wind turbines for its Rødsand II offshore wind farm, which will be one of the world's largest with a 207 MW capacity. The project will span 35 square km located south of the Danish island of Lolland in the Baltic Sea and 3 km west of the Rødsand I farm connected in 2003.

The Rødsand II wind farm will feature 90 Siemens 2.3 MW wind turbines with 93-meter rotor diameters and will save 700,000 tons of carbon dioxide emission per year. According to the Danish Energy Authority, around 200,000 households will annually be supplied electricity by the new wind farm, which is about 2 percent of Danish electricity use.


"We are building on the offshore experience of Rødsand I. It is a successful model, which we will replicate in the construction of Rødsand II," says Cord Landsmann, CFO of E.ON Climate and Renewables. "We are fortunate to have great engineers and great technology to get the job done."

Forest City Gear

INVESTS IN CAPITAL EQUIPMENT

Forest City Gear has announced it has invested more than \$6 million in the purchase of new capital equipment during the last 18 months. This reinvestment was primarily

DREWCO WORKHOLDING



A supplier you can BANK ON....

On Time Delivery - Guaranteed

On time or 10% back per day

Expedited lead times always available

- 60 years of expert design and build workholding
- We are committed to on time delivery
- Our delivery times are guaranteed backed up by a **10%** or more per business day rebate for late shipments
- For example, if we miss your shipping date by one business day then you pay only 90% of the original purchase price. If your order is behind schedule by 10 more day the order is **FREE**
- Expedited deliveries are always available their expedited pricing has even bigger late rebates

ISO 9001-2000 Certified

Ph: (262) 886-5050

DREWCO
Delivers!

Fax: (262) 886-5872

E-mail: service@drewco.com www.drewco.com

made to expand the company's manufacturing capabilities and to maintain Forest City's manufacturing technology reputation.

"Our customers expect Forest City Gear to lead the way in devising new production techniques to make better gears for them, at competitive cost with superior service. That's a tall order, but it's one we welcome," says Fred Young, CEO. "Our track record speaks for itself in this area, as Forest City Gear has invested an average between 25 and 40 percent of our annual revenue for the last 30 years in the purchase of garmaking machinery and ancillary equipment."

One impetus for these new purchases was the company's success in supplying many of the gears on the 2011 Mars Rover, a win achieved in part because of the previous investment in technology. "We never wait until we get an order to buy machines with enhanced capability," Young says. "We already have it and have developed it, before we start exploring new opportunities."

Young also mentions that Forest City Gear frequently sells gears to its competitors, based on technology developed at his company. "We really believe in raising the bar for our entire industry. It gives us a competitive advantage, of course, but it's also a benefit to American manufacturers who represent our customer base and our future in business."



Forest City Gear CEO Fred Young inspects a gear.


Innovations in the design and manufacture of aerospace gears and gearboxes



AERO GEAR
CONNECTICUT USA

www.aerogear.com

(860)688-0888 info@aerogear.com



GROUND GEARS – Ten or Ten Thousand

For small to medium quantities of spurs or helicals that have to meet close-tolerance AGMA or DIN specs, our Reishauer grinders and M&M gear analysis systems are the perfect combination.

For Long runs, we offer the unique Liebherr CBN grinding process with full SPC quality control and documentation.

So whether your needs are for ten or tens of thousands, we invite you to join the growing list of INSCO customers who rely on us for consistent quality, reasonable costs, and reliable delivery.



PHONE: 978-448-6368

FAX: 978-448-5155

WEB: inscocorp.com

412 Main Street, Groton, Massachusetts 01450

ISO 9001 Registered

Broadwind Energy ANNOUNCES EXPANDED ORGANIZATIONAL STRUCTURE

Broadwind Energy recently announced an expanded organizational structure and leadership team to support its wind and alternative energy business in North America. The structure will be comprised of key operating platforms, including towers, service, gearing, transportation and heavy fabrication.

Don Nabb has been named president of Broadwind's Gearing Platform. Prior to joining Broadwind, he was president


continued

NEWS

Do your gears need:

More strength? Longer life?

Shot peening is the answer. To learn more, subscribe to The Shot Peener. The Shot Peener is dedicated to raising the awareness and appreciation for the shot peening process.



Magazine Subscription Request

I want a **free** subscription to The Shot Peener.
Please send it to the address below.

Please print or attach your business card:

Name _____ Title _____

Company _____

Address _____

City _____ State _____ Zip _____ County _____

Telephone _____ Fax _____

Email Address _____

Fax: (574) 256-5222

Mail: The Shot Peener
56790 Magnetic Drive, Mishawaka, Indiana 46545 USA

The Shot Peener: www.shotpeener.com

SPIRAL BEVEL GEARS (Transmissions)



Spiral & Straight Bevel Gear Manufacturing.
Commercial to aircraft quality gearing.
Spur, helical, splined shafts, internal & external,
shaved & ground gears. Spiral bevel grinding.
Midwest Transmissions & Reducers.
ISO compliant.



MIDWEST GEAR
& TOOL, INC.
15700 Common Rd.
Roseville, MI 48066

midwestgear@sbcglobal.net

CONTACT:
CRAIG D. ROSS
(586) 779-1300
FAX (586) 779-6790

of Smiths Interconnect and held executive positions with various manufacturing companies in the medical, aerospace, industrial and defense markets. Nabb earned his bachelor's degree in electrical engineering from the University of Wisconsin-Madison and holds an MBA from Notre Dame.

"It's an exciting time to join Brad Foote and continue the expansion of our largest carburizing and tooth grinding facilities to meet the growing demands of the wind industry," Nabb says.

Paul Smith has been named vice president and chief operating officer of Broadwind's tower platform. In his new role, Smith will oversee the Manitowoc, WI operations as well as the Sioux Falls, SD and Abilene, TX plants currently under construction. He has served as an executive consultant for Tower Tech since January 2008. Previously, Smith was general manager of DMI Canada, a manufacturer of wind towers. He holds an industrial engineering degree from Niagara College and has prior experience in the aerospace and automotive industries.

"By segmenting our operating units and adding seasoned top level executives to focus on execution excellence, Broadwind will be able to support the extraordinary growth we expect in the wind energy market," says J. Cameron Drecoll, CEO of Broadwind. "We are delighted that Broadwind is able to attract the caliber of talent required to support our customers' needs."

Sandvik Coromant OPENS CHICAGO PRODUCTIVITY CENTER

Sandvik Coromant launched the Chicago Productivity Center with a ribbon cutting ceremony and open house November 12–13. The new facility, located in Schaumburg, Illinois, is designed to help manufacturers take advantage of their metalcutting operations. It joins three other similar North American centers in Fair Lawn, NJ, Mississauga, Ontario, and Monterrey, Mexico.

The Chicago Productivity Center houses classrooms, meeting areas, a tooling showroom and a machining floor with tools from Deckel Maho, Gildemeister, Haas, Mazak, Mori Seiki and Okuma. Customers and distributors visiting the

A uniquely global publication focusing on on peening, blasting, cleaning and vibratory finishing!

Also offering training courses!



center will be presented with live demonstrations, seminars and advanced theory-based training courses. The focus is for American manufacturers to maximize productivity and profitability through understanding and application of the latest technologies in cutting tools, machine tools and machine processes.

"We've talked a lot over the past year of our dedication to maximizing support to our customers as they think smart, work smart and earn smart," says John Israelsson, president of Sandvik Coromant in North America. "The new Chicago Productivity Center is the physical embodiment of our commitment. Through it we will assist American manufacturers in staying at the forefront of new technologies."

Star SU REPRESENTING FEDERAL BROACH

Federal Broach and Machine Company LLC has appointed Star SU LLC as a sales agent in North America for broach cutting tools and broaching machines. An agreement was signed November 1, between Federal Broach CEO Daniel T. Bickersteth and David W. Goodfellow, president of Star SU, as part of Federal's aggressive approach to expand its marketing worldwide. The two companies have a joint venture service center operation in Queretaro, Mexico, for regrinding, resharpening and recoating services for broaches, hobs and shaving cutters.



Ask for free sample issue!

MFN (Metal Finishing News) is distributed in 67 countries and published 6 times a year.

www.mfn.li

***MFN offers training courses for:
shot peening, flap peening and mass finishing***




www.mfn.li/training

MFN is an Official Sponsor of FEMS



MFN is a Partner in Education in Nadcap



MFN is the Official Cooperation Partner of SF EXPO