

# SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name or designation	D8J10Series	
of the mixture		
Registration number	-	
Synonyms	None.	
Issue date	28-Mar-2014	
Version number	04	
Revision date	18-Jan-2019	
Supersedes date	06-May-2016	
1.2. Relevant identified uses of	the substance or mixture and uses advised against	
Identified uses	Inkjet printing	
Uses advised against	None known.	
1.3. Details of the supplier of the safety data sheet		
	HP Inc. UK Limited	
	Cain Road, Amen Corner	
	Bracknell, Berkshire RG12 1HN	
	United Kingdom	
Telephone	44 (0) 879 013 0790	
HP Inc. health effects line		
(Toll-free within the US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care Line		
(Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	
1.4 Emergency telephone	0207771 5307	
number		

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

Ρ

S

#### Label according to Regulation (EC) No. 1272/2008 as amended

······································	,
Contains:	2-pyrrolidone, Carbon black, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.

Complete toxicity data are not available for this specific formulation. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **General information**

eneral information					
Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Water	70-80	7732-18-5	-	-	
		231-791-2			
Classification:	-				
2-pyrrolidone	<15	616-45-5	01-2119475471-37-XXXX	-	
		210-483-1			
Classification:	Eye Irrit. 2;H319				
Carbon black	<5	1333-86-4	01-2119384822-32-XXXX	-	
		215-609-9			
Classification:	-				
omposition comments	This ink supply c	ontains an aqueous ir	nk formulation.		
	Carbon black is	present only in a bour	nd form in this preparation.		
ECTION 4: First aid m	neasures				
eneral information	Not available.				
1. Description of first aid n	neasures				
Inhalation	Move to fresh air	. If symptoms persist,	get medical attention.		
Skin contact		Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.			
Eye contact		Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.			
Ingestion	If ingestion of a I	arge amount does oc	cur, seek medical attention.		
2. Most important symptor d effects, both acute and layed	<b>ns</b> Not available.	Not available.			
<ol> <li>Indication of any mediate medical attention d special treatment neede</li> </ol>					

### **SECTION 5: Firefighting measures**

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

# **SECTION 6: Accidental release measures**

Inhalation       17.1 mg/m3       Systemic long term         Oral       5.2 mg/kg bw/d       Systemic long term         Oral       33.3 mg/kg bw/d       Systemic acute short te         Oral       277 mg/kg bw/d       Systemic long term         Vorkers       Dermal       277 mg/kg bw/d       Systemic acute short te         Dermal       10 mg/kg bw/d       Systemic long term       Systemic long term         Inhalation       57.8 mg/m3       Systemic long term       Systemic long term         Inhalation       1.75 mg/m3       Local long term       Inhalation       1.75 mg/m3       Local long term         Inhalation       1.75 mg/m3       Local long term       Inhalation       1 mg/m3       Systemic long term         Vorkers       Inhalation       1.75 mg/m3       Local long term       Inhalation       1 mg/m3       Systemic long term         Predicted no effect concentrations (PNECs)       Workers       Inhalation       1 mg/m3       Systemic long term         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         Marine water       0.05 mg/l       Sediment       0.4205 mg/kg       Freshwater         Soil       0.0612 mg/kg       Freshwater       Soil       0.0612 mg/kg<						
6.2. Environmental precautions       Do not let product enter drains. Do not flush into surface water or sanitary sewer system.         6.3. Mathods and material for containment and cleaning up or diatomaceous searth, commencial sorbenis, or recover using pumps.       Not available.         6.4. Reference to other sections       Not available.       Not available.         SECTION 7: Handling and storage and clothing.       Avoid contact with skin, eyes and clothing.         7.1. Precautions for safe storage.       Keep out of the reach of children. Keep away from excessive heat or cold.         8.1. Control parameters       Not available.         SECTION 8: Exposure controls/personal protection       8.1. Control parameters         0cuponents       Type         Vic. Had Workplace Exposure Limits (WELs)       7 mg/m3         Components       Type         Vic. Had Workplace Exposure Limits (WELs)       7 mg/m3         Components       Type         Vic. Had Workplace Exposure Limits (WELs)       7 mg/m3         Components       Type       Route       Form         2:pyrrolidone (CAS 816:45-5)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         2:pyrrolidone (CAS 816:45-5)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         2:pyrrolidone (CAS 816:4-5-5)       Consumers       Dermal<	For non-emergency		• •			
6.3. Methods and material for containment and cleaning up or diatomaching and score over using pumps. Not available.       Not available.         6.4. Reference to other sections       Not available.       Not available.         5.5. Other is the specified material, where this is possible. Absorb with inert absorbent such as dry day, so or diatomaching.       Not available.         5.5. Other is the specified material. Where this is possible. Absorb with inert absorbent such as dry day, so or diatomaching.       Not available.         5.1. Ontoo for safe storage, including any incompatibilities       Avoid contact with skin, eyes and clothing.       Not available.         5.2. Conditions for safe storage, including any incompatibilities       Not available.       Value       Value         7.3. Contion parameters       Not available.       Type       Value       Value         Components       Type       Value       Tradition of the ingredient(s).       Not available.         Recommended monitoring procedures       Not available.       TwA       3.5 mg/m3       Systemic long term.         Oral       offect levels (DNELs)       Consumers       Dermal       6 mg/kg bwd       Systemic long term.         2-pyrrolidone (CAS 1333-86-4)       Consumers       Dermal       6 mg/kg bwd       Systemic long term.         2-pyrrolidone (CAS 1333-86-4)       Consumers       Dermal       6 mg/kg bwd       S	For emergency responders	Not available.				
containment and cleaning up or diatomiceous earth, commercial sorbents, or recover using pumps.       Not available.         64. Reference to other sections       Not available.         SECTION 7: Handling and storage       Avoid contact with skin, eyes and clothing.         7.1. Precautions for safe storage.       Avoid contact with skin, eyes and clothing.         7.3. Conditions for safe storage.       Keep out of the reach of children. Keep away from excessive heat or cold.         7.3. Specific end use(s)       Not available.         SECTION 7: Exposure controls/personal protection         8.1. Control parameters       Value         Occupational exposure limits       Type       Value         Carbon black (CAS       STEL       7 mg/m3         1333-86-4)       No biological exposure limits noted for the ingredient(s).       Stermic ongredient(s).         Recommended monitoring procedures       Not available.       Stermic ongredient(s).         Perfect levels (DNELs)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         Carbon black (CAS 1333-86-4)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         2-pyrolidone (CAS 616-45-5)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         Carbon black (CAS 1333-86-4)       Consumers       Inhalation	6.2. Environmental precautions	Do not let product enter drains	. Do not flush into su	urface water or sanit	ary sewer system.	
sections						
T.1. Precautions for safe handling       Avoid contact with skin, eyes and clothing.         7.2. Conditions for safe storage, including any incompatibilities       Keep out of the reach of children. Keep away from excessive heat or cold.         7.3. Specific end use(s)       Not available.         SECTION 8: Exposure controls/personal protection         8.1. Control parameters         Occupational exposure limits         Orcupational exposure limits         Orcupational exposure limits         Orcupational back (CAS         Type       Value         Oration black (CAS 1333-86-4)         Type       Rote       Value         Oration black (CAS 1333-86-4)         Oration black (CAS 1333-86-4)       Type       Rote       Value       Form         Oration black (CAS 1333-86-4)       Type       Rote       Value       Systemic long term         Oration black (CAS 1333-86-4)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         Oration black (CAS 1333-86-4)       Consumers       Inhalation       17.7 mg/m3       Systemic long term         Oration black (CAS 1333-86-4)       Consumers       Inhalation       17.7 mg/m3		Not available.				
nandling         7.2. Conditions for safe size storage, including any incompatibilities       Keep out of the reach of children. Keep away from excessive heat or cold.         7.3. Specific end use(s)       Not available.         SECTION 3: Exposure controls/personal protection         8.1. Control parameters         Occupational exposure limits (WELs)         Or any incompanies         Type         Value         Carbon black (CAS         TYPe       Value         Or any incompanies         Or any incompany	SECTION 7: Handling and	storage				
storage, including any incompatibilities 7.3. Specific and use(s) Not available.  SECTION 8: Exposure controls/personal protection 8.1. Control parameters Occupational exposure limits UK. EH40 Workplace Exposure Limits (WELs) Components UK. EH40 Workplace Exposure Limits noted for the ingredient(s). Recommended monitoring procedures Derived no offect levels (DNELs) Components  Components  Components  Components  Type Route Form Form Coral Signal Signal Workplace UV Coral Signal Signal Workplace UV Coral Signal Signal Workplace Systemic Long term Inhalation Signal Signal Workplace UV Coral Signal S		Avoid contact with skin, eyes a	and clothing.			
SECTION 8: Exposure controls/personal protection         SIGNED Section 1         SECTION 8: Exposure limits         UK. EH40 Workplace Exposure limits (WELs)         Components       Type       Value         Carbon black (CAS 1333-86-4)       STEL       7 mg/m3         Biological limit values       No biological exposure limits noted for the ingredient(s).         Recommended monitoring procedures         Derived no effect levels (DNELs)       Components       Type       Route       Form         Carbon black (CAS 616-45-5)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         2-pyrrolidone (CAS 616-45-5)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         Components       Type       Route       Systemic long term         Carbon black (CAS 1333-86-4)       Consumers       Inhalation       1.7 mg/kg bw/d       Systemic long term         Carbon black (CAS 1333-86-4) <td col<="" th=""><th>storage, including any</th><th>Keep out of the reach of childr</th><th>en. Keep away from</th><th>excessive heat or c</th><th>old.</th></td>	<th>storage, including any</th> <th>Keep out of the reach of childr</th> <th>en. Keep away from</th> <th>excessive heat or c</th> <th>old.</th>	storage, including any	Keep out of the reach of childr	en. Keep away from	excessive heat or c	old.
8.1. Control parameters         Occupational exposure limits (WELs)         Components       Type       Value         Carbon black (CAS       STEL       7 mg/m3         1333-86-4)       TWA       3.5 mg/m3         Biological limit values       No biological exposure limits noted for the ingredient(s).       Not available.         Recommended monitoring procedures       Not available.       Form         Orrived no effect levels (DNELs)         Components       Type       Route       Form         2-pyrrolidone (CAS 616-45-5)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         2-pyrrolidone (CAS 616-45-5)       Consumers       Dermal       167 mg/kg bw/d       Systemic long term         Graip on black (CAS 1333-86-4)       Consumers       Dermal       167 mg/kg bw/d       Systemic long term         Grabon black (CAS 1333-86-4)       Consumers       Inhalation       1.75 mg/m3       Systemic long term         Inhalation       1.76 mg/m3       Systemic long term       Systemic long term       Systemic long term         Inhalation       1.76 mg/m3       Systemic long term       Systemic long term       Systemic long term         Inhalation       1.76 mg/m3       Systemic long term	7.3. Specific end use(s)	Not available.				
Occupational exposure limits (WELs) Components         Yalue           UK. EH40 Workplace Exposure Limits (WELs) Components         STEL         7 mg/m3           Garbon black (CAS 1333-86-4)         STEL         7 mg/m3           Biological limit values         No biological exposure limits noted for the ingredient(s). Not available.         No tavailable.           Percedures         Derived no effect levels (DNELs)         Form           Components         Type         Route         Yalue           2-pyrrolidone (CAS 616-45-5)         Consumers         Dermal Inhalation         6 mg/kg bw/d Systemic long term         Systemic long term           2-pyrrolidone (CAS 616-45-5)         Consumers         Dermal Inhalation         6 mg/kg bw/d Systemic long term         Systemic long term           Carbon black (CAS 1333-86-4)         Consumers         Dermal Inhalation         1.75 mg/m3         Local long term           Carbon black (CAS 1333-86-4)         Consumers         Inhalation         1.75 mg/m3         Local long term           Vorkers         Dermal         10 mg/kg bw/d         Systemic long term         Systemic long term           Carbon black (CAS 1333-86-4)         Not applicable         Freshwater         0.5 mg/l         Releases           Carbon black (CAS 1333-86-4)         Not applicable	<b>SECTION 8: Exposure cor</b>	ntrols/personal protectio	n			
Value           Components         Type         Value           Carbon black (CAS 133-86-4)         STEL         7 mg/m3           Biological limit values         No biological exposure limits noted for the ingredient(s).         Recommended monitoring procedures         No tavailable.           Derived no effect levels (DNELs)         Not available.         No tavailable.         Form           2-pyrrolidone (CAS 616-45-5)         Consumers         Dermal         6 mg/kg bw/d         Systemic long term           2-pyrrolidone (CAS 1333-86-4)         Vorkers         Dermal         67.8 mg/m3         Systemic long term           Carbon black (CAS 1333-86-4)         Consumers         Dermal         10 mg/kg bw/d         Systemic long term           Carbon black (CAS 1333-86-4)         Consumers         Inhalation         7.7 mg/m3         Systemic long term           Carbon black (CAS 1333-86-4)         Consumers         Inhalation         1.75 mg/m3         Local long term           Vorkers         Dermal         10 mg/kg bw/d         Systemic long term         Systemic long term           Carbon black (CAS 1333-86-4)         Consumers         Inhalation         1.75 mg/m3         Local long term           Vorkers         Dermal         0.76 mg/m3         Systemic long term         Inhalation	8.1. Control parameters					
Components         Type         Value           Carbon black (CAS 1333-86-4)         STEL         7 mg/m3           Biological limit values Recommended monitoring procedures         No biological exposure limits noted for the ingredient(s).         Form           Biological limit values         No tavailable.         No tavailable.         Form           Derived no effect levels (DNELs)         No tavailable.         Form           2-pyrrolidone (CAS 616-45-5)         Consumers         Dermal 167 mg/kg bw/d         Systemic long term Systemic long term Oral         Systemic long term 07al         Systemic long term 167 mg/kg bw/d         Systemic long term Systemic long term 167 mg/kg bw/d         Systemic long term Systemic long term           Carbon black (CAS 1333-86-4)         Consumers         Dermal Inhalation         17.7 mg/m3         Systemic long term 101 mg/m3         Systemic long term Systemic long term           Carbon black (CAS 1333-86-4)         Consumers         Inhalation         1.7 mg/m3         Systemic long term 1nhalation         Systemic long term           Predicted no effect concentrations         FVPE         Route         Yalue         Form           2-pyrrolidone (CAS 616-45-5)         Not applicable         Freshwater         0.5 mg/l Narine water         Systemic long term           Solid         0.0612 mg/m3         Systemic long term         Inhalation <th>Occupational exposure limits</th> <th></th> <th></th> <th></th> <th></th>	Occupational exposure limits					
1333-86-4)       TWA       3.5 mg/m3         Biological limit values       No biological exposure limits noted for the ingredient(s).       Not available.         Recommended monitoring procedures       Not available.       Not available.         Derived no effect levels (DNELs)       Eventson the ingredient(s).       Form         2-pyrrolidone (CAS 616-45-5)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         0ral       5.2 mg/kg bw/d       Systemic long term       Systemic acute short te       Systemic acute short te         0ral       5.2 mg/kg bw/d       Systemic long term       Systemic acute short te       Systemic acute short te         Carbon black (CAS 1333-86-4)       Consumers       Inhalation       1.7 mg/kg bw/d       Systemic long term         Inhalation       1.75 mg/m3       Local long term       Systemic long term       Systemic long term         Inhalation       1.75 mg/m3       Local long term       Inhalation       1.75 mg/m3       Local long term         Carbon black (CAS 1333-86-4)       Consumers       Inhalation       0.55 mg/l       Local long term         Inhalation       0.65 mg/l       Stemic long term       Systemic long term       Systemic long term         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater <t< th=""><th></th><th>. ,</th><th></th><th>Value</th><th></th></t<>		. ,		Value		
TWA     3.5 mg/m3       Biological limit values Recommended monitoring procedures     No biological exposure limits noted for the ingredient(s). Not available.     Not available.       Derived no effect levels (DNELs)     Value     Form       2-pyrrolidone (CAS 616-45-5)     Consumers     Dermal     167 mg/kg bw/d     Systemic long term       2-pyrrolidone (CAS 616-45-5)     Consumers     Dermal     167 mg/kg bw/d     Systemic long term       0ral     3.2 mg/kg bw/d     Systemic long term     Systemic long term     Systemic long term       0ral     3.3 mg/kg bw/d     Systemic long term     Systemic acute short te       0ral     3.3 mg/kg bw/d     Systemic long term       0ral     3.3 mg/kg bw/d     Systemic long term       0ral     5.2 mg/kg bw/d     Systemic long term       0ral     5.2 mg/kg bw/d     Systemic long term       0ral     5.3 mg/m3     Systemic long term       0ral     0.0 mg/kg bw/d     Systemic long term       0.0 mg/kg bw/d     Systemic long term     Inhalation     1.75 mg/m3     Local long term       0.0 mg/kg bw/d     Systemic long term     Inhalation		STEL		7 mg/m3		
Biological limit values       No biological exposure limits noted for the ingredient(s).         Recommended monitoring procedures       Not available.         Derived no effect levels (DNELs)       Value       Form         2-pyrrolidone (CAS 616-45-5)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         2-pyrrolidone (CAS 616-45-5)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         0ral       5.2 mg/kg bw/d       Systemic long term       Systemic long term       Systemic long term         Carbon black (CAS 1333-86-4)       Workers       Dermal       10 mg/kg bw/d       Systemic long term         Carbon black (CAS 1333-86-4)       Koters       Inhalation       1.75 mg/m3       Local long term         Morkers       Inhalation       0.66 mg/m3       Systemic long term       Systemic long term         Carbon black (CAS 1333-86-4)       Koters       Inhalation       1.75 mg/m3       Local long term         Inhalation       1.75 mg/m3       Systemic long term       Systemic long term       Systemic long term         Inhalation       0.66 mg/m3       Systemic long term       Inhalation       1.75 mg/m3       Local long term         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       0.55 mg/l       Release	1333-86-4)	TWA		3.5 mg/m3		
Recommended monitoring procedures         Not available.           Derived no effect levels (DNELs)         Type         Route         Value         Form           2-pyrrolidone (CAS 616-45-5)         Consumers         Dermal         6 mg/kg bw/d Inhalation         Systemic long term Systemic long term Systemic long term         Systemic long term Systemic long term Systemic long term         Systemic long term Systemic long term Systemic long term         Systemic long term Systemic long term Systemic long term Systemic long term         Systemic long term Systemic long term Systemic long term Inhalation         Systemic long term Systemic long term Systemic long term Inhalation         Systemic long term Systemic long term         Systemic long term Inhalation         Local long term Inhalation         Local long term Inhalation         Local long term Inhalation         Local long term           Predicted no effect concentrations (PNECs)         Type         Route         Value         Form           2-pyrrolidone (CAS 616-45-5)         Not applicable         Freshwater         0.5 mg/l Intermittert         Inhalation         1 mg/m3 Systemic long term         Systemic long term           2-pyrrolidone (CAS 616-45-5)         Not applicable         Freshwater         0.5 mg/l Marine water         Sofm g/l Marine water         Sedment         0.420	Biological limit values	No biological exposure limits r	oted for the inaredie			
procedures         Derived no effect levels (DNELs)           Components         Type         Route         Value         Form           2-pyrrolidone (CAS 616-45-5)         Consumers         Dermal         167 mg/kg bw/d         Systemic long term           0ral         5.2 mg/kg bw/d         Systemic long term         Oral         5.2 mg/kg bw/d         Systemic acute short term           0ral         5.2 mg/kg bw/d         Systemic long term         Oral         3.3 mg/kg bw/d         Systemic acute short term           0ral         3.3 mg/kg bw/d         Systemic acute short term         Oral         3.3 mg/kg bw/d         Systemic acute short term           0ral         10 mg/kg bw/d         Systemic acute short term         Dermal         10 mg/kg bw/d         Systemic acute short term           0ral         57.8 mg/m3         Systemic long term         Inhalation         1.75 mg/m3         Systemic long term           0ral         10 mg/kg bw/d         Systemic long term         Inhalation         1.0 mg/kg bw/d         Systemic long term           Carbon black (CAS 1333-86-4)         Consumers         Inhalation         1.75 mg/m3         Local long term           1nhalation         1 mg/m3         Systemic long term         Inhalation         1.65 mg/l         Inhalation	-		5	( )		
Components       Type       Route       Value       Form         2-pyrrolidone (CAS 616-45-5)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         2-pyrrolidone (CAS 616-45-5)       Consumers       Dermal       167 mg/kg bw/d       Systemic long term         Oral       5.2 mg/kg bw/d       Systemic long term       Systemic long term       Oral       3.3 mg/kg bw/d       Systemic long term         Oral       5.2 mg/kg bw/d       Systemic long term       Oral       3.3 mg/kg bw/d       Systemic long term         Oral       3.3 mg/kg bw/d       Systemic long term       Inhalation       17.7 mg/kg bw/d       Systemic long term         Carbon black (CAS 1333-86-4)       Consumers       Inhalation       1.75 mg/m3       Local long term         Inhalation       1.75 mg/m3       Local long term       Inhalation       2 mg/m3       Local long term         Inhalation       2 mg/m3       Local long term       Inhalation       2 mg/m3       Local long term         Inhalation       1 mg/m3       Systemic long term       Inhalation       2 mg/m3       Local long term         Inhalation       1 mg/m3       Systemic long term       Inhalation       1 mg/m3       Systemic long term         Inhalation       1 mg/m3	-					
2-pyrrolidone (CAS 616-45-5)       Consumers       Dermal       6 mg/kg bw/d       Systemic long term         2-pyrrolidone (CAS 616-45-5)       Consumers       Dermal       167 mg/kg bw/d       Systemic acute short te         Oral       5.2 mg/kg bw/d       Systemic acute short te       Systemic acute short te       Systemic acute short te         Oral       33.3 mg/kg bw/d       Systemic acute short te       Systemic acute short te       Systemic acute short te         Carbon black (CAS 1333-86-4)       Consumers       Inhalation       1.75 mg/m3       Systemic long term         Carbon black (CAS 1333-86-4)       Consumers       Inhalation       0.06 mg/m3       Systemic long term         Workers       Inhalation       1.75 mg/m3       Local long term       Inhalation       1.75 mg/m3       Local long term         Workers       Inhalation       1.75 mg/m3       Local long term       Inhalation       1.75 mg/l       Local long term         Predicted no effect concentrations (PNECs)       Value       Form       Form       Marine water       0.5 mg/l       Releases         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         Scill       0.0612 mg/kg       Stremuter       Soli       0.0612 mg/kg       Sewage Treatment Pla			Route	Value	Form	
Carbon black (CAS 1333-86-4)     Vorkers     Dermal 167 mg/kg bw/d 17.1 mg/m3 5ystemic long term 07al 5.2 mg/kg bw/d 5ystemic acute short te 07al 33.3 mg/kg bw/d 5ystemic acute short te 07al 33.3 mg/kg bw/d 5ystemic acute short te 07al 5.2 mg/kg bw/d 5ystemic acute short te 0.05 mg/m3 5ystemic long term 1nhalation 1.75 mg/m3 Local long term 1nhalation 2 mg/m3 Local long term 1nhalation 1 mg/m3 5ystemic long term 1nhalating 1 mg/m3 5ystemic long term 1nhalation 1 mg/m3 5ystemi	· ·		Dermal	6 ma/ka bw/d	Systemic long term	
Inhalation       17.1 mg/m3       Systemic long term         Oral       5.2 mg/kg bw/d       Systemic long term         Oral       33.3 mg/kg bw/d       Systemic acute short te         Oral       23.3 mg/kg bw/d       Systemic long term         Dermal       10 mg/kg bw/d       Systemic long term         Inhalation       57.8 mg/m3       Systemic long term         Inhalation       57.8 mg/m3       Systemic long term         Inhalation       1.75 mg/m3       Local long term         Inhalation       1.75 mg/m3       Local long term         Inhalation       2.78 mg/m3       Local long term         Inhalation       1 mg/m3       Systemic long term         Inhalation       1.75 mg/m3       Local long term         Inhalation       1 mg/m3       Systemic long term         Inhalation       1 mg/m3       Systemic long term         Inhalation       2 mg/m3       Local long term         Inhalation       1 mg/m3       Systemic long term         Inhalation       1 mg/m3       Systemic long term         Inhalation       2 mg/m3       Local long term         Inhalation       1 mg/m3       Systemic long term         Inhalation       1 mg/m3       Systemic lon	, , , , , , , , , , , , , , , , , , ,		Dermal		Systemic acute short term	
Carbon black (CAS 1333-86-4)       Workers       Oral       33.3 mg/kg bw/d       Systemic acute short te         Carbon black (CAS 1333-86-4)       Consumers       Inhalation       57.8 mg/m3       Systemic long term         Inhalation       57.8 mg/m3       Systemic long term       Local long term         Inhalation       1.75 mg/m3       Local long term         Inhalation       2mg/m3       Local long term         Inhalation       1 mg/m3       Systemic long term         Inhalation       1 mg/m3       Systemic long term         Vorkers       Inhalation       2mg/m3       Local long term         Inhalation       1 mg/m3       Systemic long term         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.05 mg/l         Sediment       0.4205 mg/kg       Freshwater       Soil       0.0612 mg/kg         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Sewage Treatment Pla         Sater       Exposure limits have not been established for this product.       Sater       5 mg/l       Sater         Sater       Exposure controls       Marine water       5 mg/l       Sater			Inhalation		Systemic long term	
Carbon black (CAS 1333-86-4)       Workers       Oral       33.3 mg/kg bw/d       Systemic acute short term         Carbon black (CAS 1333-86-4)       Consumers       Inhalation       57.8 mg/m3       Systemic long term         Inhalation       57.8 mg/m3       Systemic long term       Inhalation       57.8 mg/m3       Systemic long term         Inhalation       0.06 mg/m3       Systemic long term       Inhalation       1.75 mg/m3       Local long term         Predicted no effect concentrations       Vorkers       Inhalation       1 mg/m3       Systemic long term         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.05 mg/l       Sediment         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.05 mg/l       Sediment         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.05 mg/l       Sediment         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Sewage Treatment Pla         S1       Exposure limits have not been established for this       Smg/l       Sewage Treatment Pla         S2. Exposure controls       Exposure limits have not been established for this <t< th=""><th></th><th></th><th>Oral</th><th>•</th><th></th></t<>			Oral	•		
Carbon black (CAS 1333-86-4)       Workers       Dermal       277 mg/kg bw/d       Systemic acute short term         Carbon black (CAS 1333-86-4)       Consumers       Inhalation       57.8 mg/m3       Systemic long term         Inhalation       1.75 mg/m3       Local long term       Inhalation       1.75 mg/m3       Local long term         Inhalation       0.06 mg/m3       Systemic long term       Inhalation       1 mg/m3       Systemic long term         Predicted no effect concentrations (PNECs)       Workers       Inhalation       1 mg/m3       Systemic long term         Components       Type       Route       Value       Form         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         Marine water       0.05 mg/l       Sediment       0.4205 mg/kg       Freshwater       Sewage Treatment Plate         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Sewage Treatment Plate         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Sewage Treatment Plate         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Sewage Treatment Plate         S2. Exposure guidelines       Exposure limits have not been established for th			Oral		, 0	
Carbon black (CAS 1333-86-4)       Consumers       Dermal       10 mg/kg bw/d       Systemic long term         Inhalation       57.8 mg/m3       Local long term         Inhalation       1.75 mg/m3       Local long term         Inhalation       0.06 mg/m3       Systemic long term         Workers       Inhalation       2 mg/m3       Local long term         Inhalation       1 mg/m3       Systemic long term         Inhalation       1 mg/m3       Systemic long term         Predicted no effect concentrations (PNECs)       Type       Route       Value       Form         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.06 mg/l       Sediment       0.4205 mg/kg       Freshwater         2-pyrrolidone (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Freshwater       Soil       0.0612 mg/kg         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Sewage Treatment Pla         S2. Exposure guidelines       Exposure limits have not been established for this product.       Sexage Treatment Pla       Sexage Treatment Pla         S2. Exposure controls       Los in a well ventilated		Workers			-	
Carbon black (CAS 1333-86-4)       Consumers       Inhalation       57.8 mg/m3       Systemic long term         Vorkers       Inhalation       1.75 mg/m3       Local long term         Workers       Inhalation       2 mg/m3       Local long term         Predicted no effect concentrations (PNECs)       mainalation       1 mg/m3       Systemic long term         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         2-pyrrolidone (CAS 1333-86-4)       Not applicable       Freshwater       0.4205 mg/kg       Freshwater         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Sewage Treatment Pla         Exposure guidelines       Exposure limits have not been established for this product.       5 mg/l       Sewage Treatment Pla         8.2. Exposure controls       Appropriate engineering       Use in a well ventilated area.       Use in a well ventilated area.       Use in a well ventilated area.		Trentere			-	
Carbon black (CAS 1333-86-4)       Consumers       Inhalation       1.75 mg/m3       Local long term         Workers       Inhalation       2 mg/m3       Local long term       Systemic long term         Predicted no effect concentrations (PNECs)       Type       Route       Value       Form         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.05 mg/l       Releases         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Releases         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Sewage Treatment Pla         Exposure guidelines       Exposure limits have not been established for this product.       5 mg/l       Sewage Treatment Pla         8.2. Exposure controls       Appropriate engineering       Use in a well ventilated area.       Use in a well ventilated area.       Use in a well ventilated area.						
Workers       Inhalation       0.06 mg/m3       Systemic long term         Predicted no effect concentrations (PNECs)       Inhalation       1 mg/m3       Systemic long term         Components       Type       Route       Value       Form         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.0612 mg/kg       Freshwater         Carbon black (CAS 1333-86-4)       Not applicable       STP       10 mg/l       Sewage Treatment Pla         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Sewage Treatment Pla         Exposure guidelines       Exposure limits have not been established for this product.       Sex       Smg/l       Sewage Treatment Pla         Appropriate engineering       Use in a well ventilated area.	Carbon black (CAS 1333-86-4			-		
Workers       Inhalation       2 mg/m3       Local long term         Predicted no effect concentrations (PNECs)       Type       Route       Value       Form         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         Marine water       0.05 mg/l       Sediment       0.4205 mg/kg       Freshwater         Soil       0.0612 mg/kg       STP       10 mg/l       Sewage Treatment Pla         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l         Exposure guidelines       Exposure limits have not been established for this product.       S.2. Exposure controls       Exposure limits have not been established area.       Use in a well ventilated area.	Calbon black (CAS 1555-60-4	r) Consumers		-	•	
Predicted no effect concentrations (PNECs)       Type       Route       Value       Form         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         Marine water       0.05 mg/l       Sediment       0.4205 mg/kg       Freshwater         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Sewage Treatment Plater         Karposure guidelines       Exposure limits have not been established for this product.       Set may limit have not been established for this product.       Set may limit have not been established for this product.         Appropriate engineering       Use in a well ventilated area.       Use in a well ventilated area.       Value       Value       Value		Workers		-		
Predicted no effect concentrations (PNECs)         Components       Type       Route       Value       Form         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         2-pyrrolidone (CAS 616-45-5)       Not applicable       Freshwater       0.5 mg/l       Releases         Marine water       0.05 mg/l       Sediment       0.4205 mg/kg       Freshwater         Soil       0.0612 mg/kg       STP       10 mg/l       Sewage Treatment Pla         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l         Marine water       5 mg/l       Sewage Treatment Pla         S2. Exposure guidelines       Exposure limits have not been established for this product.       S.2. Exposure controls         Appropriate engineering       Use in a well ventilated area.       Use in a well ventilated area.		WUIKEIS		-	-	
ComponentsTypeRouteValueForm2-pyrrolidone (CAS 616-45-5)Not applicableFreshwater0.5 mg/lReleasesIntermittent0.5 mg/lIntermittent0.5 mg/lReleasesMarine water0.05 mg/lSediment0.4205 mg/kgFreshwaterSoil0.0612 mg/kgSTP10 mg/lSewage Treatment PlaCarbon black (CAS 1333-86-4)Not applicableFreshwater5 mg/lSewage Treatment PlaExposure guidelinesExposure limits have not been established for this product.5 mg/lState in a well ventilated area.Appropriate engineeringUse in a well ventilated area.5 mg/lState in a well ventilated area.			initialation	T mg/mo	oystemic long term	
Intermittent       0.5 mg/l       Releases         Marine water       0.05 mg/l       Sediment         Sediment       0.4205 mg/kg       Freshwater         Soil       0.0612 mg/kg       StP         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l         Karine water       5 mg/l       Sewage Treatment Pla         Marine water       5 mg/l       Sewage Treatment Pla         State       Use in a well ventilated area.       Sewage Treatment Pla			Route	Value	Form	
Marine water       0.05 mg/l         Sediment       0.4205 mg/kg         Soil       0.0612 mg/kg         STP       10 mg/l         Sewage Treatment Pla         Carbon black (CAS 1333-86-4)       Not applicable         Freshwater       5 mg/l         Marine water       5 mg/l         Exposure guidelines       Exposure limits have not been established for this product.         8.2. Exposure controls       Use in a well ventilated area.	2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l		
Sediment       0.4205 mg/kg       Freshwater         Soil       0.0612 mg/kg       STP         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l         Exposure guidelines       Exposure limits have not been established for this product.       Step sure controls         Appropriate engineering       Use in a well ventilated area.       Use in a well ventilated area.			Intermittent	0.5 mg/l	Releases	
Carbon black (CAS 1333-86-4)       Not applicable       STP       10 mg/l       Sewage Treatment Pla         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l         Exposure guidelines       Exposure limits have not been established for this product.         8.2. Exposure controls       Use in a well ventilated area.			Marine water	0.05 mg/l		
Carbon black (CAS 1333-86-4)       Not applicable       STP       10 mg/l       Sewage Treatment Pla         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l         Exposure guidelines       Exposure limits have not been established for this product.         8.2. Exposure controls       Use in a well ventilated area.			Sediment	•	Freshwater	
Carbon black (CAS 1333-86-4)       Not applicable       STP       10 mg/l       Sewage Treatment Pla         Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l       Smg/l         Exposure guidelines       Exposure limits have not been established for this product.       Sewage Treatment Pla         8.2. Exposure controls       Use in a well ventilated area.       Use in a well ventilated area.						
Carbon black (CAS 1333-86-4)       Not applicable       Freshwater       5 mg/l         Marine water       5 mg/l         Exposure guidelines       Exposure limits have not been established for this product.         8.2. Exposure controls       Use in a well ventilated area.					Sewage Treatment Plant	
Marine water       5 mg/l         Exposure guidelines       Exposure limits have not been established for this product.         8.2. Exposure controls       Use in a well ventilated area.	Carbon black (CAS 1333-86-4	) Not applicable		-	J	
Exposure guidelinesExposure limits have not been established for this product.8.2. Exposure controlsUse in a well ventilated area.		,		-		
8.2. Exposure controls         Appropriate engineering       Use in a well ventilated area.	Exposure guidelines					
Appropriate engineering Use in a well ventilated area.		Exposure limits have not been	established for this	product.		
		Exposure limits have not been	established for this	product.		
	8.2. Exposure controls		established for this	product.		

#### Individual protection measures, such as personal protective equipment

General information	Use personal protective equipment to minimize exposure to skin and eye.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
<b>Respiratory protection</b>	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Not available.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	7.5 - 9
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC	< 130.2 g/L

### **SECTION 10: Stability and reactivity**

· · · · · · · · · · · · · · · · · · ·	·····,
10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicologic	cal information			
General information	Not available.			
nformation on likely routes of	exposure			
Inhalation	Under normal conditions of intended use, this ma	aterial is not expected to be an inhalation hazard		
Skin contact	Contact with skin may result in mild irritation.			
Eye contact	Contact with eyes may result in mild irritation.			
Ingestion	Health injuries are not known or expected under	normal use.		
Symptoms	Not available.			
11.1. Information on toxicologic	cal effects			
Acute toxicity	Based on available data, the classification criteria	a are not met.		
Components	Species	Test Results		
2-pyrrolidone (CAS 616-45-5)				
<u>Acute</u>				
Oral				
LD50	Rat	> 5000 mg/kg		
Carbon black (CAS 1333-86-4)				
Acute				
Oral		40000 "		
LD50	Rat	> 10000 mg/kg		
Skin corrosion/irritation	Based on available data, the classification criteria	Based on available data, the classification criteria are not met.		
Serious eye damage/eye rritation	Based on available data, the classification criteria are not met. Not classified as an irritant according to, OECD 405.			
Respiratory sensitization	Based on available data, the classification criteria are not met.			
Skin sensitization	Based on available data, the classification criteria are not met.			
Germ cell mutagenicity	Based on available data, the classification criteria are not met.			
Carcinogenicity	Based on available data, the classification criteria	a are not met.		
	Carbon black is classified as a carcinogen by the 2B) and by the State of California under Proposit organizations indicate that exposure to carbon bl bound within a product matrix, specifically, rubbe bound form in this preparation.	ion 65. In their evaluations of carbon black, bot ack, per se, does not occur when it remains		
IARC Monographs. Overall	Evaluation of Carcinogenicity			
Carbon black (CAS 1333	3-86-4) 2B Possibly card	inogenic to humans.		
Reproductive toxicity	Based on available data, the classification criteria	a are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classification criteria	a are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria	a are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.			
Mixture versus substance information	Not available.			
Other information	Complete toxicity data are not available for this s Refer to Section 2 for potential health effects and			
SECTION 12: Ecological	information			
12.1. Toxicity				
Aquatic toxicity	This product has not been tested for ecological e	ffects.		
Components	Spacios	Tost Posults		

Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		

Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	-0.85
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	Not available.

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Do not dispose of together with general office waste. Ensure collection and disposal with an appropriately licensed waste contractor.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

### **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

#### ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU regulations**

**Further information** 

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II
Not listed. Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended
Not listed. Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Not listed.
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry
Not listed. Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.
Authorizations
Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization Not listed.
Restrictions on use

/			
Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended			
Not listed. Directive 2004/37/EC: on th work	e protection of workers from the risks related to exposure to carcinogens and mutagens at		
Not regulated.			
Other EU regulations			
Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended			
Not listed.			
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.		
Other information	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).		
National regulations	Not available.		
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.		
SECTION 16: Other inform	mation		
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).		
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.		
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).		
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.		
Full text of any H-statements not written out in full under Sections 2 to 15	H319 Causes serious eye irritation.		
Revision information	None.		
Training information	Follow training instructions when handling this material.		
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.		
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.		

#### Explanation of abbreviations

ACGIH	American Conference of Covernmental Industrial Ungionista
	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

### Safe Use of Mixture Information (SUMI)

## Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.		
Operational conditions			
Maximum duration	Up to 8 hours per day		
Frequency of exposure	< 240 days per year		
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions		
	followed.		
Risk management measures			
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.		
related to Personal Protection			
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.		
Equipment, hygiene and	Wear appropriate chemical resistent clothing.		
health evaluation	In case of inadequate ventilation wear respiratory protection.		
	Eye wash fountain and emergency showers are recommended.		
	Avoid breathing mist/vapours.		
	Avoid contact with skin, eyes and clothing.		
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.		
Good practice advice			
Use personal protective equipme	ent as required.		
Wash hands before breaks and a	after work.		
Keep good industrial hygiene and	d safety practice.		
Use only with adequate ventilati			
Do no eat, drink or smoke when			
Wash contaminated clothing be			
Store at room temperature.			
Environmental measures			
	in intercourse/unitercourselies		
Do not allow this material to dra			
-	ding to Local, State, Federal and Provincial Environmental Regulations.		
	ith appropriately licenced waste contractor.		
Use descriptors			
IS-Use at industrial sites			
PW-Widespread use by profession	onal workers		
SU7-Printing and reproduction n	nedia		
PC18-Inks and Toners			
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.		
PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions			
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities		
ERC5-Use at industrial site leading to inclusion into/onto article ERC8c-Widespread use leading to inclusion into/onto article (indoor)			
Additional information on prod			
In section 2 of the SDS as well as on the label, the classification of the mixture is provided.			
Most of the water based inks are "not classified".			
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.			
All ingredients contributing to the classification are stated in Section 3 of the SDS.			
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.			
The product may contain sensitizing ingredients that may cause allergic reaction to certain people.			
Section 2 of the SDS states these			
I	WB01 English.pdf		